

PRICE LIST

01/2019



Aftermarket Price List Europe (€)



Innovative Vehicle Solutions



This price list contains the current active aftermarket items. For cross referencing and technical information, please refer to the Haldex European Aftermarket Catalogue or to Findex on www.haldex.com. This price list can also be downloaded from the site in Excel format.

Our products fulfil the quality requirements applicable to the use of spare parts for repair or maintenance of motor vehicles by authorised repairers, as defined in the Motor Vehicle Block Exemption Regulation (EC) 461/2010 and Vertical Restraints BER 330/2010. We certify that they are original spare parts or spare parts of matching quality.

The recommended prices can be subject to change and Haldex reserve the right to amend this information without prior notice. Haldex hold no responsibility for any issues that may arise as a result of inaccurate data within this price list that arise from the compilation or printing of the list.

Please contact your local Haldex Sales Office for any further information you require.

All prices shown are exclusive of VAT and are valid from 1 January 2019.

The valid General Sales Conditions can be found on www.haldex.com, or on the reverse of each invoice.



Ce tarif contient uniquement les références des pièces de rechange valides. Pour les références de remplacement et les informations techniques, merci de vous référer au catalogue Rechange Europe, ou sur Findex depuis www.haldex.com. Il peut également être téléchargé sur notre site en format Excel.

Nos produits répondent aux normes de qualité exigées pour les pièces détachées devant servir à l'entretien et à la réparation de véhicules motorisés comme définies dans la réglementation européenne (CE) 461/2010 et VRBER 330/2010. Nous certifions qu'il s'agit de pièces détachées d'origine ou de qualité équivalente.

Haldex se réserve le droit de modifier les informations contenues dans ce tarif sans préavis. Haldex ne peut être tenu pour responsable des conséquences résultant des inexactitudes liées à l'impression ou à la compilation de cette liste.

Pour toute information complémentaire, merci de bien vouloir contacter votre responsable commercial.

Tous les prix indiqués sont hors TVA et sont valables à partir du 1er Janvier 2019.

Vous trouverez les conditions générales de vente en cours sur www.haldex.com ou au verso de chaque facture.



Die Preisliste enthält ausschließlich die aktuellen Artikelnummern und keine Querverweise. Diese und weitere Informationen, z. B. technische Details der Produkte finden Sie im europäischen Nachmarkt Katalog oder in Findex auf unserer Website www.haldex.com, wo Sie die Preisliste auch als Excel Datei herunterladen können.

Unsere Produkte entsprechen den der Gruppenfreistellungsverordnung (EG) 461/2010 und VR BER 330/2010 zulässigen Anforderungen für Kfz-Ersatzteile, insbesondere für die Verwendung im Rahmen von Wartungen und Instandsetzungen in autorisierten Werkstätten. Wir bescheinigen, daß die von uns gelieferten Produkte „Originalersatzteile“ oder „qualitativ gleichwertige Ersatzteile“ im Sinne der Gruppenfreistellungsverordnung (EG) sind.

Die Angaben in dieser Preisliste wurden mit größter Sorgfalt zusammengestellt. Haldex ist stets bemüht, die Richtigkeit der Daten sicherzustellen. Wir können jedoch keine Haftung für mögliche Fehler und daraus resultierende Probleme übernehmen.

Ihr Haldex Verkaufsteam steht Ihnen für weitere Fragen gerne zur Verfügung.

Die Listenpreise sind unverbindliche Preisempfehlungen ohne Mehrwertsteuer und sind gültig ab 1. Januar 2019.

Die allgemeinen Geschäftsbedingungen finden Sie auf unserer Webseite www.haldex.com oder auf der Rückseite Ihrer Rechnung.



Esta Tarifa contiene exclusivamente las piezas de repuesto activas, no incluye cruce de referencias. Para el cruce de referencias y la ampliación de la información técnica de nuestros productos, rogamos consultar el Catálogo Europeo de Piezas de Recambio o el Findex en nuestra web www.haldex.com. La información correspondiente a esta Tarifa, puede asimismo descargarse desde nuestra web en formato Excel.


Nuestros productos cumplen los niveles de calidad establecido para piezas de repuesto de vehículos a motor como se define en la Directiva de Exenciones por Categoría (EC) 461/2010 y en la correspondiente a BER 330/2010. Certificamos que ellas son piezas originales o piezas con calidad equivalente.

Los precios recomendados en esta Tarifa pueden estar sujetos a cambios. Haldex se reserva el derecho a modificar esta información sin previo aviso. Los precios e información que contiene esta Tarifa pueden mostrar errores o fallos de impresión. Haldex no se responsabiliza de las consecuencias resultantes de una eventual inexactitud de los datos de dicha Tarifa.

Por favor, contacte con los Centros de venta Haldex locales, para cualquier información complementaria.

Todos los precios indicados son sin IVA y son válidos a partir del 1 de Enero del 2019.

Las condiciones generales de ventas vigentes, están disponibles en la web de Haldex, así como en el reverso de cada factura.

 Il listino prezzi contiene codici Haldex attivi ed aggiornati. Per informazioni circa i codici della concorrenza ed informazioni tecniche, vi preghiamo riferirVi al catalogo ricambi europeo Haldex, oppure al Findex (www.haldex.com). Questo listino può anche essere scaricato dal nostro sito in formato Excel.


I prodotti Haldex adempiono alle normative richieste per la manutenzione o riparazione di veicoli effettuati dalle officine autorizzate, come stabilito nel Motor Vehicle Block Exemption Regulation (EC) 461/2010 and Vertical Restraints BER 330/2010. Si certifica che le parti di ricambio sono originali o di pari qualità.

I prezzi esposti potrebbero essere soggetti a correzioni da parte di Haldex, che si riserva il diritto di modificare queste informazioni senza previa comunicazione. Haldex non si assume alcuna responsabilità circa problemi che potrebbero sorgere da dati inesatti nel listino causati da una errata stampa o compilazione dello stesso.

Per qualsiasi ulteriore informazione Vi preghiamo contattare l'ufficio Haldex locale.

Tutti i prezzi esposti sono IVA esclusa ed hanno una validità al 2019.

Le Condizioni Generali di Vendita possono essere trovate sul sito internet Haldex, o in alternativa sul retro di ogni fattura.

 Cennik zawiera aktualne numery czesci dostepnych na rynku wtórnym. Zamienniki oraz informacje techniczne dostepne sa w Katalogu Europejskim firmy Haldex oraz w serwisie Findex na www.haldex.com. Cennik dostepny jest również w formacie programu Excel na naszej stronie internetowej.

Nasze produkty spełniają wszystkie wymagania, zarówno pod względem jakości, jak i pod względem ich zastosowania - jako części zapasowych, zestawów naprawczych oraz do konserwacji i utrzymania pojazdów przez autoryzowany personel, tak jak zdefiniowano w Motor Vehicle Block Exemption Regulation (EC) 461/2010 oraz Vertical Restraints BER 330/2010. Firma Haldex zaświadcza, iż wszystkie produkty są produktami oryginalnymi lub produktami o takiej samej jakości.

Firma Haldex zapewnia sobie prawo do zmian cen rekomendowanych bez uprzedniego poinformowania. Firma Haldex nie ponosi odpowiedzialności za wszelkiego rodzaju problemy mogące pojawić się na wskutek ewentualnych niescisłości zawartych w cenniku związanych z edycją, drukiem i kompilacją listy.

Wiecej informacji mogą Państwo uzyskać kontaktując się z lokalnym przedstawicielem Haldex.

Ceny nie zawierają podatku VAT. Cennik ważny jest od 01.01.2019.

Aktualne „Ogólne Warunki Sprzedaży” dostępne są na stronie internetowej Haldex i na odwrocie każdej faktury.

 De lijst bevat de actieve after market producten. Voor omwisselingslijsten en technische productinformatie verwijzen wij graag naar de Haldex Europese After Market Catalogo of naar Findex op onze website www.haldex.com. U kan deze prijslijst in Excel-formaat downloaden.


Onze producten beantwoorden aan de kwaliteitsvereisten waaraan wisselstukken voor het onderhoud en de reparatie van gemotoriseerde voertuigen dienen te voldoen zoals bepaald in "Block Exemption Regulation" (EC) 461/2010 & BER 330/2010. Wij garanderen dat het hierbij gaat om originele wisselstukken of wisselstukken van gelijkwaardige kwaliteit.

Haldex behoudt zich het recht voor de inhoud van deze prijslijst te wijzigen zonder voorafgaande kennisgeving. De aanbevolen prijzen en andere informatie in deze prijslijst zijn geldig onder voorbehoud van vergissingen en drukfouten. Haldex kan niet aansprakelijk gesteld worden voor de gevolgen van eventueel incorrecte gegevens in deze lijst.

Meer info gewenst? Neem gerust contact op met Uw nationaal Haldex Sales Centre.

Alle prijzen zijn exclusief BTW en geldig vanaf 1 januari 2019.

De geldige verkoopsvoorwaarden kan u terugvinden op de Haldex website of op de achterkant van elke factuur.

 Настоящий Европейский Прайс-Лист 2009 компании HALDEX включает только продукты, поставляемые в качестве запасных частей, и не содержит перекрёстных ссылок. Для получения более подробной технической информации и перекрёстных ссылок, пожалуйста, обращайтесь к Европейскому Каталогу Автозапчастей или программе FINDEX на сайте www.haldex.com. Информация, содержащаяся в этом прайс-листе, может быть также получена в виде EXCEL-файла на этом же сайте.

Наши продукты полностью соответствуют требованиям, предъявляемым для их использования в качестве оригинальных частей для ремонта или обслуживания транспортных средств уполномоченными ремонтными организациями, согласно правилам как определено в Регламенте (EC) 461/2010 в отношении транспортных средств об освобождении от блока обязательств и вертикальных ограничениях BER 330/2010. Мы гарантируем, что данные компоненты являются оригинальными или соответствующими установленным стандартам качества.

Компания Haldex оставляет за собой право изменять информацию без дополнительного уведомления. Компания Haldex не несёт ответственности по любым спорным вопросам, которые могут возникнуть в результате какого-либо несоответствия в содержащейся информации.

Пожалуйста, обращайтесь в ваше региональное представительство компании HALDEX для получения необходимой информации. Данный Прайс-Лист действителен с 1 Января 2019г.

Общие условия продаж смотрите на официальном сайте Haldex или на обратной стороне каждого Инвойса.

Part number	Description	Code	List Price € (excl. VAT)
0020526090	Knob; for park valve; square; c/w UK label ("pull to park")	E	6.77
0020527090	Knob; for shunt valve; round; c/w UK label ("push to shunt")	E	6.77
0020530090	Knob; for lift axle valve; black; square; c/w label (diagramatic)	F	6.75
003005209	Valve poppet; for Service brake valve (320003103/ ..603/ ..114/ 560002303)	E	15.10
003005919	Valve poppet; for trailer brake control valve (329007001)	E	79.40
003033609	Yoke; ø14 mm; M16x1.5; deep throat; pressed	C	10.20
003038009	Cable kit; for load sensing valve (mechanical); c/w cable clamp; c/w spring; 135 mm spring	E	136.00
003038609	Cable kit; for load sensing valve (mechanical); c/w cable clamp; c/w spring; 120 mm spring	E	134.00
003402109	Bracket; for piston cylinder (340005.../ 3410.....); ø104 mm	C	33.70
003418609	Test point fitting	I	31.30
003480209	Spring; for load sensing valve (mechanical)	E	46.20
003485509	Purge valve; for Hydrair® clutch servo (321027001)	I	11.80
003508909	Valve poppet; for Service brake valve	E	74.90
003535309	Cable clamp; for load sensing valve (mechanical)	E	32.10
003561409	Yoke; ø14 mm; M16x1.5; standard throat; forged	C	9.80
003561409I	Yoke; M16x1.5; ø14 mm	C	9.80
003567809	Yoke; forged; M16x1.5; thread	C	39.70
003568009	Yoke; forged	C	26.70
003575709	Linkage; for levelling valve (612...../ 612032...); for valve connection; round	F	44.40
003603309	Connection kit; for ILAS®	F	23.00
003612409	Yoke; (for 344004001/344048101)	C	21.60
003613409	Yoke; for spring brake M12x1.5	C	66.70
003614419	Cable connector; for ILAS®	F	272.00
003616409	Yoke; ø14 mm; M16x1.5; standard throat; pressed	C	15.00
003624319	Solenoid mounting kit; ILAS-E	F	16.30
003634009	Cable kit; for load sensing valve (mechanical); c/w cable clamp; c/w spring; 80 mm	E	30.70
003636009	Exhaust filter; for COLAS® valve (338061.../338062.../338071...)	F	18.90
003755509	Wheel sensor unit; for ABS MGX; cable length (m) 2.0; straight type; for exciter teeth: 60	B	128.00
003787309	Click-fit connector kit; for ECU gland box; (ABS MODAL); 2S/1M	B	65.60
003787509	Click-fit connector kit; for ECU gland box; (ABS MODAL); 4S/3M	B	101.00
003791909	Click-fit connector kit; for ECU gland box; (ABS MODAL); for ISO 7638 cable	B	14.50
003792009	Click-fit connector kit; for ECU gland box; (ABS MODAL); for sensor cable	B	14.50
003792109	Click-fit connector kit; for ECU gland box; (ABS MODAL); for modulator valve cable	B	14.50
003846709	Diagnostic cable; 2 mto DDU/ Info Centre	B	85.10

Part number	Description	Code	List Price € (excl. VAT)
003852809	Framatome connector kit; for ISO 76389-way	B	22.40
003852909	Framatome connector kit; for ISO 76389-way	B	27.10
003853209	Connector kit; 24N	B	16.40
003863709	Diagnostic cable; 1.3m	B	79.50
003898709	Cable; length (m): 6.5; 4 core	L	72.30
003910609	Limited stock; socket; for ISO 7638	L	24.20
003918409	Plug; for EBS EB+ ECU; for positions S2A, S2B, PSW+AUX1-5	L	5.44
003926009	Cable; for traction interface; length (m): 2; material: PVC; DIN 72585	L	68.70
003928419	Junction box; Soft Docking	L	114.00
003928509	Left light; Soft Docking; cable length (m): 2.1	L	84.40
003928609	Right light; Soft Docking; cable length (m): 2.1	L	84.40
003928809	Beeper; Soft Docking; cable length (m): 4.0	L	128.00
003933509	Battery; for Info Centre 2; standard AA size	L	51.40
003933510	Couvercle IC2	L	25.20
003950209	Distance sensor (Fruehauf)75-0202-007	L	590.00
003951709	Cable; for wheel unit center; TPMS; mounting	L	27.10
003958009	Plug; 3-way	L	2.36
003959509	Plug; 4-way	L	5.64
003987309	Cable; for CAN; length (m): 1	L	5.56
003987409	Cable; for CAN; length (m): 6.5	L	9.20
003987609	Cable; for DIN; length (m): 5.5	L	4.42
003987709	Cable; for DIN; length (m): 2.15	L	5.41
003987809	Cable; for DIN; length (m): 4.15	L	6.78
003991109	Gen 3 bracket Haldex Version	I	51.50
003991909	Gen1 to Gen3 chassis bracket	I	18.50
006700009_M/10	Label Soft Docking; pack of 10	L	38.00
006700013_M/10	Warning sticker 21,5x7,4 cm; pack of 10	L	47.20
006700014_M	ABS sticker; 32x7.3cm	B	5.13
006700021_M/10	Tire pressure monitoring system (TPMS); sticker ; TPMS sensor inside; pack of 10	L	43.10
006700045_M/10	EB+ Gen 3 label; pack of 10	L	43.10
006700084_M	Sticker pour mallette RTC	L	7.07
0120540090/10	Clevis pin; for yoke ø14 mm; 40 mm; 1 hole; pack of 10	C	38.60
014062309	Base casing; for load sensing valve (351012001/ 601002.../ 601013...)	E	55.40
014101509	Base casing; for load sensing/ REV combined (351014001/ 602005...)	E	73.80
015052609	Lever; for load sensing valve (351012001/ 601002021/ 601013001/ 601016001)	E	4.87
016357909	Square Piece; for levelling valve (612035...)	F	7.92
016705309	Exciter; solid; no. of teeth: 100; inner Ø (mm): 152	B	42.80
016705509	Exciter; solid; no. of teeth: 100; inner Ø (mm): 176; application: BPW 12 TM	B	42.80
016705609	Exciter; solid; no. of teeth: 100; inner Ø (mm): 183	B	56.70
016705709	Exciter; solid; no. of teeth: 80; inner Ø (mm): 183	B	56.70

Part number	Description	Code	List Price € (excl. VAT)
018500309	Exciter; solid; no. of teeth: 100; inner Ø (mm): 165; application: ROR 22.5" TM, Fruehauf	B	129.00
018500409	Exciter; solid; no. of teeth: 80; inner Ø (mm): 162; application: ROR 15" TM, Fruehauf	B	129.00
018500509	Exciter; solid; no. of teeth: 100; inner Ø (mm): 150; application: ROR 22.5" TE, 22500 series 9.0 tonne	B	127.00
021006509	Compression spring	C	3.25
021040909	Compression spring	E	4.35
021048309	Spring; for raise/lower valve (338021001/ 338048001)	F	5.69
021051809	Compression spring	C	4.35
0220037090	Diaphragm; type 30; auxiliary; long stroke	C	54.00
022007609	Compression spring; for air over hydraulic servo (343001001)	C	13.80
022018309	Bend protection spring; for air hoses directly connected to couplings; (334054.../ 055...)	E	29.80
022018909	Spring; for load sensing valve (601013...)	E	36.90
022020609	Compression spring; for brake chamber	C	16.60
022020909	Compression spring; for brake chamber (type 16/20/24/30)	C	10.30
0220501090/10	Seal; for coupling head; pack of 10	E	20.50
023011409	Gasket; for compressor (301153...)	J	5.95
023012009	Gasket; for compressor (301153...)	J	18.30
023015809	Gasket; for compressor	E	5.78
024004609/10	O-ring; pack of 10	E	16.00
024005009/10	O-ring; pack of 10	E	35.70
024006709	O-ring; for relay emergency valve (351008122/ 380351001)	E	15.50
024008809	O-ring; for Trailer Control valve (321020001/ 329020331/ 355094001/ 554020001)	E	3.64
024010009	O-ring; for unloader valve (329020291/ 329020301)	E	3.69
024010209	O-ring	F	3.08
024011609	Washer; watertight; nut seal	C	50.20
024018709	O-ring; for Trailer Control valve (329020201-329020421)	E	3.64
024022609	O-ring	D	1.63
024026609	Washer; for air over hydraulic servo (343021...); watertight; nut seal	C	30.30
024027609/10	O-ring; for ECAM; pack of 10	D	34.70
024030109	O-ring; for Trailer Control valve (329020201-329020421)	E	6.67
024032319	O-ring; for Trailer Control valve	E	0.57
024047409	Grooved ring; for Trailer Control valve (329020201-329020421)	E	22.10
024055009	O-ring; for ILAS® (various)	F	2.75
024055109	O-ring; for electro-magnetic raise/lower valve (338031611/ 338032001/ 338047001)	F	2.79
024055209	O-ring	I	3.36
024065609	O-ring; for ILAS®	F	6.14
024500309	O-ring; for ECU click-fit blanking plug; (ABS MODAL); 027503209	B	3.80
025002109/10	Washer; for relay emergency valve (350027.../ 350028...); pack of 10	E	31.80
025009109	Dust cover	E	8.42
025013109	Cup seal; for Trailer Control valve	E	78.50
025014209	Protecting cover; for Regulating valve	E	4.85

Part number	Description	Code	List Price € (excl. VAT)
025015519	Boot	C	19.40
025015629	Boot; for spring brake actuator, pull type (344008.../ 344019...)	C	18.80
025015719	Boot	C	23.80
025015819	Boot	C	23.80
025021309	Sealing cap; for load sensing valve	E	5.69
025027109	Limited stock; flange seal	I	1.44
025033409	Protection cover; for manometer	I	39.00
025033709	Flap Exhaust Seal; for ILAS® III (321019001/ 352047.../ 352049100)	F	3.46
025034009	Boot	C	7.21
025034109	Dust cap; for pressure switch (361006.../ 361007...)	F	7.25
025034409	Knotted cup seal; for Trailer Control valve (329020201-329020421)	E	1.13
025034809	Washer; for Trailer Control valve (329020201-329020421)	E	1.13
025038209	Diaphragm; Type 20; service; standard stroke	C	22.10
025040509	Sealing plate; for rotary distributor; watertight	I	35.30
025040709	Diaphragm; type 16; service; long stroke	C	22.10
025040809	Diaphragm; type 20; service; long stroke	C	22.10
025040909	Diaphragm; type 24; service; long stroke	C	23.10
025044719	Boot	C	24.40
025045409	Diaphragm; type 12; service; standard stroke	C	22.10
025046609	Lever connector; for levelling valve (612.....); elbow piece	F	12.90
025046909	Boot	C	39.70
025047809	Protecting cover; for load sensing valve	F	15.80
025048209/10	Seal; for coupling head; pack of 10	E	30.80
025050809	Diaphragm; type 27; service; long stroke	C	23.10
025052309	Rubber boot; for shunt valve (352018011+352019011/31/41)	E	5.13
025052819	Boot	C	32.10
025056509	Bellow; for ILAS®; rubber	F	29.80
025062209	O-ring	F	5.36
026000709	Cup seal; for relay valve	E	16.60
026004709	Cone cup; for relay valve	E	22.60
027001309	Reservoir; for anti-freeze injector; 0.25l	D	15.80
027002409	Knob; for release valve (352005.../ 352006.../ 352007...); round	E	10.10
027010109	Valve part; for relay valve (355018011)	E	4.51
027010209	Valve part; for relay valve (355018011)	E	8.20
027010909	Reservoir lid; for anti-freeze injector	D	18.40
027018009	Valve body; for Trailer Control valve (329020201-329020421)	E	4.51
027022209	Knob; for combined park+shunt+REV release valve (352044.../ 352045.../ 350026002); round	E	6.87
027047009	Knob; for park valve; square; w/o label	E	6.87
027047109	Knob; for shunt valve; round; w/o label	E	6.87

Part number	Description	Code	List Price € (excl. VAT)
027049009	Knob; for ILAS®; black; round; w/o label	F	6.75
027050209	Knob; for lift axle valve; black; square; w/o label	F	6.75
0270510090	Return spring; for shunt valve	E	5.13
027056519	Cover; for relay emergency valve (351008122/ 38035...)	E	5.93
027059409	Knob; for combined park+shunt valve (352044.../ 352045...); round	E	6.87
027066509	Restrictor; for COLAS® valve (338051...); throttle 0.8mm; white; where height limitation is required	F	6.86
027075209	Schaltknopf schwarz (Parkventil)	F	18.00
027503109	Click-fit connector; for ECU gland box; (ABS MODAL)	B	4.26
027503209	Click-fit blanking plug; for ECU gland box; (ABS MODAL)	B	2.26
027503309	Inhibit key; ABS MODAL	B	10.80
027503509	3-way connector housing; ABS MODAL	B	2.52
027504309	Nut; for ECU gland box; (ABS MODAL); for 5 core cable	B	1.39
027504409	Cable grip; for ECU gland box; (ABS MODAL); for 3 core cable; 5-9mm	B	2.31
027504509	Cable grip; for ECU gland box; (ABS MODAL); for 5 core cable; 6-12mm	B	2.31
027526009	Plug; for lining wear interface; Ø17.5 mm	L	11.80
028002609	Identification tag; for coupling head; red; 'EMERGENCY'	E	11.30
028003109	Identification tag; for coupling head; yellow; 'SERVICE'	E	10.20
028027909	Data plate; for mechanical load sensing valve; (D/GB/F)	E	8.20
028028009	Data plate; for pneumatic load sensing valve; (D/GB/F)	E	8.20
028041029	Information label general instruction; COLAS®	F	7.36
028042409/10	Load plate label; for EPV EB+; (use only on laser printer); pack of 10	L	43.10
028044309	Instruction plate; for TrCM	F	23.00
028047719	Warning sticker	F	5.75
028047809/10	COLAS®+ sticker; pack of 10	E	28.70
028050809	Instruction plate; for TEM	F	5.76
028050909	Instruction plate; for TEM	F	5.76
028051909	Warnschild safe parking (only for Fliegl kit)	E	5.74
028518909	Label; for ABS MODULAR; pictural (replace the diagnostic cap when not in use)	B	13.90
028525709_M	Label; for ABS; pictural (>10 km/h+lamp = ABS failure); plastic	B	3.42
028526209/10	Label; for EBS EB+; pictural (must connect the ISO 7638); pack of 10	L	43.10
028532409	Label; Info Point; 39x39; transparent	L	1.19
028534009/10	Warning label; for Soft Docking; pack of 10	L	43.10
028539109	U-ABS label	L	2.70
029000109	Cage filter; for raise/lower valve (various)	F	4.30
029000309	Filter; for in-line filter	E	11.80
029000409	Cage filter; for relay emergency valve (various)	E	3.53
029004609	FILZRING	I	2.05

Part number	Description	Code	List Price € (excl. VAT)
03006031013U	Air tank; no. of side & end ports U (1+1+1+2); material: Aluminium; Ø (mm): 310; length L (mm): 898	I	181.00
03010039612C	Air tank; no. of side & end ports C (2+1+1); material: Aluminium; Ø (mm): 396; length L (mm): 913	I	318.00
0301020615C	Air tank; no. of side & end ports C (2+1+1); material: Aluminium; Ø (mm): 206; length L (mm): 375	I	150.00
03012039612C	Air tank; no. of side & end ports C (2+1+1); material: Aluminium; Ø (mm): 396; length L (mm): 1074	I	238.00
0302020615C	Air tank; no. of side & end ports C (2+1+1); material: Aluminium; Ø (mm): 206; length L (mm): 700	I	175.00
0302024615C	Air tank; no. of side & end ports C (2+1+1); material: Aluminium; Ø (mm): 246; length L (mm): 510	I	174.00
0303.815415C	Air tank; no. of side & end ports C (2+1+1); material: Aluminium; Ø (mm): 154; c/w welded support	I	279.00
0303024615C	Air tank; no. of side & end ports C (2+1+1); material: Aluminium; Ø (mm): 246; length L (mm): 730	I	197.00
030320246WB	Limited stock; air tank; no. of side & end ports U (1+1+1+2); material: steel; Ø (mm): 246; length L (mm): 500; black	I	63.00
030330246WB	Air tank; no. of side & end ports U (1+1+1+2); material: steel; Ø (mm): 246; length L (mm): 720; black	I	169.00
030340276WB	Air tank; no. of side & end ports U (1+1+1+2); material: steel; Ø (mm): 276; length L (mm): 760; black	I	187.00
030350109	Air tank; no. of side & end ports C (2+1+1); material: steel; Ø (mm): 206; length L (mm): 315; black	I	85.30
030350209	Air tank; no. of side & end ports C (2+1+1); material: steel; Ø (mm): 206; length L (mm): 370; black	I	85.30
030350509	Air tank; no. of side & end ports C (2+1+1); material: steel; Ø (mm): 206; length L (mm): 690; black	I	117.00
030350609	Air tank; no. of side & end ports C (2+1+1); material: steel; Ø (mm): 246; length L (mm): 500; black	I	124.00
030350909	Air tank; no. of side & end ports C (2+1+1); material: steel; Ø (mm): 246; length L (mm): 720; black	I	121.00
030351209	Air tank; no. of side & end ports C (2+1+1); material: steel; Ø (mm): 276; length L (mm): 760; black	I	144.00
030351509	Air tank; no. of side & end ports C (2+1+1); material: steel; Ø (mm): 246; length L (mm): 940; black	I	150.00
030351609	Air tank; no. of side & end ports C (2+1+1); material: steel; Ø (mm): 276; length L (mm): 1110; black	I	181.00
030351709	Air tank; no. of side & end ports C (2+1+1); material: steel; Ø (mm): 396; length L (mm): 580; black	I	185.00
030351809	Air tank; no. of side & end ports C (2+1+1); material: steel; Ø (mm): 246; length L (mm): 1352; black	I	185.00
030352009	Air tank; no. of side & end ports C (2+1+1); material: steel; Ø (mm): 396; length L (mm): 750; black	I	230.00

Part number	Description	Code	List Price € (excl. VAT)
030352209	Air tank; no. of side & end ports C (2+1+1); material: steel; Ø (mm): 396; length L (mm): 915; black	I	248.00
030360310WB	Air tank; no. of side & end ports U (1+1+1+2); material: steel; Ø (mm): 310; length L (mm): 895; black	I	174.00
030360809	Air tank; no. of side & end ports C (2+1+1); material: steel; Ø (mm): 310; length L (mm): 895; black	I	177.00
030362009	Air tank; no. of side & end ports C (2+1+1); material: steel; Ø (mm): 310; length L (mm): 620; black	I	153.00
030362009/12	Air tank; no. of side & end ports C (2+1+1); material: steel; Ø (mm): 310; length L (mm): 620; black, 12 pcs	I	1830.00
030363609	Air tank; no. of side & end ports C (2+1+1); material: steel; Ø (mm): 206; length L (mm): 530; black	I	119.00
030380396WB	Air tank; no. of side & end ports U (1+1+1+2); material: steel; Ø (mm): 396; length L (mm): 750; black	I	223.00
030390109/30	Limited stock; air tank; no. of side & end ports C (2+1+1); material: steel; Ø (mm): 246; black, 30 pcs	I	1840.00
030390709	Air tank; no. of side & end ports C (2+1+1); material: steel; Ø (mm): 206; 12.5 bar	I	127.00
0304024615C	Air tank; no. of side & end ports C (2+1+1); material: Aluminium; Ø (mm): 246; length L (mm): 945	I	236.00
0304027615C	Air tank; no. of side & end ports C (2+1+1); material: Aluminium; Ø (mm): 276; length L (mm): 766	I	223.00
0304031013C	Air tank; no. of side & end ports C (2+1+1); material: Aluminium; Ø (mm): 310; length L (mm): 629	I	217.00
030406001	Saddle for air tank; type: standard "V-shaped"; Ø (mm): 276	I	12.50
030406003	Saddle for air tank; type: standard "V-shaped"; Ø (mm): 310	I	13.70
030406004	Saddle for air tank; type: standard "V-shaped"; Ø (mm): 396	I	14.80
030406005	Saddle for air tank; type: standard "V-shaped"; Ø (mm): 206	I	11.10
030406006	Limited stock; Saddle for air tank; type: Strap; Ø (mm): 152; for air tank (alu)	I	15.00
030406007	Saddle for air tank; type: standard "V-shaped"; Ø (mm): 246	I	11.60
030406008	Saddle for air tank; type: italian "V-shaped"; Ø (mm): 396; U Bolt M8+1Support+2Flat washer	I	15.60
030406009	Saddle for air tank; type: italian "V-shaped"; Ø (mm): 310; U Bolt M8+1Support+2Flat washer	I	15.00
0306031013C	Air tank; no. of side & end ports C (2+1+1); material: Aluminium; Ø (mm): 310; length L (mm): 907	I	272.00
0306039612C	Air tank; no. of side & end ports C (2+1+1); material: Aluminium; Ø (mm): 396; length L (mm): 583	I	272.00
0307020600	Saddle for air tank; type: foldable "strap"; Ø (mm): 206; kit of 2	I	13.50
0307024600	Saddle for air tank; type: foldable "strap"; Ø (mm): 246; kit of 2	I	15.50
0307027600	Saddle for air tank; type: foldable "strap"; Ø (mm): 276; kit of 2	I	18.20

Part number	Description	Code	List Price € (excl. VAT)
0307031000	Saddle for air tank; type: foldable "strap"; Ø (mm): 310; kit of 2	I	19.30
0307039600	Saddle for air tank; type: foldable "strap"; Ø (mm): 396; kit of 2	I	25.90
0308031013C	Air tank; no. of side & end ports C (2+1+1); material: Aluminium; Ø (mm): 310; length L (mm): 1180	I	300.00
0308039612C	Air tank; no. of side & end ports C (2+1+1); material: Aluminium; Ø (mm): 396; length L (mm): 748	I	290.00
0309300000	Limited stock; kit protection; for air tank strap 0307*	I	2.59
031000109	Silencer; for compressor; M12x1.5	J	17.50
031000209	Air filter; for compressor; M22x1.5	J	68.70
031000909	Silencer; for ILAS®; for exhaust; M22x1.5	F	14.50
031001309	Limited stock; silencer; for ILAS®; for exhaust; R1/8"	F	13.40
031005509	Cartridge HFC; for air drier; M41x2; max pressure (bar): 13;-40°C-+80°C; tightening torque: 15+5Nm	D	63.40
031005609	Cartridge HFC; for air drier; M39x1.5; max pressure (bar): 13;-40°C-+80°C; tightening torque: 15+5Nm	D	65.00
032000709	Reducer	I	1.80
032001309	Fitting; straight	I	1.31
032001509	Fitting; straight	I	2.74
032001809	Fitting; straight	I	1.63
032001909	Fitting; straight	I	2.66
032002009	Fitting; straight	I	2.22
032002109	Straight terminal DIN Tu10-thread M14 male	I	1.84
032002309	Limited stock; S fitting TU10-MA18	I	3.76
032002509	Fitting; straight	I	2.79
032003409	Fitting; straight	I	3.55
032003509	Fitting; straight	I	3.69
032003909	Limited stock; S fitting TU15-MA1/2"CU	I	2.81
032004009	Straight terminal Tu15-thread 1/2" male	I	3.37
032004209	Fitting; straight	I	5.50
032005309	Straight terminal DIN Tu10-thread M22 female	I	2.64
032005709	Limited stock; fitting	I	1.73
032005809	Fitting; straight	I	1.82
032006209	Limited stock; fitting union TU10-TU15*CU	I	4.13
032006309	Union terminal DIN/DIN Tu10-Tu15	I	8.03
032006409	Fitting; straight	I	7.03
032007409	Fitting; straight	I	5.26
032007609	Limited stock; S fitting chassis DIN/ DIN Tu15-Tu15	I	7.76
032008109	Limited stock; fitting elbow tube/ thread Tu6-M12M	I	3.59
032008409	Elbow	I	6.65
032008809	L fitting tube/th Tu15-M22M	I	9.52
032008909	Elbow	I	9.51
032009209	L fitting DIN/thread Tu18-M22 male	I	12.20
032010109	Limited stock; winkelschraubung	I	7.66
032010209	Elbow	I	9.35
032010909	Limited stock; RAC. T TU15-MA22-TU6	I	10.70

Part number	Description	Code	List Price € (excl. VAT)
032011509	T fitting DIN/DIN/Thread Tu15-Tu15-M22	I	15.90
032011709	T fitting DIN/DIN/thread Tu15-Tu15-M22M+nut	I	16.10
032011909	T fitting thread/thread/DIN M22M-M22M-Tu15	I	13.10
032013809	T fitting DIN/DIN/DIN Tu8-Tu8-Tu8	I	6.13
032013909	T fitting DIN/DIN/DIN Tu10-Tu10-Tu10	I	6.95
032014009	T fitting DIN/DIN/DIN Tu15-Tu15-Tu15	I	14.80
032014109	T fitting DIN/DIN/DIN Tu15-Tu15-Tu15	I	12.60
032015209	Limited stock; S fitting hose/P.In S13-Tu15	I	3.69
032015809	L fitting hose/thread S13-M22 male	I	11.40
032016209	T fitting hose/hose/thread S13-S13-M22M+nut	I	14.60
032016409	T fitting DIN/DIN/hose Tu15-Tu15-S13	I	21.80
032016809	Limited stock; fitting, male /male connector	I	1.27
032016909	Connector	I	1.83
032017009	Limited stock; fitting, male /male connector	I	2.76
032017309	S fitting thread/thread 1/2" M-M22M	I	2.20
032017509A	Limited stock; Mamelon MA22-MA1/4"	I	6.20
032017709	Connector	I	2.91
032018209	Connector	I	3.45
032018409	S fitting chassis thread/thread M22M-1/2" M	I	4.69
032018609	Limited stock; L fitting	I	5.45
032019209	T fitting thread x3 M22M x3	I	7.27
032019809	Thrust Ring int dia18	I	0.37
032019909	Nozzle	I	1.63
032020109	Connector	I	2.90
032020809	Hexagonal nut	I	0.81
032021009	Limited stock; hexagon nut TU6-FE12	I	0.18
032021209	Hexagonal Nut M14 DIN8	I	0.29
032021309	Limited stock; hexagon nut M18 DIN10	I	0.26
032021409	Limited stock; hexagon nut TU10-FE16	I	0.26
032021609	Hexagon nut	I	0.73
032021709	Hexagonal nut M22 DIN15	I	1.55
032021809	Limited stock; hexagon nut TU18-FE26	I	1.12
032022309	Hexagonal nut	I	0.89
032022509	Cutting ring	I	0.26
032022609	Cutting ring	I	0.60
032022709	Cutting ring	I	0.61
032022809	Limited stock; fitting, cutting ring	I	0.35
032023309	Thrust Ring for DIN15	I	1.36
032023509	Limited stock; fitting, sealing ring	I	0.38
032023609	Seal	I	0.17
032023709	Seal	I	0.37
032024019	Reduzierstück	I	1.71
032024109	Fitting reducer thread/thread M22M-M12f	I	1.84
032024209	Fitting reducer	I	2.13
032024309	Fitting reducer	I	1.61

Part number	Description	Code	List Price € (excl. VAT)
032024409	Fitting; reducer; M22x1.5; F (mm): 1/4" 18 NPT	I	9.09
032025009	Fitting reducer thread/thread M22M-M22f	I	3.61
032025509	Collar	I	1.37
032025609	Protection plug M22+seal	I	3.03
032026509	L fitting tube/thread Tu8-M12M	I	5.52
032031209	S fitting hose/thread S13-M16M	I	2.28
032031409	Thrust Ring	I	1.53
032031509	L fitting hose/thread S13-M16M+bolt	I	11.60
032031709	T fitting tube/thread/tube Tu10-M22M-Tu10	I	10.10
032032209	S fitting adaptor thread/thread	I	4.40
032032309	Connector	I	2.42
032032509	S fitting DIN/thread	I	2.38
03203269766	Fitting; hosetail; type 9; M16x1.5	I	7.06
032033209	Limited stock; S fitting S13-MA1/4"NPT	I	4.36
032033709	Limited stock; metal ring int. dia.15 mm	I	0.46
032034709	Socket for Tube 12x1	I	0.69
032035009	T fitting hose/thread/DIN S13-M22M-Tu15	I	14.60
032039309	Thrust Ring int dia16	I	0.32
032040009	S fitting hose/thread S11-M16M	I	2.06
032040209	Cutting ring	I	0.37
032040309	Fitting; straight	I	2.26
032040509	T fitting DIN/DIN/DIN Tu12-Tu12-Tu12	I	8.20
032040609	Limited stock; nipple; MA16-MA12=TU6	I	1.52
032040709	Limited stock; S fitting adaptor thread/thread	I	1.57
032040909	S fitting thread-thread MA22-MA14	I	1.95
032041409	S fitting chassis thread/thread M16M-M18M	I	2.24
032041509	Connector	I	4.77
032041709	Limited stock; L fitting thread/thread M18M-M16M	I	3.44
032041809	Limited stock; L fitting thread/thread, conn 1: M18 male , c	I	4.33
032043209	Fitting; straight	I	1.65
032043609	S fitting chassis hose/DIN S13-Tu12	I	7.59
032043709	Straight terminal DIN Tu12-thread M22 male	I	2.35
032043809	Limited stock; T fitting DIN/DIN/DIN Tu12-Tu8-Tu12	I	9.07
032044009	Limited stock; fitting T-coupling reducer	I	5.14
032044509	Fitting; straight	I	2.58
032045209	Elbow	I	7.43
032046109	S fitting chassis DIN/DIN Tu15-Tu15	I	6.06
032046209	Fitting; straight	I	2.85
032046709	Cutting ring	I	0.57
032047109	S fitting thread/Tube M22-Tu16	I	4.78
032048209	Elbow	I	6.75
032048709	S fitting chassis Tube/thread Tu10-M16M	I	3.68
032048809	Fitting; straight	I	4.32
032049409	Socket for Tube 18x2	I	0.61
032049709	Hexagonal nut M14	I	0.26
032051309	Hexagon nut	I	0.61

Part number	Description	Code	List Price € (excl. VAT)
032051409	T fitting th/DIN/DIN M16M-Tu12-Tu6	I	7.49
032051509	T fitting DIN/thread/DIN Tu12-M16-Tu8	I	9.52
032052209	T fitting DIN/Thread/DIN Tu12-M22M+Nut-Tu12	I	11.20
032052409	Reducer	I	3.06
032052509	Straight terminal DIN Tu6-thread M16 male	I	2.17
032052909	Limited stock; S fitting M22M	I	3.04
032053509	T fitting Tube/Thread/Tube Tu12-M22M-Tu12	I	8.69
032054309	Hexagon nut	I	2.90
032054409	S fitting reducer thread/DIN M22f-Tu12	I	3.68
032054509	Elbow	I	7.93
032055009	S fitting hose/thread S11-M22M	I	3.21
032055509	Elbow	I	10.60
032055909	T fitting Tube/Thread/Tube Tu8-M12M-Tu8	I	7.54
032056209	S fitting chassis thread/DIN M22M-Tu15	I	4.73
032056809	S fitting chassis DIN/thread Tu10-M22M	I	3.54
032056909	Fitting; elbow hosetail; type 10; F (mm): M16x1.5	I	8.90
032057109	S fitting hose/P.In S11-Tu12	I	1.05
032057209	S fitting chassis DIN/DIN Tu12-Tu12	I	4.08
032059809	Thrust+o-ring M14	I	1.52
032059909	Seal	I	0.66
032060009	Seal	I	1.40
032060109	Seal	I	0.88
032060909	S fitting hose/tube S11-DIN15	I	1.95
032063909	Elbow	I	8.81
032064109	Fitting	I	17.30
032070609	Fitting	I	6.45
032070809	Fitting	F	8.77
032071009	Limited stock; T 3 Orifices av raccords intégrés	I	6.34
032071409	Fitting; for COLAS® valve	F	12.90
032072819	Fitting; for COLAS® valve (universal); push-in; ø 8mm	F	10.30
032073219	Push-in; 12mm	F	2.55
032073709	Union	F	7.40
032075009	Thread extension; for coupling head	F	14.00
03210112182	Limited stock; S fitting TU12-MA18	I	2.53
03210115182	S fitting DIN/thread Tu15-M18M	I	4.65
03210115222	S fitting DIN/thread Tu15-M22M	I	3.23
03210208522	Limited stock; S fitting DIN/thread Tu8-1/4" +thrust+o-ring	I	2.43
03210218222	S fitting DIN/thread Tu18-M22M+thrust+o-ring	I	8.63
03210222262	S fitting thread-Din M26M-Tu22	I	12.30
03210308082	S fittings Din-Din Tu8-Tu8	I	1.80
03210310082	Union terminal DIN/DIN Tu10-Tu8	I	2.42
03210310102	Union terminal DIN/DIN Tu10-Tu10	I	2.28
03210312102	Union terminal DIN/DIN Tu10-Tu12	I	3.10
03210312122	Union terminal DIN/DIN Tu12-Tu12	I	2.82
03210315152	Union terminal DIN/DIN Tu15-Tu15	I	3.97
03210318152	Union terminal DIN/DIN Tu18-Tu15	I	5.45
03210318182	Union terminal DIN/DIN Tu18-Tu18	I	5.99
03210322222	Union terminal DIN/DIN Tu22-Tu22	I	18.00

Part number	Description	Code	List Price € (excl. VAT)
03210618182	Limited stock; L fittings Din-Din Tu18-Tu18	I	11.20
03211110062	Limited stock; T fitting DIN/DIN/DIN Tu10-Tu6-Tu10	I	8.65
03211112062	T fittings DIN/DIN/DIN Tu12-Tu6-Tu12	I	11.50
03211518182	S fitting chassis DIN/DIN Tu18-Tu18	I	13.50
03212310082	Reducer Tu8-FTu10	I	2.02
03212408122	Swivel fitting Lat. DIN/thread Tu8-M12	I	18.20
03212410142	Swivel fitting Lat. DIN/thread Tu10-M14	I	23.80
03212606032	L fitting DIN/thread Tu6-M12	I	4.67
03212608022	Limited stock; swivel elbow coupling, Winkelsteckverbindung einst	I	4.47
03212608032	L fitting DIN/thread Tu8-M14	I	4.98
03212608632	Swivel Elbow Coupling, Winkelsteckverbindung einst	I	5.74
03212610022	L fitting DIN/DIN Tu10-Tu10	I	5.05
03212610032	L fitting DIN/thread Tu10-M16	I	4.87
03212612022	L fitting DIN/DIN Tu12-Tu12	I	5.99
03212612032	L fitting DIN/thread Tu12-M18	I	5.15
03212612832	L fitting thread/thread M18M-M18f	I	6.67
03212615022	L fitting DIN/DIN Tu15-Tu15	I	9.41
03212615032	L short fitting DIN/thread Tu15-M22	I	7.93
03212618022	Limited stock; L fittings DIN/DIN Tu18-Tu18	I	10.10
03212618032	Limited stock; L fitting DIN/thread Tu18-M26	I	12.90
03212708022	T fitting swivel DIN/DIN/thread	I	6.85
03212710022	T fitting DIN/DIN/DIN Tu10-Tu10-Tu10	I	7.86
03212712021	Limited stock; Swivel Branch T Coupling, T-Steckverbindung einste	I	7.16
03212712032	T fitting thread/thread/DIN M18-M18-Tu12	I	7.82
03212715032	Limited stock; T fitting thread/thread/DIN M22-M22-Tu15	I	9.20
03212806032	T Lat. fitting th/DIN/th M12-Tu6-M12	I	5.41
03212808032	T Lat. fitting th/Din/th M14-Tu8-M14	I	6.32
03212810032	T Lat. fitting th/Din/th M16-Tu10-M16	I	6.53
03212812032	T Lat. fitting th/Din/th M18-Tu12-M18	I	6.67
0321500015	Limited stock; saddle for air tank; type: standard; Ø (mm): 150; kit of 2	I	13.00
0322000015	Saddle for air tank; type: standard; Ø (mm): 200; kit of 2	I	25.20
0322530135	Air tank; no. of side & end ports U (1+1+1+2); material: steel; Ø (mm): 246; length L (mm): 685; black	I	134.00
03230106102	S fitting P.In/thread Tu6-M10M+thrust+o-ring	I	3.34
03230106122	S fitting P.In/thread Tu6-M12M+thrust+o-ring	I	3.47
03230106142	S fitting P.In/thread Tu6-M14M+thrust+o-ring	I	3.77
03230106162	S fitting P.In/thread Tu6-M16M+thrust+o-ring	I	3.90
03230106222	Fittings	I	4.47

Part number	Description	Code	List Price € (excl. VAT)
03230108102	S fitting P.In/thread Tu8-M10M+thrust+o-ring	I	3.54
03230108122	S fitting P.In/thread Tu8-M12M+thrust+o-ring	I	3.18
03230108142	S fitting P.In/thread Tu8-M14M+thrust+o-ring	I	3.45
03230108162	S fitting P.In/thread Tu8-M16M+thrust+o-ring	I	3.48
03230108165	Straight stud coupling	I	2.82
03230108222	S fitting P.In/thread Tu8-M22M+thrust+o-ring	I	4.13
03230108225	Straight stud coupling M22/o8	I	3.83
03230110122	S fitting P.In/thread Tu10-M12M+thrust+o-ring	I	4.16
03230110142	S fitting P.In/thread Tu10-M14M+thrust+o-ring	I	4.09
03230110162	S fitting P.In/thread Tu10-M16M+thrust+o-ring	I	4.19
03230110182	S fitting P.In/thread Tu10-M18M+thrust+o-ring	I	5.20
03230110222	S fitting P.In/thread Tu10-M22M+thrust+o-ring	F	4.74
03230110225	Straight stud coupling M22/o10	I	4.15
03230112122	S fitting P.In/thread Tu12-M12M+thrust+o-ring	I	4.81
03230112142	S fittings M124/o12	I	5.99
03230112162	S fitting P.In/thread Tu12-M16M+thrust+o-ring	I	4.34
03230112222	S fitting P.In/thread Tu12-M22M+thrust+o-ring	I	4.87
03230112225	Straight stud coupling M22/o12	I	4.22
03230115162	S fitting P.In/thread Tu15-M16M+thrust+o-ring	I	6.64
03230115222	S fitting P.In/thread Tu15-M22M+thrust+o-ring	I	6.20
03230118222	S fitting P.In/thread Tu18-M22M+thrust+o-ring	I	9.70
03230306065	Union terminal P.In Tu6	I	4.87
03230308062	Union terminal P.In/P.In Tu6-Tu8	I	5.30
03230308085	Union terminal P.In Tu8x1	I	5.45
03230309095	Union terminal P.In/P.In Tu9x1.5	I	11.40
03230310082	Union terminal P.In/P.In Tu8x1-Tu10x1	I	6.64
03230310105	Union terminal P.In Tu10x1	I	6.78
03230311115	Union terminal P.In-P.In Tu11x1.5	F	17.60
03230312062	Limited stock; straight connector	I	6.26
03230312082	Union terminal P.In/P.In Tu8x1-Tu12x1.25	I	6.96
03230312102	Union terminal P.In/P.In Tu12-Tu10	I	8.91
03230312125	Union terminal P.In Tu12	I	7.54
03230315155	Union terminal P.In Tu15	I	13.30
03230316162	Union terminal P.In-P.In Tu16	I	13.70
03230318182	Union terminal P.In Tu18	F	18.90
0323045135	Air tank; no. of side & end ports U (1+1+1+2); material: steel; Ø (mm): 300; length L (mm): 700; black	I	154.00
03230506102	L fitting P.In/th Tu6-M10M+thrust+o-ring	I	8.89
03230506122	L fitting P.In/th Tu6-M12M+thrust+o-ring	I	7.42
03230506142	L fitting P.In/th Tu6-M14M+thrust+o-ring	I	8.57
03230506162	L fitting P.In/th Tu6-M16M+thrust+o-ring	I	7.86
03230506222	L fitting P.In/th Tu6-M22M+thrust+o-ring	I	8.98

Part number	Description	Code	List Price € (excl. VAT)
03230508102	L fitting P.In/th Tu8-M10M+thrust+o-ring	I	9.12
03230508122	L fitting P.In/th Tu8-M12M+thrust+o-ring	I	7.50
03230508142	L fitting P.In/th Tu8-M14M+thrust+o-ring	I	7.82
03230508162	L fitting P.In/th Tu8-M16M+thrust+o-ring	I	7.61
03230508222	L fitting P.In/th Tu8-M22M+thrust+o-ring	I	8.47
03230510122	L fitting P.in/th Tu10-M12M+thrust+o-ring	I	8.68
03230510142	L fitting P.in/th Tu10-M14M+thrust+o-ring	I	8.73
03230510162	L fitting P.in/th Tu10-M16M+thrust+o-ring	I	8.26
03230510222	L fitting P.in/th Tu10-M22M+thrust+o-ring	I	9.25
03230510862	L Curved fitting P.in/th Tu10-M16M+thrust+o-ring	I	9.45
03230512162	L fitting P.In/thread Tu12-M16M+o-ring	I	9.09
03230512222	L fitting P.In/th Tu12-M22M+thrust+o-ring	I	9.48
03230512862	L Curved fitting P.In/th Tu12-M16M+thrust+o-ring	I	9.72
03230515162	L fitting P.In/th Tu15-M16M+thrust+o-ring	I	13.20
03230515222	L fitting P.In/th Tu15-M22M+thrust+o-ring	I	11.20
03230516152	L fitting th/th M16M-M16f+thrust+o-ring	I	8.04
03230516222	L fitting P.In/th Tu16-M22M+thrust+o-ring	I	13.30
03230517242	L fitting th/th M16M-M22M+thrust+o-ring	I	11.00
03230518222	L fitting P.In/th Tu18-M22M+thrust+o-ring	I	16.40
03230522212	L fitting Pivoted Adaptor M22f-M22M+o-ring	I	8.22
03230522242	L fitting th/th M22M+nut-M22M+nut	I	9.63
0323060135	Air tank; no. of side & end ports U (1+1+1+2); material: steel; Ø (mm): 300; length L (mm): 888; black	I	173.00
03230806102	T fittings thread-Push-Inx2 M10Mx1-Tu6-Tu6	I	12.20
03230806122	Barrel tee coupling/L-Einschraubsteckverbindung	I	12.10
03230806922	T fitting th/th/P.In M22M-M22M-Tu6+thrust+o-ring	I	14.20
03230808122	T fitting th/P.In/P.In M12M-Tu8-Tu8+thrust+o-ring	I	10.30
03230808162	T fitting th/P.In/P.In M16M-Tu8-Tu8+thrust+o-ring	I	13.80
03230808222	T fitting th/P.In/P.In M22M-Tu8-Tu8+thrust+o-ring	I	15.70
03230810162	Limited stock; Barrel Tee Couplings with Thrust and o-ring	I	10.70
03230810222	Barrel Tee Coupling 10x1/10x1 M22x1.5	I	14.40
03230812162	T fittings thread-Push-Inx2 M16M-Tu12-Tu12	I	14.30
03230812222	T fittings thread-Push-Inx2 M22M-Tu12-Tu12	I	15.10
03230815722	T fitting th/th/P.In M22M-M22M-Tu15+thrust+o-ring	I	15.80

Part number	Description	Code	List Price € (excl. VAT)
03230815922	T fittings thread-Push-Inx2 M22M-Tu15-Tu15	I	19.70
03230826162	Limited stock; T fitting th/P.In/P.In M16M-Tu12-Tu6+thrust+o-ring	I	11.20
03230826222	T fitting th/P.In/P.In M22M-Tu12-Tu6+thrust+o-ring	I	14.30
03230828162	T fittings thread-Push-Inx2 M16M-Tu12-Tu8	I	15.00
03230828222	T fitting th/P.In/P.In M22M-Tu12-Tu8+thrust+o-ring	I	14.20
03230858222	T fittings thread-Push-Inx2 M22M-Tu15-Tu8	I	17.20
03230880162	Barrel tee coupling / L-Einschraubsteckverbindung	I	14.40
03230886162	T fitting th/P.In/P.In M16M-Tu8-Tu6+thrust+o-ring	I	13.00
03231006122	T fittings Push-In-Th-Push-in Tu6-M12M-Tu6	I	12.40
03231008122	T fitting P.In/P.In/th Tu8-Tu8-M12M+thrust+o-ring	I	11.40
03231008162	T fitting P.In/P.In/th Tu8-Tu8-M16M+thrust+o-ring	I	13.90
03231008222	T fitting P.In/P.In/th Tu8-Tu8-M22M+thrust+o-ring	I	13.30
03231010162	T fitting P.In/P.In/th Tu8-Tu8-M22M+thrust+o-ring	I	18.20
03231010222	T fitting Tu10-Tu10-M22M+o-ring	I	14.30
03231012162	T fitting Tu12-Tu12-M16M+o-ring	I	15.00
03231012222	T fitting Tu12-Tu12-M22M+o-ring	I	14.90
03231015222	T fitting Tu15-Tu15-M22M+o-ring	I	19.00
03231015242	Limited stock; T fitting th/P.In/th M22M-Tu15-M22M+thrust+o-ring	I	14.20
03231026222	T fitting P.In/P.In/th Tu12-Tu6-M22M+thrust+o-ring	I	14.50
03231028162	T fitting P.In/P.In/th Tu12-Tu8-M16M+thrust+o-ring	I	16.80
03231028222	T fitting P.In/P.In/th Tu12-Tu8-M22M+thrust+o-ring	I	14.20
03231112082	Limited stock; fittings	I	14.20
03231212922	X fitting P.In.x3/thread Tu12-Tu6-Tu8-M16M	I	21.50
03231228222	X fitting P.In.x3/thread Tu12-Tu8-Tu12-M22M	I	26.60
03231256222	X fitting P.In.x3/thread Tu15-Tu6-Tu15-M22M	I	26.00
0323141016	S fitting chassis th/P.In M16M-Tu10+thrust+o-ring	I	4.76
03231410222	S fitting chassis th/P.In M22M-Tu10+thrust+o-ring	I	6.56
03231415222	S fitting chassis th/P.In M22M-Tu15+thrust+o-ring	I	10.40
03231460162	S fitting chassis th/th M16-M16M+thrust+o-ring	I	3.79
03231460222	S fitting chassis th/th M22-M16	I	4.98
03231465172	S fitting chassis th/th M22M-M16M+thrust+o-ring	I	4.29
03231465232	S fitting chassis thread/thread M22M-M22M	I	4.01
03231496162	S fitting chassis th-th M16M+o-ring-M16M	I	7.22
03231496222	S fitting chassis th/th M22M(int M16)-M22M+o-ring	I	5.45
03231506062	S fitting chassis P.In/P.In Tu6-Tu6	I	6.10
03231508082	S fitting chassis P.In/P.In Tu8-Tu8	I	7.25
03231508982	S fitting chassis P.In/P.In Tu8-Tu8	I	4.91
03231510962	S fitting chassis P.In/th Tu10-M16M	I	5.12
03231512962	S fitting chassis P.In/th Tu12-M18M	I	5.61

Part number	Description	Code	List Price € (excl. VAT)
03231515152	S fitting chassis P.In/P.In Tu15-Tu15	I	13.00
03231515902	S fitting chassis P.In/th Tu15-M18M	I	10.50
03231515962	S fitting chassis P.In/th Tu15-M22M	I	8.04
03231610962	L fitting chassis th/P.In M16M-Tu10	I	9.16
03231612962	L fitting chassis th/P.In M18M-Tu12x1.5	I	11.30
03231615152	L fitting chassis P.In/P.In Tu15-Tu15	I	20.10
03231615962	L fitting chassis th/P.In M22M-Tu15	I	15.10
03231710102	T fitting chassis P.In/P.In/P.In Tu10x3	I	18.30
03231712122	T fitting chassis P.In/P.In/P.In Tu12x3	I	20.60
03231712962	Limited stock; T fitting chassis	I	13.30
03231715152	Limited stock; T fitting chassis P.In/P.In/P.In Tu15x3	I	21.70
03232012222	S fitting P.In/thread Tu12-M22f	I	5.86
03232015222	Straight terminal Tu15-thread M22 female	I	9.09
0323208181	Bulkhead test point	I	8.41
03232212062	S fitting swivel thread/P.In M18f-Tu6	I	4.27
03232212082	S fitting swivel thread/P.In M18f-Tu8	I	4.98
03232215082	Reducer swivel Tu8x1 T15 M22x1.5	I	5.01
03232215122	Reducer swivel	I	6.63
03232606022	L fitting swivel	I	7.32
03232608022	L fitting swivel P.In/thread Tu8-M14f for DIN	I	6.85
03232608622	L fitting swivel M12f-Tu8x1	I	9.63
03232610022	L fitting swivel P.In/thread Tu10-M16f for DIN	I	7.43
03232610872	Curved fitting P.In/thread Tu10-M16f	I	9.11
03232612022	L fitting P.In/th Tu12-M18f	I	8.77
03232612872	Curved fitting P.In/thread Tu12-M18f	I	9.95
03232615022	L fitting swivel P.In/thread Tu15-M22f for DIN	I	12.30
03232706022	T fitting swivel P.In/P.In/thread Tu6-Tu6-M12f	I	10.70
03232708022	T fitting swivel P.In/P.In/thread Tu8-Tu8-M14f	I	11.60
03232710022	T fitting swivel P.In/P.In/th Tu10-Tu10-M16f	I	11.60
03232712022	T fitting swivel P.In/P.In/th Tu12-Tu12-M18f	I	13.80
03232715022	T fitting swivel P.In/P.In/th Tu15-Tu15-M22f	I	19.30
03232806022	L laT fittings Push-Inx2-DIN Tu6x2-Tu6	I	10.80
03232808022	T fitting swivel P.In/P.In/Tube Tu8-Tu8-M14f	I	10.20
03232810022	T fitting swivel P.In/P.In/Tube Tu10-Tu10-M16f	I	10.60
03232812022	T fitting swivel P.In/P.In/Tube Tu12-Tu12-M18f	I	13.20
03232812822	T fitting swivel P.In/P.In/Tube Tu12-Tu8-M18f	I	14.50
03234108965	Limited stock; F-Coupling M22/2xo8	I	13.70
03234912162	S fitting reducer thread/thread M16M-M18f	I	5.30
03234912222	S fitting swivel thread-DU thread M22M-M18f	I	4.76
03234915222	S fitting swivel thread-DU thread M22M-M22f	I	4.08
03235111102	S fitting chassis hose/P.In S11-Tu10	I	8.30
03235111122	S fitting chassis hose/P.In S11-Tu12	I	7.61

Part number	Description	Code	List Price € (excl. VAT)
03235113108	Fitting 03235113108	I	9.33
03235113152	S fitting chassis hose/P.In S13-Tu15	I	10.80
03235413152	L fitting chassis hose/P.In S13-Tu15	I	18.50
0323579088	O-ring M16x1.5	I	0.41
03236116222	S fitting reducer thread/thread M16M-M22f	I	2.76
03236118222	Tread adaptor thread-thread M18M+o-ring-M22f	I	4.79
03236122122	S fitting reducer thread/thread M22M-M12f	I	2.10
03236122142	S fitting reducer thread/thread M22M-M14f	I	2.46
03236122162	S fitting reducer thread/thread M22M-M16f	I	2.10
03236200142	Limited stock; Plug; for M14x1.5brass cup; c/w o-ring	I	0.98
03236205222	Plug M22x1.5	I	1.81
03236280122	Plug M12+o-ring	I	0.83
03236280162	Plug M16x1.5+cup+o-ring	I	1.32
03236280222	Plug M22x1.5+cup+o-ring hex key	I	1.53
0323650209	Limited stock; T fitting th/P.In/Test M16M+Tu10+thrust+o-ring	I	12.90
03236507165	Limited stock; S fitting Test-M16M+thrust+o-ring	I	6.41
03236509125	Fittings	I	3.88
03236509165	Test Point M16x1.5 DROP	I	4.56
03236509225	Test Point M22x1.5 DROP	I	5.92
03236512092	T fitting Test/th/P.In M16M-Tu10+thrust+o-ring	I	13.60
03236512112	T fitting Test/th/P.In M16M-Tu12+thrust+o-ring	I	13.80
03236512122	T fitting Test/th/P.In M22M-Tu12+thrust+o-ring	I	15.00
03236512862	T fitting 8-M16-Test	I	17.30
03236512952	T fitting th/Tube/Test M22M+thrust+o-ring-Tu8-Test	I	15.00
03236514112	T fitting Tu12-M16-test point	I	18.50
03236514122	T fittings Tu12-Test-M22M+o-ring	I	17.10
03236514372	T fitting Test/P.In/th Tu8-M16M+thrust+o-ring	I	17.70
03236514382	T fitting Test/P.In/th Tu8-M22M+thrust+o-ring	I	18.30
03236514672	T fitting Test/th/P.In M16M-Tu8+thrust+o-ring	I	18.30
03236514682	T fitting th/Test/P.In M22M-Tu8+thrust+o-ring	I	16.40
0323651470	Limited stock; T fitting th/Test/P.In M22M-Tu10+thrust+o-ring	I	14.10
03236514912	T fitting Test-Tu12-M16	I	16.50
03236514942	T fitting th/Test/P.In M22M-Tu15+thrust+o-ring	I	20.70
03236612225	Drain valve; w/o Ring+thrust+o-ring	I	2.94
03237006102	Straight terminal P.In Tu6x1-thread M12 female	I	2.20
03237008102	Straight terminal P.In Tu8x1-thread M14 female	I	2.49
03237009152	Straight terminal P.In Tu9-thread M16 female	I	6.78
03237010102	Straight terminal P.In Tu10x1-thread M16 female	I	2.85
03237010152	Straight terminal P.In Tu10x1.5-thread M16 femal	I	3.73
03237011152	Straight terminal P.In Tu11-thread M18 female	I	7.32
03237012152	Straight terminal P.In Tu12x1.5-thread M18 femal	I	3.36

Part number	Description	Code	List Price € (excl. VAT)
03237015152	Straight terminal P.In Tu15x1.5-thread M22 female	I	4.81
03237015202	Straight terminal P.In Tu15x2-thread M22 female	I	7.79
03237016205	Straight terminal P.In Tu16x2-thread M22 female	I	5.84
03237018202	Straight terminal P.In Tu18x2-thread M26 female	I	7.65
03237020102	Straight terminal P.In Tu10x1-thread M18 female	I	4.29
03237028102	Straight terminal P.In Tu8-thread M18 female	I	4.37
03237086102	Straight terminal P.In Tu6-thread M12 female	I	3.35
03239101122	Pre-assembled tube	I	11.10
03239102122	Pre-assembled tube	I	11.00
0324000015	Saddle for air tank; type: standard; Ø (mm): 246; kit of 2	I	26.20
03240106122	S fitting DIN/thread Tu6-M10M	I	1.57
03240108142	S fitting DIN/thread Tu8-M14M	I	1.80
03240110162	Limited stock; S fitting thread-Din M16M-Tu10	I	1.85
03240116222	S fitting DIN/thread Tu16-M22M	I	4.22
03240316162	Union terminal DIN/DIN Tu16x2	I	5.05
03240506122	L fitting	I	5.24
03240508142	L fitting thread-DIN M14M+o-ring-Tu8	I	5.84
03240508162	L fitting tube/thread Tu8-M16M	I	7.96
03240510161	Limited stock; L fitting thread-DIN M16M+o-ring-Tu10	I	4.79
03240510222	L fitting thread/DIN M22M-Tu10	I	6.02
03240512162	L fitting DIN/thread Tu12-M16M+nut	I	5.89
03240512222	Limited stock; L fitting DIN/thread Tu12-M22M+nut	I	4.73
03240515222	L fitting thread/DIN M22M-Tu15	I	8.08
03240522212	Pivoted adaptor	I	9.25
03241512102	S fitting chassis DIN/DIN Tu12-Tu10	I	5.30
03245211102	S fitting hose/tube S11-DIN10 swivel	I	3.25
03245211122	S fitting swivel hose/P.In S11-Tu12swi	I	1.77
03245211152	S fitting swivel hose/P.In S11-Tu15swi	I	4.21
03245213122	S fitting swivel hose/P.In S13-Tu12swi	I	2.60
03245213152	S fitting swivel hose/P.In S13-Tu15swi	I	3.43
03246012252	Long nut M12	I	1.77
03246016122	Long nut M16-M12	I	3.25
03246016252	Long nut M16-M16	I	1.73
03246018251	Fitting	I	1.95
03246022252	Long nut M22	I	1.28
03246022382	Long nut M22	I	3.21
03246118222	Reducer thread-thread M18M-M22f	I	4.51
03246122542	Fitting reducer thread/thread M22M-1/2"	I	4.80
03246200102	Plug M10x1	I	0.76
03246516125	S fitting Test-M12f	I	4.11
03246517122	S fitting Test-M12f	I	3.61
03246517142	S fitting Test-M14f	I	3.98
03246517222	S fitting Test-M22f	I	10.00
03247800125	Thrust+o-ring M12	I	0.36
03247800145	Thrust+o-ring M14	I	0.30
03247800165	Thrust+o-ring M16	I	0.24

Part number	Description	Code	List Price € (excl. VAT)
03247800185	Thrust+o-ring M18	I	0.41
03247800225	Thrust+o-ring M22	I	0.32
03247800265	Limited stock; Thrust+o-ring M26	I	1.62
032500001S	Saddle for air tank; type: standard; Ø (mm): 396; kit of 2	I	38.30
032511209	PC fitting M12x1.5 (8x1)	L	3.11
032511309	PTC fitting; for EBS EB+; M16x1.58x1	L	3.37
032511409	PTC fitting; for EBS EB+; M16x1.512x1.5	L	3.40
032511509	PTC fitting; for EBS EB+; M22x1.5TU 16x2	L	5.55
032511609	Plug; M12x1.5	L	1.78
032511809	PTC fitting; for EBS EB+; M16x1.5TU 10x1	L	5.22
032511909	PTC fitting; for EBS EB+; M22x1.515x1.5	L	5.38
03257000161	DIN Nut M22 Du16	I	1.08
03257100162	Olive DU16	I	0.67
03260110141	Limited stock; S fitting thread-th DIN M14M-M16M Tu10	I	0.97
03260112142	S fitting thread-th DIN M14M-M18M Tu12	I	1.95
03260115222	S fitting thread-th DIN M22M-M22M Tu15	I	2.53
03260222261	Limited stock; S fitting thread-th DIN M26M-M30M Tu22	I	8.40
03260308062	S fitting thread/thread for DIN M14M-M12M	I	1.10
03260310082	S fitting thread/thread for DIN M16M-M14M	I	1.36
03260312102	S fitting thread/thread for DIN M18M-M16M	I	1.46
03260315102	S fitting thDIN-thDIN M22M Tu15-M16M Tu10	I	5.30
03260315152	S fitting thread/thread for DIN M22M-M22M	I	1.84
03260322222	Limited stock; S fitting thDIN-thDIN M30M Tu22-M30M Tu22	I	8.41
03260610102	Limited stock; L fitting Union	I	5.94
03261106062	T fitting thread x3 for DIN M12Mx3	I	6.17
03261108062	T fitting thread x3 for DIN M14M/M12/M141	I	5.09
03261108082	T fitting thread x3 for DIN M14Mx3	I	5.78
03261112062	T fitting thread x3 for DIN M18Mx2-M12M	I	9.16
03261112082	T fitting Th-Th-Th M18-M14-M18	I	7.47
03261112122	T fitting thread x3 for DIN M18Mx3	I	7.82
03261115081	T fitting thDINx3 M22M Tu15-M14M Tu8-M22M Tu15	I	10.10
03261115152	T fitting thDINx3 M22M Tu15x3	I	13.70
03261300122	Limited stock; X fitting th DINx4 M18M Tu12	I	14.70
03261512122	S fitting chassis th/th M18-M18	I	2.48
03261515152	S fitting chassis thread/thread DIN M22Mx2	I	3.59
032615B00600	Fitting; swivel; F (mm): M16x1.5	I	2.60
03261606062	L fitting thread/thread M12-M12	I	5.74
03261608082	L fitting chassis th/th M14Mx2 for DIN	I	5.75
03261612122	L fitting thread/thread M18M-MA18	I	6.74
03262208062	S fitting	I	2.13
03262210062	S fitting	I	1.84

Part number	Description	Code	List Price € (excl. VAT)
03262212062	S fitting th DIN-th DIN M12M Tu6-.....	I	2.31
03262212102	S fitting th DIN-th DIN	I	3.00
03262500600	Fitting; swivel; F (mm): M16x1.5	I	3.14
03262612002	L fitting Slick-th DIN Tu12-M18M Tu12	I	4.51
03262615001	Limited stock; L fitting Slick-th DIN Tu15-M22M Tu15	I	6.04
03262615002	L fitting Slick-th DIN Tu15-M22M Tu15	I	7.55
03263500600	Fitting; swivel; F (mm): M16x1.5	I	3.14
032645B00600	Fitting; swivel; F (mm): M16x1.5	I	4.26
03264600600	Fitting; swivel; F (mm): M16x1.5	I	6.03
032647B00600	Fitting; swivel; F (mm): M16x1.5	I	5.81
032649B00600	Fitting; swivel; F (mm): M16x1.5	I	6.29
032660B01/4GAS000	Fitting; swivel stud; M1/4"	I	4.44
032660B01000	Fitting; swivel stud; M16x1.5	I	2.64
032660B04000	Fitting; swivel stud; M12x1.5	I	1.94
032660B05000	Fitting; swivel stud; M14x1.5	I	2.79
032660B06000	Fitting; swivel stud; M16x1.5	I	1.90
032660B07000	Fitting; swivel stud; M22x1.5	I	2.64
03266B001/8GAS000	Fitting; swivel stud; M1/8"	I	4.13
03267000062	Long nut	I	0.28
03267000081	DIN nut M14 Du8	I	0.32
03267000101	Nut M16 for DIN Tu10	I	0.34
03267000102	Long nut	I	0.35
03267000122	Long nut	I	0.45
03267000152	Long nut	I	0.73
03267000182	Nut M26 for DIN Tu18	I	1.22
03267000222	DIN nut M30 Du22	I	1.71
03267100062	Socket for Tube 6	I	0.29
03267100082	Socket for Tube 8	I	0.27
03267100101	Socket for Tube 10	I	0.33
03267100122	Limited stock; Socket for Tube 12	I	0.43
03267100152	Socket for Tube 15	I	0.39
03267100182	Limited stock; Socket for Tube 18	I	0.86
03267100222	Socket for Tube 22	I	0.96
03267700122	Hexagonal nut M12	I	0.21
03267700142	Hexagonal nut M14	I	0.29
03267700162	Hexagonal nut M16	I	0.33
03267700182	Hexagonal nut M18	I	1.13
03267700222	Hexagonal nut M22	I	0.79
03267700262	Hexagonal Nut M26	I	1.21
03268014189	Washer int dia.14 Cooper	I	0.20
03268016209	Washer int dia.16 Cooper	I	0.20
03268018229	Washer int dia.18 Cooper	I	0.21
03268021269	Washer int dia.21 Cooper	I	0.29
032680309	Fitting	I	3.82
032681409	Limited stock; L fitting Plug In/P.In P5-Tu10x1.25	I	7.18
032681609	L fitting Plug In/P.In P5-Tu6x1	I	6.76
032682609	L fitting Plug In/P.In P5-Tu8x1	I	7.34
032683209	L fitting 45° thread/Plug In M16f-P5	I	5.67
032683309	Fitting	I	3.09
032683409	T fitting thread/Plug In/thread M16f-P5-M16f	I	3.93
032683509	T fitting thread/thread/Plug In M16f-M16f-P5	I	3.78
032683609	L fitting Plug In/P.In P5-Tu12x1.5	I	7.74
032683709	Fitting	I	6.94
032683809	X fitting threadx3/Plug In M16fx3-P5	I	9.63

Part number	Description	Code	List Price € (excl. VAT)
032683909	T swivel fitting 4 ways threadx3/ Plug In M16fx3-P5	I	7.20
032684009	L fitting Plug In/P.In P5-Tu16x2	I	10.20
032684509	F fitting thread x3 M16fx3	I	11.30
032684609	Y fitting threadx2-Plug In M16fx2-P5	I	6.72
03269200600	Nut; for fitting	I	1.01
03269200600OR	Nut; for fitting	I	0.97
03269200700	Nut; for fitting	I	1.13
03269200700OR	Nut; for fitting	I	1.34
03269504000	Fitting; Plug; M12x1.5	I	0.97
0326956	Fitting; Plug; M16x1.5	I	1.28
0326957	Fitting; Plug; M22x1.5	I	1.59
03269604400	Fitting; reducer; M12x1.5; F (mm): M12x1.5	I	3.29
03269606400	Fitting; reducer; M16x1.5; F (mm): M12x1.5	I	2.48
03269607400	Fitting; reducer; M22x1.5; F (mm): M12x1.5	I	1.90
032696A6G1/8	Fitting; reducer; M1/8"; F (mm): M16x1.5	I	5.81
032697176	Fitting; hose tail; type 12; M16x1.5	I	2.29
032697177	Fitting; hose tail; type 12; M22x1.5	I	3.60
03269800600	Nut; for fitting	I	1.24
032699109	L fitting plug In/P.In P5-Tu10x1	I	9.48
032699176	Limited stock; fitting; hose tail; type 10; M16x1.5	I	5.22
032699209	L fitting plug In/P.In P5-Tu15x1.5	I	11.60
032701009	S fitting thread/Plug-In M10M-P5	I	2.55
032701209	Fitting	I	2.51
032701409	Fitting	I	2.95
032701609	Fitting	I	2.51
032701709	Fitting	I	3.06
032702109	Limited stock; S fitting thread/plug In G1/4"-P5	I	8.57
032703066100M	Fitting; threaded adaptor bulk-head; M16x1.5; M1: M16x1.5; F (mm): M10x1	I	2.79
032703067600M	Fitting; threaded adaptor bulk-head; M16x1.5; M1: M22x1.5; F (mm): M16x1.5	I	4.11
03270307600	Fitting; threaded adaptor bulk-head; M22x1.5; M1: M22x1.5; F (mm): M16x1.5	I	4.18
032703076100ML	Fitting; bulkhead adaptor; M22x1.5; M1: M16x1.5; F (mm): M10x1	I	6.19
032703077600ML	Fitting; bulkhead adaptor; M22x1.5; M1: M22x1.5; F (mm): M16x1.5	I	3.91
032703079400ML	Fitting; bulkhead adaptor; M22x1.5; M1: M18x1.5; F (mm): M12x1.5	I	4.14
032703209	S fitting Plug-In/thread P5-1/4"-18 NPTF	I	8.03
0327033GC14	Fitting; bulkhead adaptor; M1/4"; M1: M18x1.5; F (mm): M12x1.5	I	7.66
032703409	S fitting Plug-In/thread P5-1/2"-14 NPTF	I	4.18
0327035GC14B	Fitting; threaded adaptor bulk-head; M1/4"; M1: M16x1.5	I	6.81
032703609	Limited stock; S fitting chassis thread/Plug In M22M-P5	I	3.61
032703709	S fitting chassis thread/Plug In M18M-P5	I	6.94
03271001400	Fitting; pivoted adaptor; M10x1; F (mm): M12x1.5	I	4.18

Part number	Description	Code	List Price € (excl. VAT)
03271003300	Fitting; pivoted adaptor; M12x1.5; F (mm): M12x1.5	I	2.98
03271004600	Fitting; pivoted adaptor; M12x1.5; F (mm): M16x1.5	I	3.95
03271006400	Fitting; pivoted adaptor; M16x1.5; F (mm): M12x1.5	I	3.33
03271006600	Fitting; pivoted adaptor; M16x1.5; F (mm): M16x1.5	I	3.37
03271007400	Fitting; pivoted adaptor; M22x1.5; F (mm): M12x1.5	I	4.38
03271007600	Fitting; pivoted adaptor; M22x1.5; F (mm): M16x1.5	I	3.87
03271007700	Fitting; pivoted adaptor; M22x1.5; F (mm): M22x1.5	I	5.07
03271506600	Fitting; swivel adaptor; M16x1.5; F (mm): M16x1.5	I	5.69
03272004400	Fitting; pivoted adaptor; M12x1.5; F (mm): M12x1.5	I	3.99
03272004600	Fitting; pivoted adaptor; M12x1.5; F (mm): M16x1.5	I	5.27
03272006600	Fitting; pivoted adaptor; M16x1.5; F (mm): M16x1.5	I	4.26
03272007400	Fitting; pivoted adaptor; M22x1.5; F (mm): M12x1.5	I	4.72
03272007600	Fitting; pivoted adaptor; M22x1.5; F (mm): M16x1.5	I	5.15
03272007700	Fitting; pivoted adaptor; M22x1.5; F (mm): M22x1.5	I	6.85
032720509	Limited stock; fitting	I	6.21
032721009	Limited stock; fitting	I	2.43
032722309	Straight terminal P.In Tu8x1-thread 1/4-18 NPTF	I	7.49
032722709	Fitting	I	10.30
032723409	Limited stock; straight terminal P.In Tu8x1-thread M14 male	I	4.00
03272504400	Fitting; swivel adaptor; M12x1.5; F (mm): M12x1.5	I	7.53
03272506600	Fitting; swivel adaptor; M16x1.5; F (mm): M16x1.5	I	5.28
03272507600	Fitting; swivel adaptor; M22x1.5; F (mm): M16x1.5	I	7.62
032726509	Limited stock; Push-In Unit	I	16.30
03273004400	Fitting; pivoted adaptor; M12x1.5; F (mm): M12x1.5	I	3.76
03273004600	Fitting; pivoted adaptor; M12x1.5; F (mm): M16x1.5	I	4.61
03273006600	Fitting; pivoted adaptor; M16x1.5; F (mm): M16x1.5	I	4.34
03273007600	Fitting; pivoted adaptor; M22x1.5; F (mm): M16x1.5	I	5.15
03273007700	Fitting; pivoted adaptor; M22x1.5; F (mm): M22x1.5	I	6.12
032730209	Limited stock; fitting	I	5.26
032730409	Limited stock; straight terminal P.In Tu10x1-thread M14 male	I	6.06
032730709	Limited stock; straight terminal P.In Tu10x1-thread M22 male	I	5.06
032731509	Limited stock; Union terminal P.In/P.In Tu10x1.25	I	7.75
032731609	Limited stock; fitting	I	4.94
032732509	Fitting	I	10.50
032733609	Limited stock; fitting	I	3.33
032733709	Limited stock; fitting	I	5.13
03273504400	Fitting; swivel adaptor; M12x1.5; F (mm): M12x1.5	I	4.38
03273506600	Fitting; swivel adaptor; M16x1.5; F (mm): M16x1.5	I	4.45

Part number	Description	Code	List Price € (excl. VAT)
03273507600	Fitting; swivel adaptor; M22x1.5; F (mm): M16x1.5	I	7.62
032737409	Limited stock; straight terminal P.In Tu12x1.5-thread M14 male	I	5.18
03274006600	Fitting; pivoted adaptor; M16x1.5; F (mm): M16x1.5	I	9.67
03274106600	Fitting; pivoted adaptor; M16x1.5; F (mm): M16x1.5	I	6.27
03274107600	Fitting; pivoted adaptor; M22x1.5; F (mm): M16x1.5	I	6.27
03274206600	Fitting; pivoted adaptor; M16x1.5; F (mm): M16x1.5	I	5.23
03274207600	Fitting; pivoted adaptor; M22x1.5; F (mm): M16x1.5	I	6.61
03274306600	Fitting; pivoted adaptor; M16x1.5; F (mm): M16x1.5	I	7.35
03274307600	Fitting; pivoted adaptor; M22x1.5; F (mm): M16x1.5	I	7.86
032744509	Fitting	I	14.90
032744709	Limited stock; straight terminal P.In Tu15x1.5-thread M22	I	4.36
03274604600	Fitting; swivel adaptor; M12x1.5; F (mm): M16x1.5	I	9.67
032746509	Fitting	I	14.40
032747509	Fitting	I	21.80
032747609	Straight terminal P.In Tu18x2-thread M16 male	I	10.30
032747709	Straight terminal P.In Tu18x2-thread M22 male	I	9.05
03274904600	Fitting; swivel adaptor; M12x1.5; F (mm): M16x1.5	I	7.86
03274907600	Fitting; swivel adaptor; M22x1.5; F (mm): M16x1.5	I	8.44
0327500600	Fitting; adaptor; F (mm): M16x1.5	I	1.75
0327500700	Fitting; adaptor; F (mm): M22x1.5	I	3.22
03275106600	Fitting; swivel adaptor; M16x1.5; F (mm): M16x1.5	I	13.60
032753001S	Saddle for air tank; type: standard; Ø (mm): 300; kit of 2	I	24.90
03275307600	Fitting; bulkhead adaptor; M22x1.5	I	3.64
03275309400	Fitting; bulkhead adaptor; M18x1.5	I	3.91
0327600400	Fitting; adaptor; F (mm): M12x1.5	I	2.98
0327600600	Fitting; adaptor; F (mm): M16x1.5	I	2.97
032760609	Limited stock; Plug; M14x1.5; c/w o-ring	I	2.23
032761509	Limited stock; S fitting Adaptor thread/thread M22M-M12M	I	2.82
03276306600	Fitting; bulkhead elbow; M16x1.5; F (mm): M16x1.5	I	10.10
03276307600	Fitting; bulkhead elbow; M22x1.5; F (mm): M16x1.5	I	7.93
032769709	Fitting	I	9.27
0327700400	Fitting; adaptor; F (mm): M12x1.5	I	3.41
0327700500	Fitting; adaptor; F (mm): M16x1.5	I	3.76
0327700700	Fitting; adaptor; F (mm): M22x1.5	I	6.02
032772109	S fitting chassis th/th M22M-M22M(int M16)	I	8.21
032772609	S fitting chassis th/th M22M-M16f	I	4.47
032773000S	Saddle for air tank; type: standard; Ø (mm): 300; kit of 2	I	31.10
032773009	S fitting chassis th/th M22M-M22M(int M16)	I	4.69
032773109	S fitting chassis th/th M22M(int M16)-M16M	I	4.87
032773209	S fitting chassis thread with Cone	I	4.69

Part number	Description	Code	List Price € (excl. VAT)
032773309	Fitting	I	6.83
032773509	Fitting	I	6.69
032774109	Long nut M12x1.5	I	1.97
032774309	Long nut M16x1.5	I	1.93
032774409	Long nut M22x1.5	I	4.91
032774509	Hexagonal nut M12x1.5	I	1.97
032774609	Hexagonal nut M16x1.5	I	1.24
032774709	Hexagonal nut M22x1.5	I	1.42
032774809	Hexagonal nut M16x1.5	I	1.53
032774909	Hexagonal nut M22x1.5	I	1.24
032776709T	Manifold; for fitting; M16	I	24.10
032777509	Hexagonal nut M18x1.5	I	1.75
032778509	S fitting Adaptor thread/thread M16M-M18M+cone	I	5.74
0327800500	Fitting; adaptor; F (mm): M16x1.5	I	6.81
032780709	L fitting thread/thread M12M-M12f	I	8.50
032780809	Fitting	I	4.07
032780909	L fitting thread/thread M22M-M16f	I	5.49
032781609	T LaT fitting thread x3 M16M-M16f-M16f	I	9.85
032782309	Limited stock; L fitting thread/thread M12f-M12f	I	3.85
032782809	Limited stock; X fitting threadx4 M16fx4	I	6.67
032783009	L fitting thread/thread M16f-M16M+nut+o-ring	I	6.40
032783409	Limited stock; S fitting chassis th/th M16M-M	I	5.77
032786309	T fitting thread x3 with bracket	I	6.83
032786409	T fitting thread x3 M16f x3	I	4.15
032786709	Bulkhead threaded adaptor	I	7.34
032786809	T fitting thread x3 M22f x3	I	9.74
032788009	L fitting chassis th/th M22M-M22f	I	10.20
032789009	Fitting	I	11.30
03279004000	Fitting; test point; M12x1.5	I	3.06
03279006000	Fitting; test point; M16x1.5	I	3.33
03279007000	Fitting; test point; M22x1.5	I	3.80
032798209	T LaT fitting thread x3 M22M(int M16f)-M16f-M16f	I	15.50
032799109	Limited stock; S fitting chassis th/th M16M-M16M	I	4.28
032799409	S fitting hose/thread S11-M16M+o-ring	I	2.84
032799609	Limited stock; Hose S13-M22+o-ring AQ box=50	I	3.45
032799709	S fitting hose/thread S11-M22M+o-ring	I	5.85
032800107000	Fitting; straight male terminal; type 15x12; M22x1.5	I	5.65
032800108000	Fitting; straight male terminal; type 15x12; M16x1.5	I	6.69
03280011000-RTC	Fitting; straight male terminal-RTC; type 6x4; M10x1	I	3.23
032800116000	Fitting; straight male terminal; type 16x12; M16x1.5	I	6.27
032800117000	Fitting; straight male terminal; type 16x12; M22x1.5	I	5.77
03280011G1/2000	Fitting; straight male terminal; type 16x12; M1/2"	I	13.20
03280012000	Fitting; straight male terminal; type 6x4; M12x1	I	5.65
032800126000	Fitting; straight male terminal; type 18x14; M16x1.5	I	8.71

Part number	Description	Code	List Price € (excl. VAT)
032800127000	Fitting; straight male terminal; type 18x14; M22x1.5	I	6.97
032800137000	Fitting; straight male terminal; type 20x16; M22x1.5	I	10.50
03280014000-RTC	Fitting; straight male terminal-RTC; type 6x4; M12x1.5	I	3.77
03280015000	Limited stock; fitting; straight male terminal; type 6x4; M14x1.5	I	2.48
03280015000-RTC	Fitting; straight male terminal-RTC; type 6x4; M14x1.5	I	5.32
03280016000-RTC	Fitting; straight male terminal-RTC; type 6x4; M16x1.5	I	3.22
03280016400-RTC	Limited stock; fitting; adjustable elbow stud-RTC; type 6x4; M16x1.5; F (mm): M12x1.5	I	6.07
03280017000-RTC	Fitting; straight male terminal-RTC; type 6x4; M22x1.5	I	4.68
0328001G/18000	Limited stock; fitting; straight male terminal; type 6x4; M1/8"	I	3.36
0328001G/18000-RTC	Fitting; straight male terminal-RTC; type 6x4; M1/8"	I	6.15
03280021/8N10	Fitting; male connector; type 18	I	10.30
03280021000	Limited stock; fitting; straight male terminal; type 8x6; M10x1	I	5.66
03280021000-RTC	Fitting; straight male terminal-RTC; type 8x6; M10x1	I	3.15
03280022000	Fitting; straight male terminal; type 8x6; M12x1	I	6.77
03280024000-RTC	Fitting; straight male terminal-RTC; type 8x6; M12x1.5	I	2.68
03280025000	Fitting; straight male terminal; type 8x6; M14x1.5	I	4.07
03280026000-RTC	Fitting; straight male terminal-RTC; type 8x6; M16x1.5	I	2.67
03280027000-RTC	Fitting; straight male terminal-RTC; type 8x6; M22x1.5	I	3.44
0328002G1/4000	Fitting; straight male terminal; type 8x6; M1/4"	I	3.02
03280044000	Fitting; straight male terminal; type 10x7; M12x1.5	I	4.41
03280046000-RTC	Fitting; straight male terminal-RTC; type 10x7; M16x1.5	I	3.68
03280047000	Limited stock; fitting; straight male terminal; type 10x7; M22x1.5	I	3.74
03280047000-RTC	Fitting; straight male terminal-RTC; type 10x7; M22x1.5	I	5.14
03280055000	Fitting; straight male terminal; type 10x7.5; M14x1.5	I	5.03
03280057000	Fitting; straight male terminal; type 10x7.5; M22x1.5	I	5.03
03280061000	Fitting; straight male terminal; type 10x8; M10x1	I	4.88
03280064000-RTC	Fitting; straight male terminal-RTC; type 10x8; M12x1.5	I	4.32
03280065000	Fitting; straight male terminal; type 10x8; M14x1.5	I	4.85
03280066000-RTC	Fitting; straight male terminal-RTC; type 10x8; M16x1.5	I	3.68
03280067000-RTC	Fitting; straight male terminal-RTC; type 10x8; M22x1.5	I	5.14
03280086000	Fitting; straight male terminal; type 12x8; M16x1.5	I	4.80
03280087000	Fitting; straight male terminal; type 12x8; M22x1.5	I	6.51
03280094000-RTC	Fitting; straight male terminal-RTC; type 12x9; M12x1.5	I	4.01
03280095000-RTC	Fitting; straight male terminal-RTC; type 12x9; M14x1.5	I	5.23

Part number	Description	Code	List Price € (excl. VAT)
03280096000-RTC	Fitting; straight male terminal-RTC; type 12x9; M16x1.5	I	3.14
03280097000-RTC	Fitting; straight male terminal-RTC; type 12x9; M22x1.5	I	3.94
03280099000-RTC	Fitting; straight male terminal-RTC; type 15x12; M22x1.5	I	5.30
032800G1/8000	Fitting; straight male terminal; type 8x6; M1/8"	I	3.02
03280106122	S fitting reducer M12M+o-ring-M12M Tu6	I	1.35
03280106162	S fitting Adaptor thread/thread M16M-M12M	I	1.85
03280106222	S fitting Adaptor thread/thread M22M-M12M	I	2.09
03280108122	S fitting Adaptor thread/thread M12M-M14M	I	1.17
03280108162	S fitting Adaptor thread/thread M16M-M14M	I	1.88
03280108222	S fitting Adaptor thread/thread M22M-M14M	I	2.16
03280110122	S fitting Adaptor thread/thread M12M-M16M	I	1.41
03280110162	S fitting Adaptor thread/thread M16M-M16M	I	1.87
03280110222	S fitting Adaptor thread/thread M22M-M16M	I	2.37
03280112122	S fitting Adaptor thread/thread M12M-M18M	I	1.54
03280112162	S fitting Adaptor thread/thread M16M-M18M+o-ring	I	1.88
03280112222	S fitting Adaptor thread/thread M22M-M18M+o-ring	I	2.41
03280115162	Limited stock; S fitting Adaptor thread/thread M16M-M22M	I	2.14
03280115222	S fitting Adaptor thread/thread M22M-M22M	I	2.36
03280116222	S fitting Adaptor thread/thread M22M-M22M	I	2.13
03280326400	Fitting; stud bulkhead terminal; type 8x6; M16x1.5; F (mm): M12x1.5	I	10.10
03280327400	Limited stock; fitting; stud bulkhead terminal; type 8x6; M22x1.5; F (mm): M12x1.5	I	5.76
03280327400-RTC	Fitting; stud bulkhead terminal-RTC; type 8x6; M22x1.5; F (mm): M12x1.5	I	7.81
03280367400	Fitting; stud bulkhead terminal; type 10x8; M22x1.5; F (mm): M12x1.5	I	12.70
03280396600	Limited stock; fitting; stud bulkhead terminal; type 12x9; M16x1.5; F (mm): M16x1.5	I	11.60
03280396600-RTC	Fitting; stud bulkhead terminal-RTC; type 12x9; M16x1.5; F (mm): M16x1.5	I	6.93
03280397600	Fitting; stud bulkhead terminal; type 12x9; M22x1.5; F (mm): M16x1.5	I	6.97
03280506142	L fitting thread/thread M14M-M12f	I	6.13
03280506162	Limited stock; L fitting thread/thread M16M-M12f	I	4.68
03280508122	L fitting M12M+Oring-M14M Tu8	I	5.53
03280508142	L fitting thread/thread M14M-M14f	I	5.45
03280508162	L fitting M16M+Oring-M14M Tu8	I	6.38
03280508222	L fitting M22M+Oring-M14M Tu8	I	7.89

Part number	Description	Code	List Price € (excl. VAT)
03280510162	L fitting thread/thread M16M-M16f	I	6.81
03280510222	L fitting th/th M22M DIN-M16M+thrust+o-ring	I	7.86
03280512142	L fitting thread/thread MM-Mf	I	6.36
03280512155	L male M12/M16 Female elbow with trust and o-ring	I	5.92
03280512162	L fitting th/th M18M DIN-M16M+thrust+o-ring	I	5.74
03280512222	L fitting thread/thread M22M-M18	I	6.71
03280515222	L fitting th/th M22M DIN-M22M+thrust+o-ring	I	7.54
03280516155	L male M16/M16 Female elbow with trust and o-ring	I	6.79
03280518222	L fitting thread/thread M22M-M26f	I	8.33
03280522155	Male /Female elbow with trust and o-ring	I	11.30
03280522215	L male M22/M22Female elbow with trust and o-ring	I	10.20
03280808122	T fitting thread x3 M12M+O-M14f-M14M	I	5.85
03280812155	T male M12/2xM16Female -Tee with trust and o-ring	I	6.86
03280812162	T fitting thread x3	I	8.21
03280812222	Barrel T fitting th/th/th M22-M18x2+thrust+o-ring	I	8.14
03280816155	Male M16/2xM16Female Tee with trust and o-ring	I	8.67
03280820600	Fitting; straight female terminal; type 8x6; F (mm): M16x1.5	I	10.30
03280822155	T male M22/2xM16Female Tee with trust and o-ring	I	9.09
03280826162	T fitting th-thDinx2 M16M+O-M18Tu12M16Tu8	I	9.00
03280826222	T fitting thread x3 M22M+O-M18f-M12M	I	9.12
03280856222	T fitting thread x3 M22M+O-M22f-M12M	I	9.77
03280860600	Fitting; straight female terminal; type 10x8; F (mm): M16x1.5	I	12.90
03280890600	Fitting; straight female terminal; type 12x9; F (mm): M16x1.5	I	14.00
03281006222	Limited stock; T fitting thread x3 M22M+O-M12M-M12M	I	7.88
03281008122	T fitting thread x3 M12M+O-M14M-M14M	I	6.24
03281008222	T fitting th-thDinx2 M22M+O-M14Tu8x2	I	9.30
03281010222	Limited stock; T fitting thread x3 M22M+O-M16M-M16M	I	7.79
032810107600	Fitting; adjustable elbow stud; type 15x12; M22x1.5; F (mm): M16x1.5	I	11.70
032810117600	Fitting; adjustable elbow stud; type 16x12; M22x1.5; F (mm): M16x1.5	I	11.00
03281012155	T M16F/M12M/M16F Tee with trust and o-ring	I	6.55
03281012162	T fitting thread x3 M16M+O-M18M-M18M	I	8.89
03281012222	T fitting thread x3 M22M+O-M18M-M18M	I	8.62
032810127700	Fitting; adjustable elbow stud; type 18x14; M22x1.5; F (mm): M22x1.5	I	16.90
03281014400-RTC	Fitting; adjustable elbow stud-RTC; type 6x4; M12x1.5; F (mm): M12x1.5	I	7.35
03281015222	T fitting thread x3 M22M+O-M22M-M22M	I	10.70

Part number	Description	Code	List Price € (excl. VAT)
03281016155	T M16F/M16M/M16F Tee with trust and o-ring	I	8.74
03281016400	Fitting; adjustable elbow stud; type 6x4; M16x1.5; F (mm): M12x1.5	I	7.82
03281022155	T M16F/M22M/M16F Tee with trust and o-ring	I	9.12
03281024400-RTC	Fitting; adjustable elbow stud-RTC; type 8x6; M12x1.5; F (mm): M12x1.5	I	6.14
03281026162	T fitting thread x3 M16M+O-M18M-M12M	I	8.33
03281026222	T fitting thread x3 M22M+O-M18M-M12M	I	9.16
03281026400-RTC	Fitting; adjustable elbow stud-RTC; type 8x6; M16x1.5; F (mm): M12x1.5	I	6.26
03281027400-RTC	Fitting; adjustable elbow stud-RTC; type 8x6; M22x1.5; F (mm): M12x1.5	I	7.12
03281046400	Limited stock; fitting; adjustable elbow stud; type 10x7; M16x1.5; F (mm): M12x1.5	I	4.90
03281046400-RTC	Fitting; adjustable elbow stud-RTC; type 10x7; M16x1.5; F (mm): M12x1.5	I	8.24
03281066400-RTC	Fitting; adjustable elbow stud-RTC; type 10x8; M16x1.5; F (mm): M12x1.5	I	8.24
03281067400-RTC	Fitting; adjustable elbow stud-RTC; type 10x8; M22x1.5; F (mm): M12x1.5	I	9.18
03281094600-RTC	Fitting; adjustable elbow stud-RTC; type 12x9; M12x1.5; F (mm): M16x1.5	I	8.36
03281096600-RTC	Fitting; adjustable elbow stud-RTC; type 12x9; M16x1.5; F (mm): M16x1.5	I	6.69
03281097600-RTC	Fitting; adjustable elbow stud-RTC; type 12x9; M22x1.5; F (mm): M16x1.5	I	7.82
03281410162	Fittings	I	3.68
03281410222	S fitting chassis thread/thread M22M+O-M16M	I	4.11
03281412162	S fitting chassis thread/thread M16M+O-M18M	I	3.32
03281412222	S fitting chassis thread/thread M22M+O-M18M	I	3.70
03281415222	S fitting chassis	I	3.87
032815117600	Fitting; swivel elbow stud; type 16x12; M22x1.5; F (mm): M16x1.5	I	12.40
03281516400	Limited stock; fitting; swivel elbow stud; type 6x4; M16x1.5; F (mm): M12x1.5	I	5.41
03281516400-RTC	Fitting; swivel elbow stud-RTC; type 6x4; M16x1.5	I	8.72
032815200B	Fitting; swivel elbow stud; type 8x6; M12x1.5	I	4.65
03281524400	Limited stock; fitting; swivel elbow stud; type 6x4; M12x1.5; F (mm): M12x1.5	I	9.52
03281524400-RTC	Fitting; swivel elbow stud-RTC; type 8x6; M12x1.5	I	7.75
03281526400	Fitting; swivel elbow stud; type 6x4; M16x1.5; F (mm): M12x1.5	I	7.90
032815900B	Fitting; swivel elbow stud; type 12x9; M12x1.5	I	9.52
03281594600	Fitting; swivel elbow stud; type 12x9; M12x1.5; F (mm): M16x1.5	I	9.75

Part number	Description	Code	List Price € (excl. VAT)
03281596600-RTC	Fitting; swivel elbow stud-RTC; type 12x9; M16x1.5	I	7.26
03281597600-RTC	Fitting; swivel elbow stud-RTC; type 12x9; M22x1.5	I	9.61
032820117600	Limited stock; fitting; adjustable tee stud; type 16x12; M22x1.5; F (mm): M16x1.5	I	15.00
03282026400-RTC	Fitting; adjustable tee stud-RTC; type 8x6; M16x1.5; F (mm): M12x1.5	I	10.80
03282027400	Fitting; adjustable tee stud; type 8x6; M22x1.5; F (mm): M12x1.5	I	12.30
03282097600	Fitting; adjustable tee stud; type 12x9; M22x1.5; F (mm): M16x1.5	I	14.70
03282097600-RTC	Fitting; adjustable tee stud-RTC; type 12x9; M22x1.5; F (mm): M16x1.5	I	14.60
03282196600	Fitting; adjustable tee stud with test point; type 12x9; M16x1.5; F (mm): M16x1.5	I	18.20
03282327400	Fitting; adjustable tee stud with test point; type 8x6; M22x1.5; F (mm): M12x1.5	I	14.10
03282397600	Limited stock; fitting; adjustable tee stud with test point; type 12x9; M22x1.5; F (mm): M16x1.5	I	15.30
03282397600-RTC	Fitting; adjustable tee stud with test point-RTC; type 12x9; M22x1.5; F (mm): M16x1.5	I	14.50
03282410142	Banjo coupling	I	22.40
03282696600	Fitting; swivel stud with test point; type 12x9; M16x1.5; F (mm): M16x1.5	I	21.60
03283024400-RTC	Fitting; adjustable tee stud-RTC; type 8x6; M12x1.5; F (mm): M12x1.5	I	11.90
03283026400-RTC	Fitting; adjustable tee stud-RTC; type 8x6; M16x1.5; F (mm): M12x1.5	I	10.80
03283027400	Fitting; adjustable tee stud; type 8x6; M22x1.5; F (mm): M12x1.5	I	12.80
03283596600	Limited stock; fitting; swivel tee stud; type 12x9; M16x1.5; F (mm): M16x1.5	I	15.50
032840117700	Fitting; adjustable elbow stud; type 16x12; M22x1.5; F (mm): M22x1.5	I	18.70
03284097700	Fitting; adjustable elbow stud; type 12x9; M22x1.5; F (mm): M22x1.5	I	14.70
03284112155	F-Stud M12M/2xM16F with trust and o-ring	I	9.09
03284116155	F-Stud M16M/2xM16F with trust and o-ring	I	10.20
03284122155	F-Stud M22M/2xM16F with trust and o-ring	I	13.50
03284127600	Fitting; adjustable elbow stud; type 8x6; M22x1.5; F (mm): M16x1.5	I	20.20
03284312155	T 3-way M12M/2xM16F Stud with trust and o-ring	I	9.75
03284322155	T 3-way M22M/2xM16F Stud with trust and o-ring	I	13.50
03285010400-RTC	Fitting; union-RTC; type 6x4	I	5.01
032850110600	Fitting; union; type 16x12; F (mm): M16x1.5	I	12.80
03285011162	S fitting hose/thread S11-M16M+o-ring	I	2.20
032850120600	Fitting; union; type 18x14	I	18.80
03285013162	S fitting hose/thread S13-M16M+o-ring	I	2.60

Part number	Description	Code	List Price € (excl. VAT)
03285013222	S fitting hose/thread S13-M22M+o-ring	I	3.57
03285020400-RTC	Fitting; union-RTC; type 8x6	I	4.89
03285030400	Fitting; union; type 9x6; F (mm): M12x1.5	I	12.20
03285040400	Limited stock; fitting; union; type 10x7; F (mm): M12x1.5	I	12.40
03285040400-RTC	Fitting; union-RTC; type 10x7	I	7.31
03285060400-RTC	Fitting; union-RTC; type 10x8	I	7.31
03285070400	Fitting; union; type 11x8; F (mm): M12x1.5	I	14.00
03285090600-RTC	Fitting; union-RTC; type 12x9	I	6.34
03286512102	Fittings	I	10.80
0328651211	Limited stock; T fitting M16-M18-Test	I	11.00
03287010400-RTC	Fitting; tee union-RTC; type 6x4	I	14.10
03287020400-RTC	Fitting; tee union-RTC; type 8x6	I	12.20
03287060400	Limited stock; fitting; union; type 10x8; F (mm): M12x1.5	I	9.84
03287060400-RTC	Fitting; tee union-RTC; type 10x8	I	16.30
03287090600	Limited stock; fitting; union; type 12x9; F (mm): M16x1.5	I	11.20
03287090600-RTC	Fitting; tee union-RTC; type 12x9	I	18.10
03290110222	S fitting thread-thread M22M-MA16	I	1.58
03290112222	S fitting Adaptor thread/thread M18M-M22M	I	1.77
03290118262	Limited stock; S fitting Adaptor thread/thread	I	3.70
03290516222	Fitting	I	7.57
03290812221	Limited stock; T LaT fitting thread x3 M22M-M18Mx2	I	6.06
03290826221	T LaT fitting th-th M22M-M18M-M12M	I	10.80
03290858222	Limited stock; T LaT fitting th-th M22M-M22M-M14M	I	9.26
03290875222	T LaT fitting thread x3	I	9.99
0329089622	S fitting	I	9.09
03291212932	Limited stock; X fitting th	I	11.10
032913709	Hexagonal nut M18x1.5	I	0.62
03291712122	Limited stock; fitting	I	8.08
03292015222	Limited stock; S fitting Adaptor M22F-M22M	I	3.90
03295009142	Hose M14M-Tu9	I	3.44
032966080	Release tool diam. 8x1.0	I	3.06
032966127	Release tool diam. 12x1.5	I	3.16
032966160	Release tool diam. 16x2.0	I	3.38
032973509	S fitting chassis th/th M22M-M22M(int M16)	I	3.93
032973609	S fitting chassis thread M22 M-slick Long	I	5.63
03297500152	Limited stock; Pressure ring DIN15	I	0.52
03297612190	Limited stock; Washer int dia.12 Aluminium	I	0.48
03297700182	Hexagonal Nut M18	I	0.47
03297700222	Hexagonal nut M22	I	0.96
03297800122	Thrust Ring int dia12 (old 032030809)	I	0.17
03297800142	Thrust Ring int dia14	I	0.29
03297800162	Thrust Ring int dia16	I	0.29
03297800182	Thrust Ring int dia18	I	0.55
03297800222	Thrust Ring int dia 22	I	0.32
03297900129	O-ring for nut M12	I	0.09
03297900149	O-ring for nut M14	I	0.10
03297900169	O-ring for nut M16	I	0.13

Part number	Description	Code	List Price € (excl. VAT)
03297900189	Fitting	I	0.15
03297900229	O-ring for nut M22	I	0.08
03298010140	Limited stock; Washer int dia. Aluminium	I	0.05
03298012150	Washer int dia.12 Aluminium	I	0.08
03298014180	Washer int dia. Aluminium	I	0.08
03298016200	Limited stock; Washer int dia.16 Aluminium	I	0.07
03298022270	Washer int dia.22 Aluminium	I	0.13
03298026310	Washer int dia. Aluminium	I	0.32
03298206105	Socket for Tube 6x1	I	0.17
03298208105	Socket for Tube 8x1	I	0.17
03298210105	Socket for Tube 10x1	I	0.17
03298210155	Socket for Tube 10x1.5	I	0.16
03298212155	Socket for Tube 12x1.5	I	0.25
03298215155	Socket for Tube 15x1.5	I	0.28
03299900290	Fitting	I	23.70
032DMM137LACP	Fitting; male connector; type 20; M22x1.5	I	5.27
032DMM96050	Steel spring; tube 12mm; M16M; c/w fittings	I	6.30
032DMM96LACP	Fitting; male connector; type 12; M16x1.5	I	2.87
032DMMIDP8LACA	Fitting; bulkhead union; type 12	I	8.40
032GMM67LACA	Fitting; threaded adaptor bulkhead; M16x1.5; M1: M22x1.5	I	11.20
032GMM77LACA	Fitting; threaded adaptor bulkhead; M22x1.5; M1: M22x1.5	I	11.00
032OR13	O-ring; for fitting; M1/2"	I	0.48
032OR6	O-ring; for fitting; M16	I	0.24
032OR7	O-ring; for fitting; M22	I	0.70
032ORM97LA	Fitting; stud-standpipe adaptor; type 12; M22x1.5	I	3.06
032PDM107LACA	Fitting; bulkhead male connector; type 15; M22x1.5	I	8.75
032PDM96LACA	Fitting; bulkhead male connector; type 12; M16x1.5	I	6.85
032RID67	Adaptor; for fitting; M16x1.5	I	5.86
032RID76LA	Fitting; reducer; M22x1.5; F (mm): M16x1.5	I	2.25
032TPG137LACA	Limited stock; fitting; male elbow; type 20; M22x1.5	I	8.61
032TPG137LACP	Fitting; male elbow; type 20; M22x1.5	I	10.80
032TPG96LACA	Fitting; male elbow; type 12; M16x1.5	I	5.65
032VFF00900	Limited stock; S fitting Test-M18f	I	7.46
033015509	Limited stock; Thread Adapter M16x1.5 34 mm	I	2.59
033016009	Air brake coil; material: PA10.12 PHL; yellow; working length (m): 4; thread 1: female M18	I	27.90
033016509	Air brake coil; material: PA10.12 PHL; red; working length (m): 4; thread 1: female M18	I	27.90
03490106010	Push-in Coupling 6x1 M10x1 ABC NL	I	3.03
03490106012	Push-in Coupling 6x1 M12x1.5 ABC NL	I	3.26
03490106014	Push-in Coupling 6x1 M14x1.5 ABC NL	I	6.09
03490106016	Push-in Coupling 6x1 M16x1.5 ABC NL	I	3.42
03490106022	Push-in Coupling 6x1 M22x1.5 ABC NL	I	6.77
03490108010	Push-in Coupling 8x1 M10x1 ABC NL	I	4.87

Part number	Description	Code	List Price € (excl. VAT)
03490108012	Push-in Coupling 8x1 M12x1.5 ABC NL	I	2.84
03490108014	Push-in Coupling 8x1 M14x1.5 ABC NL	I	5.00
03490108016	Push-in Coupling 8x1 M16x1.5 ABC NL	I	2.94
03490108022	Push-in Coupling 8x1 M22x1.5 ABC NL	I	4.00
03490110012	Push-in Coupling 10x1 M12x1.5 ABC NL	I	6.58
03490110014	Push-in Coupling 10x1 M14x1.5 ABC NL	I	7.58
03490110016	Push-in Coupling 10x1 M16x1.5 ABC NL	I	4.52
03490110022	Push-in Coupling 10x1 M22x1.5 ABC NL	I	6.32
03490110116	Push-in Coupling 10x1.25 M16x1.5 ABC NL	I	5.19
03490110122	Push-in Coupling 10x1.25 M22x1.5 ABC NL	I	5.97
03490110212	Push-in Coupling 10x1.5 M12x1.5 ABC NL	I	5.77
03490110216	Push-in Coupling 10x1.5 M16x1.5 ABC NL	I	4.16
03490110222	Push-in Coupling 10x1.5 M22x1.5 ABC NL	I	6.42
03490112012	Push-in Coupling 12x1.5 M12x1.5 ABC NL	I	4.55
03490112016	Push-in Coupling 12x1.5 M16x1.5 ABC NL	I	3.52
03490112022	Push-in Coupling 12x1.5 M22x1.5 ABC NL	I	4.19
03490115016	Push-in Coupling 15x1.5 M16x1.5 ABC NL	I	4.87
03490115022	Push-in Coupling 15x1.5 M22x1.5 ABC NL	I	5.45
03490116016	Push-in Coupling 16x2 M16x1.5 ABC NL	I	6.45
03490116022	Push-in Coupling 16x2 M22x1.5 ABC NL	I	5.97
03490506006	Push-in 6x1 ABC Union double	I	4.55
03490508008	Push-in 8x1 ABC Union double	I	4.68
03490512012	Tube connector 12x1.5 ABC NL	I	6.84
035005609	Shock absorber	E	170.00
037002429	Pressure gauge; 0-16 bar; M16x150; single	I	231.00
037010125	Straight terminal P.In Tu10x1.25-th M16 female	I	12.50
039006109	Piston; for compressor	J	253.00
041011909	Solenoid; for electro-magnetic raise/lower valve (338050101)	F	498.00
041013609	Time+brake relay; for automatic drain valve/Conseq; c/w side light; c/w brake light; 24V	D	98.00
041502309	Pressure switch kit; for relay emergency valve (EBS EB+); c/w o-ring; c/w backing washer	L	184.00
042002009	Connector Housing; for 3/2-way solenoid valve (360009141/ ..241/ ..341)	F	17.40
042516609	Nut; for ECU click-fit connector; (ABS MODAL); for ISO 7638 cable	B	0.52
042548009	Spade connector; for electrical connection; x1; for 1.5 mm cable	B	1.39
042548109	Spade connector; for electrical connection; x1; for 6.0 mm cable	B	1.80
042549509	Spade connector; for electrical connection; x1; for 2.5 mm cable	B	0.93

Part number	Description	Code	List Price € (excl. VAT)
042566309	Limited stock; Broche 6mm ² socle members	B	40.90
042566409	Limited stock; Pin; for ISO 7638 socket; x1; 1.5 mm	B	6.00
042566509	Limited stock; Socket; for ISO 7638c/w pin	B	15.10
042571409	Bulb; for ABS trailer warning lamp; 24V, 5W; double pole	B	5.23
042572209	Pin; for ISO 7638 1.5 mm	B	12.40
042572309	Socket; for ISO 7638	B	25.20
042585709	Grease; 4mg; Molycotte	B	1.43
042615509	Pins	B	0.57
042619209	Backshell	B	3.13
042623719	PC interface carry case; c/w foam inserts	L	55.50
042707309	Cable; USB	L	21.60
042709609	Cable; for Soft Docking	L	150.00
042709709	Cable; for auxilliary connection; length (m): 7.0; Soft Docking, to junction box	L	58.70
042727209	Tire pressure monitoring system (TPMS); wheel unit sensor	L	163.00
042727309	Tire pressure monitoring system (TPMS); cable stretcher tool ; for wheel unit sensor	L	102.00
042734809	Limited stock; 7 pole EBS Socket ISO7638 with 470 uH inductor in	L	22.70
045011609/10	Blind plug; for COLAS®; c/w tube support; pack of 10	F	26.80
049001409	Gasket; for load sensing valve (613005...)	E	70.60
049004009	Gasket; for load sensing valve (601002...)	E	17.50
051004909	Bolt; for levelling valve (612035...); hexagon type; M6x10; ISO 4017	F	0.79
051009909	Bolt; for levelling valve (612032001); hexagon type; M8x12; ISO 4017	F	0.99
051016009	Screw; ISO4017	I	0.39
051063109	Screw; for COLAS® valve handle	F	1.70
053012509	Hexagonal nut	I	1.17
054002309	Washer; M16x20; Aluminium	I	0.56
054002909	Washer; M22x27; Aluminium	I	0.56
054501209	Washer	I	0.13
054504009	Cable; gland	B	2.61
055001109	Rondelle elastique m8	E	0.07
056010809	Clamp Ring Hose (S11, ø18 mm)	I	1.10
056010909	Clamp Ring Hose (S13, ø25 mm)	I	1.46
056018509	Clamp for Tube (ø12 mm)	I	0.86
056019209	Limited stock; attache dia. 22mm	F	0.95
056026709	Clamp	I	1.82
056028909	Circlips; for ILAS®	F	5.86
057012109	Clevis pin; for yokeø14 mm; 45 mm; 2 hole	C	5.73
057012209	Clevis pin; for yokeø14 mm; 50 mm; 2 hole	C	5.95
057029809	Clevis pin; for yokeø14 mm; 31mm; 1 hole	C	5.40
059046009	Silencer; for ILAS®	F	37.50
059046409	Port Insert Sleeve; for ILAS®; for push-in fitting	F	7.92
059050709	Sleeve	F	9.41
059509709	Cable; material: PUR; 2 core	L	33.40
059509809	Cable; 2.5m; plug to eyelets; sensor extension	B	19.00

Part number	Description	Code	List Price € (excl. VAT)
059510409	Cable; 3m; plug to eyelets; sensor extension	B	22.10
059512309/10	Sensor sleeve; for ABS sensor; (80+100 tooth); pressed type; pack of 10	B	43.10
059512409	Cable marker (elastic band); red	B	1.00
059512509	Cable marker (elastic band); blue	B	3.64
059512609	Cable marker (elastic band); yellow	B	3.64
060610075	S fitting chassis P.In/P.In Tu6-Tu6	I	7.18
060630137	T fitting Tubex3 Tu6x3	I	14.10
060841450	S fitting TU6-FU8	I	3.97
061050015	Limited stock; straight terminal P.In Tu6x1	I	3.94
065000109	Limited stock; Hose; 13x25; 50m; DIN 74310	I	277.00
065000109/40	Hose; 13x25; 40m; DIN 74310	I	317.00
065001009	Limited stock; Hose; 11x18; 50m; DIN 74310	I	165.00
065001009/40	Hose; 11x18; 40m; DIN 74310	I	189.00
065001009P	Limited stock; Hose; 11x18; length as required; 44m minimum; DIN 74310	I	4.00
067006010H	Automotive pneumatic tubing; length (m); 1000; colour: black; material: PA12 PHL; Ø ext (mm): 6	I	0.77
067008010H	Automotive pneumatic tubing; length (m); 850; colour: black; material: PA12 PHL; Ø ext (mm): 8	I	1.08
067010010H	Automotive pneumatic tubing; length (m); 500; colour: black; material: PA12 PHL; Ø ext (mm): 10	I	1.43
067012015H	Automotive pneumatic tubing; length (m); 400; colour: black; material: PA12 PHL; Ø ext (mm): 12	I	2.45
067015015H	Automotive pneumatic tubing; length (m); 250; colour: black; material: PA12 PHL; Ø ext (mm): 15	I	3.68
0670410110	Automotive pneumatic tubing; length (m); 25; colour: black; material: PA10.12 PHL; Ø ext (mm): 4	I	16.80
0670610110	Automotive pneumatic tubing; length (m); 25; colour: black; material: PA10.12 PHL; Ø ext (mm): 6	I	23.00
0670610111	Automotive pneumatic tubing; length (m); 100; colour: black; material: PA10.12 PHL; Ø ext (mm): 6	I	84.30
06706101211	Automotive pneumatic tubing; length (m); 100; colour: yellow; material: PA10.12 PHL; Ø ext (mm): 6	I	98.90
06706101311	Automotive pneumatic tubing; length (m); 100; colour: red; material: PA10.12 PHL; Ø ext (mm): 6	I	98.90
0670610141	Automotive pneumatic tubing; length (m); 100; colour: blue; material: PA10.12 PHL; Ø ext (mm): 6	I	98.90
0670610161	Automotive pneumatic tubing; length (m); 100; colour: green; material: PA10.12 PHL; Ø ext (mm): 6	I	84.30
0670610171	Automotive pneumatic tubing; length (m); 100; colour: natural; material: PA10.12 PHL; Ø ext (mm): 6	I	84.30
0670810110	Automotive pneumatic tubing; length (m); 25; colour: black; material: PA10.12 PHL; Ø ext (mm): 8	I	30.90

Part number	Description	Code	List Price € (excl. VAT)
0670810111	Automotive pneumatic tubing; length (m); 100; colour: black; material: PA10.12 PHL; Ø ext (mm): 8	I	116.00
0670810118	Automotive pneumatic tubing; length (m); 850; colour: black; material: PA10.12 PHL; Ø ext (mm): 8	I	986.00
0670810121I	Automotive pneumatic tubing; length (m); 100; colour: yellow; material: PA10.12 PHL; Ø ext (mm): 8	I	132.00
0670810131I	Automotive pneumatic tubing; length (m); 100; colour: red; material: PA10.12 PHL; Ø ext (mm): 8	I	132.00
0670810141	Automotive pneumatic tubing; length (m); 100; colour: blue; material: PA10.12 PHL; Ø ext (mm): 8	I	132.00
0670810161	Automotive pneumatic tubing; length (m); 100; colour: green; material: PA10.12 PHL; Ø ext (mm): 8	I	132.00
0670810171	Automotive pneumatic tubing; length (m); 100; colour: natural; material: PA10.12 PHL; Ø ext (mm): 8	I	116.00
0671010110	Automotive pneumatic tubing; length (m); 25; colour: black; material: PA10.12 PHL; Ø ext (mm): 10	I	38.20
0671010111	Automotive pneumatic tubing; length (m); 100; colour: black; material: PA10.12 PHL; Ø ext (mm): 10	I	152.00
0671012111	Automotive pneumatic tubing; length (m); 100; colour: black; material: PA10.12 PHL; Ø ext (mm): 10	I	215.00
0671015110	Automotive pneumatic tubing; length (m); 25; colour: black; material: PA10.12 PHL; Ø ext (mm): 10	I	43.80
0671015111	Automotive pneumatic tubing; length (m); 100; colour: black; material: PA10.12 PHL; Ø ext (mm): 10	I	157.00
0671210111	Automotive pneumatic tubing; length (m); 100; colour: black; material: PA10.12 PHL; Ø ext (mm): 12	I	262.00
0671215110	Automotive pneumatic tubing; length (m); 25; colour: black; material: PA10.12 PHL; Ø ext (mm): 12	I	67.20
0671215110_1000 mm	Automotive pneumatic tubing; length (m); 10; colour: black; material: Elastomeric polyester; Ø ext (mm): 12	I	5.95
0671215110_1010 mm	Automotive pneumatic tubing; length (m); 10.1; colour: black; material: Elastomeric polyester; Ø ext (mm): 12	I	5.54
0671215110_1120 mm	Automotive pneumatic tubing; length (m); 11.2; colour: black; material: Elastomeric polyester; Ø ext (mm): 12	I	6.10
0671215110_140 mm	Automotive pneumatic tubing; length (m); 1.4; colour: black; material: Elastomeric polyester; Ø ext (mm): 12	I	1.48

Part number	Description	Code	List Price € (excl. VAT)
0671215110_150 mm	Automotive pneumatic tubing; length (m); 15; colour: black; material: Elastomeric polyester; Ø ext (mm): 12	I	1.52
0671215110_190 mm	Automotive pneumatic tubing; length (m); 1.9; colour: black; material: Elastomeric polyester; Ø ext (mm): 12	I	1.67
0671215110_210 mm	Automotive pneumatic tubing; length (m); 2.1; colour: black; material: Elastomeric polyester; Ø ext (mm): 12	I	1.89
0671215110_230 mm	Automotive pneumatic tubing; length (m); 2.3; colour: black; material: Elastomeric polyester; Ø ext (mm): 12	I	1.89
0671215110_320 mm	Automotive pneumatic tubing; length (m); 3.2; colour: black; material: Elastomeric polyester; Ø ext (mm): 12	I	2.26
0671215110_330 mm	Automotive pneumatic tubing; length (m); 3.3; colour: black; material: Elastomeric polyester; Ø ext (mm): 12	I	2.29
0671215110_380 mm	Automotive pneumatic tubing; length (m); 3.8; colour: black; material: Elastomeric polyester; Ø ext (mm): 12	I	2.55
0671215110_425 mm	Automotive pneumatic tubing; length (m); 4.25; colour: black; material: Elastomeric polyester; Ø ext (mm): 12	I	2.77
0671215110_500 mm	Automotive pneumatic tubing; length (m); 5.0; colour: black; material: Elastomeric polyester; Ø ext (mm): 12	I	2.88
0671215110_530 mm	Automotive pneumatic tubing; length (m); 5.3; colour: black; material: Elastomeric polyester; Ø ext (mm): 12	I	3.22
0671215110_550 mm	Automotive pneumatic tubing; length (m); 5.5; colour: black; material: Elastomeric polyester; Ø ext (mm): 12	I	2.04
0671215110_600 mm	Automotive pneumatic tubing; length (m); 6.0; colour: black; material: Elastomeric polyester; Ø ext (mm): 12	I	4.07
0671215110_710 mm	Automotive pneumatic tubing; length (m); 7.1; colour: black; material: Elastomeric polyester; Ø ext (mm): 12	I	4.14
0671215110_755 mm	Automotive pneumatic tubing; length (m); 7.55; colour: black; material: Elastomeric polyester; Ø ext (mm): 12	I	4.44
0671215110_870 mm	Automotive pneumatic tubing; length (m); 8.7; colour: black; material: Elastomeric polyester; Ø ext (mm): 12	I	4.99
0671215110_920 mm	Automotive pneumatic tubing; length (m); 9.2; colour: black; material: Elastomeric polyester; Ø ext (mm): 12	I	5.76
0671215110_930 mm	Automotive pneumatic tubing; length (m); 9.3; colour: black; material: Elastomeric polyester; Ø ext (mm): 12	I	5.91
0671215110_980 mm	Automotive pneumatic tubing; length (m); 9.8; colour: black; material: Elastomeric polyester; Ø ext (mm): 12	I	5.88

Part number	Description	Code	List Price € (excl. VAT)
0671215111	Automotive pneumatic tubing; length (m); 100; colour: black; material: PA10.12 PHL; Ø ext (mm): 12	I	262.00
0671215114	Automotive pneumatic tubing; length (m); 400; colour: black; material: PA10.12 PHL; Ø ext (mm): 12	I	1050.00
0671215121i	Automotive pneumatic tubing; length (m); 100; colour: yellow; material: PA10.12 PHL; Ø ext (mm): 12	I	295.00
06712151311	Automotive pneumatic tubing; length (m); 100; colour: red; material: PA10.12 PHL; Ø ext (mm): 12	I	295.00
0671420111	Automotive pneumatic tubing; length (m); 100; colour: black; material: PA10.12 PHL; Ø ext (mm): 14	I	494.00
0671515110	Automotive pneumatic tubing; length (m); 25; colour: black; material: PA10.12 PHL; Ø ext (mm): 15	I	86.60
0671515111	Automotive pneumatic tubing; length (m); 100; colour: black; material: PA10.12 PHL; Ø ext (mm): 15	I	336.00
0671620110	Automotive pneumatic tubing; length (m); 25; colour: black; material: PA10.12 PHL; Ø ext (mm): 16	I	119.00
0671620111	Automotive pneumatic tubing; length (m); 100; colour: black; material: PA10.12 PHL; Ø ext (mm): 16	I	468.00
0671820110	Automotive pneumatic tubing; length (m); 25; colour: black; material: PA10.12 PHL; Ø ext (mm): 18	I	141.00
0671820111	Automotive pneumatic tubing; length (m); 100; colour: black; material: PA10.12 PHL; Ø ext (mm): 18	I	555.00
0672020111	Automotive pneumatic tubing; length (m); 100; colour: black; material: PA10.12 PHL; Ø ext (mm): 20	I	633.00
0701112223131	Air brake coil; material: PA12 PHL; black; working length (m): 4; thread 1: male M16	I	30.80
0702112321331C	Air brake coil; material: PA12 PHL; black; working length (m): 4; thread 1: male M16	I	27.20
0702112331331C	Air brake coil; material: PA12 PHL; black; working length (m): 6; thread 1: male M16	I	32.60
0702212445522C	Air brake coil; material: PA10.12 PHL; red; working length (m): 4.72; thread 1: female M18	I	36.60
0703112321331C	Air brake coil; material: PA12 PHL; black; working length (m): 4; thread 1: male M16	I	27.20
0703112331331C	Air brake coil; material: PA12 PHL; black; working length (m): 6; thread 1: male M16	I	32.60
0703312445522C	Air brake coil; material: PA10.12 PHL; yellow; working length (m): 4.72; thread 1: female M18	I	36.60
072113	Limited stock; Socket; ADR	M	5.19
072123	Limited stock; Socket; ADR	M	5.19
072213	Limited stock; Plug; ADR	M	6.17

Part number	Description	Code	List Price € (excl. VAT)
072223	Limited stock; Plug; ADR	M	6.74
072253	Limited stock; PRESA ELETTRICA 15 POLI	M	34.70
073120003	Limited stock; Cable; c/w sensor	B	11.70
073120010	Limited stock; Cable; c/w sensor	B	5.65
073133001	Cable	B	39.00
073133008	Cable; ADR	M	24.40
073133011	Cable	B	162.00
074102	Limited stock; Power cable; for ISO 7638	B	76.50
074151	Limited stock; Power cable; for ISO 7638	B	107.00
080830138	T fitting tubex3 Tu8x3	I	12.10
090060002000	Limited stock; ruba corrente	I	3.30
090060005002	Limited stock; lampadina x luce d'ingombro R5W	I	0.87
090060008001	Limited stock; cavo piattina con 2 conn. amp-3MT	I	12.40
100001021	Manual brake adjuster; straight; no. of spline teeth: 10; no. of holes: 3; lever length (mm): 218; BPW	P	33.30
100001027	Manual brake adjuster; straight; no. of spline teeth: 10; no. of holes: 4; lever length (mm): 218; ROR/Trailer	P	33.30
100001700	Manual brake adjuster; straight; no. of spline teeth: 10; no. of holes: 0; lever length (mm): 272	P	65.10
100001721	Manual brake adjuster; straight; no. of spline teeth: 10; no. of holes: 5; lever length (mm): 272; BPW	P	33.30
100001760	Manual brake adjuster; straight; no. of spline teeth: 10; no. of holes: 7; lever length (mm): 272; BPW	P	33.30
100002163	Manual brake adjuster; straight; no. of spline teeth: 37; no. of holes: 7; lever length (mm): 310; Kässbohrer	P	35.40
100002166	Manual brake adjuster; straight; no. of spline teeth: 37; no. of holes: 4; lever length (mm): 310; Kässbohrer	P	33.30
100002167	Manual brake adjuster; straight; no. of spline teeth: 37; no. of holes: 6; lever length (mm): 310	P	34.90
100014750	Manual brake adjuster; straight; no. of spline teeth: 37; no. of holes: 5; lever length (mm): 233; Fruehauf	P	33.30
100014753	Manual brake adjuster; straight; no. of spline teeth: 37; no. of holes: 5; lever length (mm): 233; Trailer	P	54.70
100101006	Manual brake adjuster; straight; no. of spline teeth: 10; no. of holes: 1; lever length (mm): 161	P	54.70
100101047	Manual brake adjuster; straight; no. of spline teeth: 10; no. of holes: 4; lever length (mm): 218; ROR/Trailer	P	33.30
100101367	Manual brake adjuster; straight; no. of spline teeth: 10; no. of holes: 1; lever length (mm): 163	P	65.60
100101743	Manual brake adjuster; straight; no. of spline teeth: 10; no. of holes: 5; lever length (mm): 272; Sauer	P	33.30

Part number	Description	Code	List Price € (excl. VAT)
100114075	Manual brake adjuster; straight; no. of spline teeth: 37; no. of holes: 5; lever length (mm): 218; Propar/Fruehauf	P	33.30
100213749	Manual brake adjuster; straight; no. of spline teeth: 27; no. of holes: 4; lever length (mm): 272; Titan	P	65.60
100215921	Manual brake adjuster; straight; no. of spline teeth: 32; no. of holes: 4; lever length (mm): 218; Colaert	P	71.80
100315921	Manual brake adjuster; straight; no. of spline teeth: 32; no. of holes: 4; lever length (mm): 218; Colaert	P	71.80
101071010	T fitting Tu10-Tu10-Tu10	I	12.20
1020098	GC flow divider	N	979.00
1020099	GC flow divider; capacity (cc): 1.60; sections: 2; ports: BSPP; inlet flow (l/m): 6-13	N	685.00
1020100	GC flow divider; capacity (cc): 1.60; sections: 4; ports: BSPP; inlet flow (l/m): 12-25	N	1120.00
102060001	Manual brake adjuster; straight; no. of spline teeth: 10; no. of holes: 4; lever length (mm): 218; ROR/Trailer	P	43.70
102060291	Manual brake adjuster; straight; no. of spline teeth: 10; no. of holes: 3; lever length (mm): 218	P	30.70
102172001	Manual brake adjuster; straight; no. of spline teeth: 10; no. of holes: 4; lever length (mm): 218; ROR/Trailer	P	33.30
10283	Automatic brake adjuster AA1; control unit: 74164; A38x34 DIN 5482; no. of holes: 1; L1: 150	A	67.50
103004001	Manual brake adjuster; straight; no. of spline teeth: 8; no. of holes: 5; lever length (mm): 272	P	33.30
103006001	Manual brake adjuster; straight; no. of spline teeth: 10; no. of holes: 4; lever length (mm): 218; ROR/Trailer	P	65.60
103007001	Manual brake adjuster; straight; no. of spline teeth: 10; no. of holes: 4; lever length (mm): 218; ROR/Trailer	P	65.60
103016001	Manual brake adjuster; straight; no. of spline teeth: 20; no. of holes: 5; lever length (mm): 272	P	65.60
103018001	Manual brake adjuster; straight; no. of spline teeth: 10; no. of holes: 5; lever length (mm): 233	P	33.30
107796	Air drier cartridge	H	260.00
11150	Plug reducer	I	2.89
11401	Coupler dummy	I	22.10
11490	Service gladhand	E	18.50
11500	Flexastik	I	83.20
11647-01	Manoeuvring box	N	105.00
11968	Air brake coil; material: nylon tubing; red; working length (m): 4.572 (15FT); thread 1: 1/2"	I	68.80
11969	Air brake coil; material: nylon tubing; blue; working length (m): 4.572 (15FT); thread 1: 1/2"	I	80.90
120357201	Brake chamber, single diaphragm; type 24; stroke (mm): 80; push rod (mm): 236 (M16x1.5); wiper	C	114.00

Part number	Description	Code	List Price € (excl. VAT)
120366201	Brake chamber, single diaphragm; type 30; stroke (mm): 75; push rod (mm): 187 (M16x1.5); disc	C	59.20
120376102	Brake chamber, single diaphragm; type 36; stroke (mm): 75; push rod (mm): 192 (M16x1.5); boot	C	89.60
120909301	Brake chamber, single diaphragm; type 9; stroke (mm): 60; push rod (mm): 5 (M16x1.5); w/o protection	C	93.90
120916309	Brake chamber, single diaphragm; type 16; stroke (mm): 80; push rod (mm): 120 (M16x1.5); wiper	C	230.00
120916310	Brake chamber, single diaphragm; type 16; stroke (mm): 80; push rod (mm): 120 (M16x1.5); wiper	C	230.00
120916312	Brake chamber, single diaphragm; type 16; stroke (mm): 57; push rod (mm): 15 (rounded); boot	C	75.40
120916318	Brake chamber, single diaphragm; type 16; stroke (mm): 80; push rod (mm): 120 (M16x1.5); wiper	C	237.00
120916319	Brake chamber, single diaphragm; type 16; stroke (mm): 80; push rod (mm): 120 (M16x1.5); wiper	C	237.00
120920314	Brake chamber, single diaphragm; type 20; stroke (mm): 80; push rod (mm): 126 (M16x1.5); wiper	C	191.00
120920315	Brake chamber, single diaphragm; type 20; stroke (mm): 80; push rod (mm): 126 (M16x1.5); wiper	C	196.00
120920334	Brake chamber, single diaphragm; type 20; stroke (mm): 80; push rod (mm): 126 (M16x1.5); wiper	C	270.00
120920335	Brake chamber, single diaphragm; type 20; stroke (mm): 80; push rod (mm): 126 (M16x1.5); wiper	C	270.00
120927303	Brake chamber, single diaphragm; type 27; stroke (mm): 80; push rod (mm): 114 (M16x1.5); boot	C	158.00
120936301	Brake chamber, single diaphragm; type 36; stroke (mm): 75; push rod (mm): 60 (M16x1.5); wiper	C	183.00
121210572	S fitting chassis P.In/P.In Tu12-Tu12	I	10.20
121220565	L fitting chassis P.In/P.In Tu12-Tu12	I	14.40
121230405	T fitting Tu12-Tu12-Tu12	I	17.30
121621216	Limited stock; T fitting Tu12-Test-M16	I	15.10
12195C	Automatic brake adjuster AA1; boxed; control unit: 74711; SAE 1 1/2" 10; no. of holes: 3; L1: 178	A	512.00
12207-01	Motor pump	N	1060.00
123090001	Brake chamber, single diaphragm; type 9; stroke (mm): 60; push rod (mm): 185 (M16x1.5); shield	C	65.10
12311C	Automatic brake adjuster AA1; boxed; control unit: 74777; BNA 227 D3.5; no. of holes: 1; L1: 180; Jelcz	A	352.00
123120002	Brake chamber, single diaphragm; type 12; stroke (mm): 60; push rod (mm): 186 (M16x1.5); boot	C	63.50
123160001	Brake chamber, single diaphragm; type 16; stroke (mm): 80; push rod (mm): 186 (M16x1.5); shield	C	67.70
123160002	Brake chamber, single diaphragm; type 16; stroke (mm): 80; push rod (mm): 186 (M16x1.5); boot	C	69.50
123200001	Brake chamber, single diaphragm; type 20; stroke (mm): 76; push rod (mm): 186 (M16x1.5); shield	C	71.40

Part number	Description	Code	List Price € (excl. VAT)
123200002	Brake chamber, single diaphragm; type 20; stroke (mm): 76; push rod (mm): 186 (M16x1.5); boot	C	72.90
123200003	Brake chamber, single diaphragm; type 20; stroke (mm): 76; push rod (mm): 210 (M16x1.5); shield	C	71.90
123240001	Brake chamber, single diaphragm; type 24; stroke (mm): 80; push rod (mm): 186 (M16x1.5); shield	C	72.40
123240002	Brake chamber, single diaphragm; type 24; stroke (mm): 80; push rod (mm): 186 (M16x1.5); boot	C	75.90
123240003	Brake chamber, single diaphragm; type 24; stroke (mm): 80; push rod (mm): 210 (M16x1.5); shield	C	74.40
123240004	Brake chamber, single diaphragm; type 24; stroke (mm): 80; push rod (mm): 148 (M16x1.5); shield	C	73.40
123300001	Brake chamber, single diaphragm; type 30; stroke (mm): 80; push rod (mm): 186 (M16x1.5); shield	C	79.00
123300002	Brake chamber, single diaphragm; type 30; stroke (mm): 80; push rod (mm): 186 (M16x1.5); boot	C	81.30
123300003	Brake chamber, single diaphragm; type 30; stroke (mm): 80; push rod (mm): 210 (M16x1.5); shield	C	79.00
12350C	Automatic brake adjuster AA1; boxed; control unit: 74426; SAE 1 1/2" 10; no. of holes: 2; L1: 190; Frenelsa	A	398.00
12351C	Automatic brake adjuster AA1; boxed; control unit: 74426; SAE 1 1/2" 10; no. of holes: 2; L1: 190; Frenelsa	A	398.00
12363C	Automatic brake adjuster AA1; boxed; control unit: 74771; A38x34 DIN 5482; no. of holes: 1; L1: 165; Liaz/Ikarus	A	275.00
12364C	Automatic brake adjuster AA1; boxed; control unit: 74771; A38x34 DIN 5482; no. of holes: 1; L1: 165; Liaz/Ikarus	A	275.00
125160001	Brake chamber, single diaphragm; type 16; stroke (mm): 57; push rod (mm): 15 (rounded); boot	C	113.00
125160002	Brake chamber, single diaphragm; type 16; stroke (mm): 57; push rod (mm): 15 (rounded); boot	C	116.00
125160005	Brake chamber, single diaphragm; type 16; stroke (mm): 57; push rod (mm): 15 (rounded); boot	C	116.00
125160008	Brake chamber, single diaphragm; type 16; stroke (mm): 57; push rod (mm): 15 (rounded); boot	C	116.00
125160009	Brake chamber, single diaphragm; type 16; stroke (mm): 57; push rod (mm): 15 (rounded); boot	C	116.00
125160400	Brake chamber, single diaphragm; type 16; stroke (mm): 57; push rod (mm): 15 (rounded); boot	C	116.00
125200001	Brake chamber, single diaphragm; type 20; stroke (mm): 64; push rod (mm): 15 (rounded); boot	C	90.70
125200002	Brake chamber, single diaphragm; type 20; stroke (mm): 64; push rod (mm): 15 (rounded); boot	C	131.00
125200003	Brake chamber, single diaphragm; type 20; stroke (mm): 64; push rod (mm): 15 (rounded); boot	C	137.00

Part number	Description	Code	List Price € (excl. VAT)
125200405	Brake chamber, single diaphragm; type 20; stroke (mm): 61; push rod (mm): 15 (rounded); boot	C	108.00
125200406	Brake chamber, single diaphragm; type 20; stroke (mm): 61; push rod (mm): 15 (rounded); boot	C	108.00
125240001	Brake chamber, single diaphragm; type 24; stroke (mm): 64; push rod (mm): 15 (rounded); boot	C	141.00
125240400	Brake chamber, single diaphragm; type 24; stroke (mm): 64; push rod (mm): 15 (rounded); boot	C	112.00
125240401	Brake chamber, single diaphragm; type 24; stroke (mm): 64; push rod (mm): 15 (rounded); boot	C	112.00
125240402	Brake chamber, single diaphragm; type 24; stroke (mm): 64; push rod (mm): 15 (rounded); boot	C	112.00
125240403	Brake chamber, single diaphragm; type 24; stroke (mm): 64; push rod (mm): 15 (rounded); boot	C	112.00
125240404	Brake chamber, single diaphragm; type 24; stroke (mm): 64; push rod (mm): 15 (rounded); boot	C	112.00
125240405	Brake chamber, single diaphragm; type 24; stroke (mm): 60; push rod (mm): 15 (rounded); boot	C	145.00
125240406	Brake chamber, single diaphragm; type 24; stroke (mm): 60; push rod (mm): 15 (rounded); boot	C	145.00
1262001	Double diaphragm spring brake actuator (DDBS); version: 12	C	4.03
127240401	Brake chamber; type 24; stroke (mm): 76	C	193.00
12992-00	Motor pump 24V 3 Kw	N	2420.00
1300637	GC flow divider; capacity (cc): 8.42	N	739.00
1303147	GC flow divider; capacity (cc): 4.24; sections: 4; ports: BSPP; inlet flow (l/m): 38-76	N	1150.00
1303157	GC flow divider; capacity (cc): 2.11; sections: 4; ports: BSPP; inlet flow (l/m): 18-38	N	1150.00
1303166	GC flow divider; capacity (cc): 8.42	N	948.00
1303435	Gear pump; for: power pack; cubic capacity (cc): 0.8; rotation: right; shaft: tang; He2000	N	320.00
1303437	Gear pump; for: power pack; cubic capacity (cc): 1.6; rotation: right; shaft: tang; He2000	N	324.00
1303439	Gear pump; for: power pack; cubic capacity (cc): 2.5; rotation: right; shaft: tang; He2000	N	328.00
1303441	Gear pump; for: power pack; cubic capacity (cc): 3.8; rotation: right; shaft: tang; He2000	N	338.00
1303455	DC motor; Ø (mm): 80; He1000; kit; voltage (V): 12; power (kW): 1; rotation side: left; c/w overheat protection; flange: direct adaptor mount	N	312.00
1303457	DC motor; Ø (mm): 80; He1000; kit; voltage (V): 24; power (kW): 1; rotation side: left; c/w overheat protection; flange: direct adaptor mount	N	312.00
1303461	DC motor; Ø (mm): 112; He1000; kit; voltage (V): 24; power (kW): 2; rotation side: left; c/w overheat protection; flange: c/w adaptation flange	N	495.00

Part number	Description	Code	List Price € (excl. VAT)
1303462	DC motor; Ø (mm): 112; He2000; kit; voltage (V): 12; power (kW): 2; rotation side: left; flange: direct adaptor mount	N	487.00
1303463	DC motor; Ø (mm): 112; He2000; kit; voltage (V): 12; power (kW): 2; rotation side: left; c/w overheat protection; flange: direct adaptor mount	N	496.00
1303464	DC motor; Ø (mm): 112; He2000; kit; voltage (V): 24; power (kW): 2; rotation side: left; flange: direct adaptor mount	N	461.00
1303465	DC motor; Ø (mm): 112; He2000; kit; voltage (V): 24; power (kW): 2; rotation side: left; c/w overheat protection; flange: direct adaptor mount	N	470.00
1303471	DC motor; Ø (mm): 125; He2000; kit; voltage (V): 24; power (kW): 3; rotation side: left; c/w overheat protection; c/w fan; flange: c/w adaptation flange	N	837.00
1303477	DC motor; Ø (mm): 125; He2000; kit; voltage (V): 24; power (kW): 3; rotation side: left; c/w overheat protection; c/w fan; flange: c/w adaptation flange	N	819.00
1303523	Solenoid; 24V; 3kW	N	159.00
13416-00	Motor pump	N	1170.00
13445-00	Motor pump; 4.5kW	N	1160.00
1351624004	Double diaphragm spring brake actuator (DDSB); Blue seal;version: 16/24; push rod (mm): 15 (rounded); protection: internal boot	C	187.00
1351624005	Double diaphragm spring brake actuator (DDSB); Blue seal;version: 16/24; push rod (mm): 15 (rounded); protection: internal boot; c/w customer p/n; SMB	C	187.00
1351624006	Double diaphragm spring brake actuator (DDSB); Blue seal;version: 16/24; push rod (mm): 15 (rounded); protection: internal boot; c/w customer p/n; SMB	C	187.00
1351624007	Double diaphragm spring brake actuator (DDSB); Blue seal;version: 16/24; push rod (mm): 15 (rounded); protection: internal boot	C	236.00
1351624008	Double diaphragm spring brake actuator (DDSB); Blue seal;version: 16/24; push rod (mm): 15 (rounded); protection: internal boot	C	236.00
1351624012	Double diaphragm spring brake actuator (DDSB); Blue seal;version: 16/24; push rod (mm): 15 (rounded); protection: internal boot; SMB; Daimler Trailer axle	C	187.00
1351624013	Double diaphragm spring brake actuator (DDSB); Blue seal;version: 16/24; push rod (mm): 15 (rounded); protection: internal boot; SMB; Daimler Trailer axle	C	187.00
1351624015	Double diaphragm spring brake actuator (DDSB); Blue seal;version: 16/24; push rod (mm): 15 (rounded); protection: internal boot	C	187.00
1351624016	Double diaphragm spring brake actuator (DDSB); Blue seal;version: 16/24; push rod (mm): 15 (rounded); protection: internal boot; c/w bolts	C	187.00

Part number	Description	Code	List Price € (excl. VAT)
1351624017	Double diaphragm spring brake actuator (DDSB); Blue seal;version: 16/24; push rod (mm): 15 (rounded); protection: internal boot	C	187.00
1351624018	Double diaphragm spring brake actuator (DDSB); Blue seal;version: 16/24; push rod (mm): 15 (rounded); protection: internal boot; push rod BPW	C	187.00
1351624019	Double diaphragm spring brake actuator (DDSB); Blue seal;version: 16/24; push rod (mm): 15 (rounded); protection: internal boot; push rod BPW	C	187.00
1352024003	Double diaphragm spring brake actuator (DDSB); Blue seal;version: 20/24; push rod (mm): 15 (rounded); protection: internal boot; Schmitz	C	230.00
1352024004	Double diaphragm spring brake actuator (DDSB); Blue seal;version: 20/24; push rod (mm): 15 (rounded); protection: internal boot	C	230.00
1352024005	Double diaphragm spring brake actuator (DDSB); Blue seal;version: 20/24; push rod (mm): 15 (rounded); protection: internal boot; SMB	C	230.00
1352024006	Double diaphragm spring brake actuator (DDSB); Blue seal;version: 20/24; push rod (mm): 15 (rounded); protection: internal boot; SMB	C	274.00
1352024010	Double diaphragm spring brake actuator (DDSB); Blue seal;version: 20/24; push rod (mm): 15 (rounded); protection: internal boot	C	274.00
1352024011	Double diaphragm spring brake actuator (DDSB); Blue seal;version: 20/24; push rod (mm): 15 (rounded); protection: internal boot	C	274.00
13547-00	Motor pump; 4kW	N	1400.00
135626284	2 pole electrical connector; female in	M	13.60
1362030001	Double diaphragm spring brake actuator (DDSB); Blue seal;version: 20/30; push rod (mm): 246 (M16x1.5); protection: wiper	C	184.00
1362430001	Double diaphragm spring brake actuator (DDSB); Blue seal;version: 24/30; push rod (mm): 246 (M16x1.5); protection: wiper	C	166.00
1362430005	Double diaphragm spring brake actuator (DDSB); Blue seal;version: 24/30; push rod (mm): 227 (M16x1.5); protection: wiper; SDC	C	166.00
1362430006	Double diaphragm spring brake actuator (DDSB); Blue seal;version: 24/30; push rod (mm): 188 (236) (M16x1.5); protection: disc; Schmitz	C	166.00
1362430007	Double diaphragm spring brake actuator (DDSB); Blue seal;version: 24/30	C	166.00
1362430008	Double diaphragm spring brake actuator (DDSB); Blue seal;version: 24/30; push rod (mm): 214 (251) (M16x1.5); protection: disc	C	166.00
1362430010	Double diaphragm spring brake actuator (DDSB); Blue seal;version: 24/30; push rod (mm): 188 (226) (M16x1.5); protection: disc	C	166.00

Part number	Description	Code	List Price € (excl. VAT)
1363030001	Double diaphragm spring brake actuator (DDSB); Blue seal; version: 30/30; push rod (mm): 246 (M16x1.5); protection: wiper	C	169.00
1363030002	Double diaphragm spring brake actuator (DDSB); Blue seal; version: 30/30; push rod (mm): 188 (227) (M16x1.5); protection: wiper	C	169.00
14594-00	Motor pump; 24V; 3kW	N	1090.00
15/129/L12V	Fitting	I	7.74
15/129/L18V	Limited stock; fitting	I	9.47
15/129/L8V	Fitting	I	5.46
15/329/L10V	T fitting swivel tube/tube/th Tu10-Tu10-M16f	I	7.86
15/329/L12V	Limited stock; fitting	I	7.37
15/329/L15V	T fitting swivel tube/tube/th Tu15-Tu15-M22f	I	13.40
15/329/L6V	T fitting swivel tube/tube/th Tu6-Tu6-M12f	I	6.78
1501/L12MA125	S fitting TU12-MA12	I	2.28
1501/L15MA16	S fitting TU15-MA16	I	3.00
1501/L8MA	S fitting TU 8-MA10	I	1.99
1501/LL6RB	S fitting TU 6-MA10	I	1.93
1502/L6MK	Limited stock; fitting	I	3.82
1502/L8RK	L fitting Tu8-MA1/4"	I	12.80
1510/S16	Limited stock; fitting	I	5.60
1511/L18	Limited stock; fitting	I	10.70
1511/L6	Limited stock; fitting	I	3.47
151131511	T fitting hose/hose/P.In S11-S11-TU15	I	21.20
1529/L128	Reducer Tu8-FTu12	I	1.87
1531/S14	Fitting	I	0.61
156569507	Limited stock; Vent valve	M	1.30
161210488	S fitting chassis thread/P.In M16M-Tu12x1.25	I	6.17
1831066	Motor pump	N	672.00
1840083	Motor pump	N	968.00
19063/64-4-4-2015	Limited stock; Kit brakblo 4x19063002015+4x19064002015	I	65.00
1910089010	Disc brake pad; Knorr SB/SN7; nb of pads: 4	K	125.00
1910309010	Meritor D3/D-Elsa1; nb of pads: 4	K	141.00
1910889020	Wabco PAN 17; nb of pads: 4	K	95.00
1910959010	Disc brake pad; Knorr SB6000; nb of pads: 4	K	136.00
1911159010	Disc brake pad; Knorr SN5/SB5 222; nb of pads: 4	K	128.00
1911229020	Brembo 2x60; nb of pads: 4	K	70.00
1911269010	Wabco PAN 19-1 Plus; nb of pads: 4	K	146.00
1911319010	Meritor D-Elsa2; nb of pads: 4	K	123.00
1911589010	Disc brake pad; Knorr SK7000; nb of pads: 4	K	149.00
1911629010	Wabco PAN22; nb of pads: 4	K	149.00
1911659010	Disc brake pad; Knorr SB3745T (SB6); nb of pads: 4	K	126.00
1911679010	Disc brake pad; Knorr SB4345T (SN7)/BPW; nb of pads: 4	K	119.00
1911719010	Disc brake pad; Knorr SB4309T (SK7); nb of pads: 4	K	118.00
1911819010	ModulX DB 19; nb of pads: 4	K	169.00
1949500-8-2015	Limited stock; Kit Brak Blo 8x 19495002015	I	82.50
1964700-8-2015	Limited stock; Kit LIN 8 x 19647002015; 412x253 Scania	I	108.00
206005751	Manual drain valve; M22x1.5	D	11.00

Part number	Description	Code	List Price € (excl. VAT)
207012001	Shunt valve; control: manual; knob: blue, round, UK label; ports do not have flush faces	E	73.80
207012021	Shunt valve; control: manual; knob: blue, round, UK label; c/w bellow	E	86.10
207013001	Park valve; control: manual; knob: red, square, UK label; ports do not have flush faces	E	83.10
207013021	Park valve; control: manual; knob: red, square, UK label; c/w bellow	E	85.10
221210529	S fitting chassis th/P.In M22M-Tu12	I	6.71
226162400	Piston spring brake actuator (PSB)	C	316.00
226202400	Piston spring brake actuator (PSB)	C	327.00
226202401	Piston spring brake actuator (PSB)	C	497.00
226203000	Piston spring brake actuator (PSB)	C	350.00
226242400	Piston spring brake actuator (PSB)	C	339.00
226243000	Piston spring brake actuator (PSB)	C	350.00
226303000	Piston spring brake actuator (PSB)	C	384.00
23400449	Seal	N	67.30
24EM155	Solenoid; 24V	N	144.00
24MA42THSWA	DC motor; Ø (mm): 125; classic; voltage (V): 24; power (kW): 3; rotation side: right; c/w overheat protection; c/w fan; flange: classic	N	819.00
24MA42TWA	DC motor; Ø (mm): 125; classic; voltage (V): 24; power (kW): 3; rotation side: right; c/w overheat protection; flange: classic	N	802.00
24MB22TPR17P-200	Motor pump	N	802.00
24MB22TXWA	DC motor; Ø (mm): 112; classic; kit; voltage (V): 24; power (kW): 2; rotation side: right; c/w overheat protection; flange: classic	N	387.00
24VE124-175	Manifold; 2x 3/2 valve	N	1070.00
27100204	Limited stock; fitting	I	9.06
289915RX	Compressor; TF700	H	802.00
301109003	Compressor; KS100 DLU; ports: M22x1.5; universal version Konus 20	J	974.00
301110028	Compressor; KS100 DLU; ports: M22x1.5; universal version Konus 25	J	974.00
301112003	Compressor; KS100 DLE; ports: M22x1.5; Eicher+Hanomag Ölrücklauf	J	1490.00
301161101	Compressor; K 160 T; ports: M22x1.5; single cylinder	J	1150.00
302002011	Limited stock; Plug; for ISO 7638c/w boot	B	6.85
30260-00-150A	Tryckvakt KT32	N	115.00
30260-01-197A	Tryckvakt KT33	N	114.00
30260-03-150	Tryckvakt KT11	N	127.00
30260-05-150	Tryckvakt (720KTS)	N	127.00
310005001	In-line filters; for pipe circuits to DIN 74347	D	18.40
310005011	In-line filters; for pipe circuits to DIN 74347; standard OE fit	D	18.40
310024001	Single air drier (SDX); cut-out (bar): 8.5; range: 0.6+0.4; inlet 1/ outlet 21: M22x1.5; c/w MTC+	D	301.00
310041001	Consep condenser; pneumatic (quick-fit); M22x1.5	D	315.00
310050001	Single air drier (SDX); cut-out (bar): 8.1; range: 0.6+0.4; inlet 1/ outlet 21: M22x1.5	D	673.00

Part number	Description	Code	List Price € (excl. VAT)
310051001	Single air drier (SDX); cut-out (bar): 9.0; range: 0.6+0.4; inlet 1/ outlet 21: M22x1.5	D	673.00
310055001	Single air drier (SDX); w/o Governor; inlet 1/ outlet 21: M22x1.5	D	695.00
31040800	Limited stock; T fittings T8/T8/T8	I	7.46
312029012	Unloader valve; cut-out (bar): 7.3±	J	303.00
312029014	Unloader valve; cut-out (bar): 8.1±0.2; signal (22/23): cut-out	J	303.00
312029015	Unloader valve; cut-out (bar): 5.3+0.3; signal (22/23): cut-out	J	303.00
312040011	Governor valve; cut-in (bar): 7.2+0.34; range: 1.6±0.5; unloaderport: 1/8" 27 NPTF; c/w gaskets; c/w plugs	J	99.50
312041001	Unloader valve; cut-out (bar): 8.1±0.2; signal (22/23): cut-out	J	204.00
312041002	Unloader valve; cut-out (bar): 9.5±0.2; signal (22/23): cut-out	J	204.00
312041011	Unloader valve; cut-out (bar): 8.1±0.2; signal (22/23): cut-out	J	346.00
312043011	Unloader valve; cut-out (bar): 7.3±; signal (22/23): cut-out	J	287.00
314001001	Single check valve (shuttle piston); port 1: M22x1.5; port 2: M22x1.5	E	33.90
314012001	Pressure protection valve; opening pressure (bar): 4.5-0.3; w/o backflow; M22x1.5	E	64.10
314012002	Pressure protection valve; opening pressure (bar): 5.0-0.3; w/o backflow; M22x1.5	E	64.10
314012003	Pressure protection valve; opening pressure (bar): 5.5-0.4; w/o backflow; M22x1.5	E	64.10
314012004	Pressure protection valve; opening pressure (bar): 6.0-0.4; w/o backflow; M22x1.5	E	64.10
314012005	Pressure protection valve; opening pressure (bar): 6.5-0.4; w/o backflow; M22x1.5	E	64.10
314012011	Pressure protection valve; opening pressure (bar): 13.5-0.5; w/o backflow; M22x1.5	E	64.10
314012104	Pressure protection valve; opening pressure (bar): 6.2-0.2; w/o backflow; M22x1.5	E	64.10
314012122	Pressure protection valve	E	64.10
314013001	Pressure protection valve; opening pressure (bar): 4.5-0.3; c/w backflow; M22x1.5	E	64.10
314013002	Pressure protection valve; opening pressure (bar): 6.0-0.4; c/w backflow; M22x1.5	E	64.10
314013003	Pressure protection valve; opening pressure (bar): 5.5-0.4; c/w backflow; M22x1.5	E	64.10
314013005	Pressure protection valve; opening pressure (bar): 6.5-0.4; c/w backflow; M22x1.5	E	64.10
314013008	Pressure protection valve; opening pressure (bar): 7.3-0.4; c/w backflow; M22x1.5	E	64.10
314013012	Pressure protection valve; opening pressure (bar): 0.8-0.3; c/w backflow; M22x1.5	E	64.10
314014001	Pressure protection valve; opening pressure (bar): 4.5-0.3; closing pressure (bar): 3.5; backflow: limited; M22x1.5	E	64.10

Part number	Description	Code	List Price € (excl. VAT)
314014002	Pressure protection valve; opening pressure (bar): 6.0-0.4; closing pressure (bar): 5.0; backflow: limited; M22x1.5	E	64.10
314014003	Pressure protection valve; opening pressure (bar): 6.2-0.2; closing pressure (bar): 5.7±0.2; backflow: limited; M22x1.5	E	64.10
314014005	Pressure protection valve; opening pressure (bar): 5.5-0.4; backflow: limited; M22x1.5	E	64.10
314014008	Pressure protection valve; opening pressure (bar): 7.3-0.3; backflow: limited; M22x1.5	E	64.10
314014009	Check valve	E	64.10
314014011	Averflow valve; with limited back flow	E	63.70
314014012	Pressure protection valve; opening pressure (bar): 0.5+0.2; closing pressure (bar): 0.8-0.2; backflow: limited; M22x1.5	E	64.10
314014013	Pressure protection valve; opening pressure (bar): 8.5-0.3; closing pressure (bar): 7.0; backflow: limited; M22x1.5	E	64.10
314059001	Multi-circuit protection valves; no. of ports: 5; opening pressure (bar): 7.0-0.3; closing pressure (bar): 4.5	E	166.00
314110001	Pressure protection valve; opening pressure (bar): 4.5; c/w backflow; M22x1.5	E	64.10
314114001	Pressure protection valve; opening pressure (bar): 10.0-0.4; closing pressure (bar): 6.0; backflow: limited; M22x1.5	E	64.10
315004003	Safety valve; pre-set opening pressure (bar): 9.5; setting range opening pressure (bar): 7.0-12.0; thread: M22x1.5	D	58.50
315004031	Safety valve; pre-set opening pressure (bar): 0.6; setting range opening pressure (bar): 0.5-0.65; thread: M22x1.5	D	58.50
315004121	Safety valve; pre-set opening pressure (bar): 1.3; setting range opening pressure (bar): 0.9-1.4; thread: M22x1.5	D	74.90
315016001	Automatic drain valve (ADV), in-tank; M22x1.5; pressure variation Dp (bar): 0.2-0.5; max. operating pressure (bar): 20	D	30.90
315016011	Automatic drain valve (ADV), in-tank; M22x1.5; pressure variation Dp (bar): 0.8; max. operating pressure (bar): 20	D	30.90
315016021	Automatic drain valve (ADV), in-tank; M22x1.5; pressure variation Dp (bar): 0.2; max. operating pressure (bar): 20	D	30.90
315019021/10	Fitting; drain valve; M22x1.5; pack of 10	D	46.60
315019031/10	Fitting; drain valve; M22x1.5; pack of 10	D	39.00
315031001	Automatic drain valve (ADV), in-tank; M22x1.5; pressure variation Dp (bar): 0.2-0.4; max. operating pressure (bar): 20	D	28.20
318002001	S fitting Test-M22M (old)	I	5.99
318047001	Limited stock; fitting	I	4.03
318056001	Fitting; test point; type 16x13; M16x1.5	I	5.81

Part number	Description	Code	List Price € (excl. VAT)
318058001-RTC	Fitting; adjustable tee stud with test point-RTC; type 12x9; M16x1.5; F (mm): M16x1.5	I	14.40
318065001	S fitting Test-1/4"NPT M	I	4.69
318068001	Limited stock; fitting	I	15.30
318071001	T fitting Test/th/DIN Test-M22M-Tu12	I	12.30
318072001	T fitting Tube/Test/Th Tu8-Test-M12M	I	32.20
318079001	Test point	I	3.42
320052011	Service brake valve, double circuit; pedal: w/o (plunger); pneumatic; pressure reduction: 2.0:1; ports: M16x1.5; MAN/VW	E	585.00
320053001	Service brake valve, double circuit; pedal: w/o (plunger); pneumatic; ports: M16x1.5; MAN/VW/Nissan	E	477.00
320060101	Service brake valve, double circuit; pedal: w/o (plunger); pneumatic; pressure reduction: 1.5:1; ports: M22x1.5+M16x1.5	E	487.00
320060102	Service brake valve, double circuit; pedal: w/o (plunger); pneumatic; pressure reduction: 1.5:1; ports: M22x1.5+M16x1.5	E	487.00
320060103	Service brake valve, double circuit; pedal: w/o (plunger); pneumatic; pressure reduction: 1.5:1; ports: M22x1.5+M16x1.5	E	487.00
320060111	Service brake valve, double circuit; pedal: w/o (plunger); pneumatic; pressure reduction: 2.0:1; ports: M22x1.5+M16x1.5	E	487.00
320060112	Service brake valve, double circuit; pedal: w/o (plunger); pneumatic; pressure reduction: 2.0:1; ports: M22x1.5+M16x1.5	E	487.00
320060121	Service brake valve, double circuit; pedal: w/o (plunger); pneumatic; pressure reduction: 2.7:1; ports: M22x1.5+M16x1.5	E	487.00
320060122	Service brake valve, double circuit; pedal: w/o (plunger); pneumatic; pressure reduction: 2.7:1; ports: M22x1.5+M16x1.5	E	487.00
320060123	Service brake valve, double circuit; pedal: w/o (plunger); pneumatic; pressure reduction: 2.7:1; ports: M22x1.5+M16x1.5	E	487.00
320062111	Service brake valve, double circuit; pedal: w/o (plunger); pneumatic; pressure reduction: 2.0:1; ports: M22x1.5+M16x1.5	E	533.00
320063111	Service brake valve, double circuit; pedal: w/o (plunger); pneumatic; pressure reduction: 2.0:1; ports: M22x16+M16x1.5	E	498.00
320063112	Service brake valve, double circuit; pedal: w/o (plunger); pneumatic; pressure reduction: 2.0:1; ports: M22x16+M16x1.5	E	498.00
320063121	Service brake valve, double circuit; pedal: w/o (plunger); pneumatic; pressure reduction: 2.7:1; ports: M22x16+M16x1.5	E	498.00
320063122	Service brake valve, double circuit; pedal: w/o (plunger); pneumatic; pressure reduction: 2.7:1; ports: M22x16+M16x1.5	E	498.00

Part number	Description	Code	List Price € (excl. VAT)
320063123	Service brake valve, double circuit; pedal: w/o (plunger); pneumatic; pressure reduction: 2.7:1; ports: M22x16+M16x1.5	E	498.00
321010101	Hydrair® clutch servo; displacement volume (cm3): 12.5; brake fluid DOT4+ or DOT4; length (mm): 275	I	815.00
321015001	Hydrair® clutch servo; displacement volume (cm3): 16.7; brake fluid DOT4+ or DOT4; port 3: snorkel; length (mm): 275	I	646.00
321019001	Hydrair® clutch servo; displacement volume (cm3): 17.8; brake fluid DOT4+ or super-DOT4; port 3: flap valve; length (mm): 235	I	595.00
321020001	Hydrair® clutch servo; displacement volume (cm3): 16.7; brake fluid DOT4+ or DOT4; port 3: snorkel; length (mm): 231	I	615.00
321023001	Hydrair® clutch servo; displacement volume (cm3): 17.8; brake fluid DOT4+ or super-DOT4; port 3: boot; length (mm): 262	I	600.00
321024001	Hydrair® clutch servo; displacement volume (cm3): 18.8; brake fluid DOT4+ or super-DOT4; port 3: boot; length (mm): 234	I	600.00
321025001	Hydrair® clutch servo; displacement volume (cm3): 18.8; mineral oil Pentosin CHF 11S; port 3: boot; length (mm): 259	I	861.00
321027001	Hydrair® clutch servo; displacement volume (cm3): 18.8; brake fluid DOT4+ or super-DOT4; port 3: boot; length (mm): 260	I	621.00
321030001	Hydrair® clutch servo; displacement volume (cm3): 15.5; mineral oil Pentosin CHF 11S; port 3: boot; length (mm): 259	I	815.00
321031001	Hydrair® clutch servo; displacement volume (cm3): 15.5; brake fluid DOT4+ or super-DOT4; port 3: boot; length (mm): 260	I	610.00
329006121	Pneumatic trailer control valve; no. of lines: 1; service pressure (bar): <7.3; pressure limitation Pe (bars): 5.3	E	282.00
329006122	Pneumatic trailer control valve; no. of lines: 1; service pressure (bar): <7.3; pressure limitation Pe (bars): 6.0	E	282.00
329006352	Pneumatic trailer control valve	E	284.00
329006361	Pneumatic trailer control valve; no. of lines: 1; service pressure (bar): >7.3; pressure limitation Pe (bars): 5.3	E	282.00
329007001	Pneumatic trailer control valve; service pressure (bar): 8.0	E	400.00
329015001	Pneumatic trailer control valve; service pressure (bar): 8.0	E	626.00
329015002	Pneumatic trailer control valve; service pressure (bar): 8.0	E	626.00
329020201	Hydraulic trailer control valve; control pressure @ 6 bar: 60±10%; brake fluid (1.2)	E	887.00
329020241	Hydraulic trailer control valve; control pressure @ 6 bar: 60±10%; brake fluid (1.2)	E	887.00

Part number	Description	Code	List Price € (excl. VAT)
329020251	Hydraulic trailer control valve; control pressure @ 6 bar: 86±10%; brake fluid (1.2)	E	887.00
329020261	Hydraulic trailer control valve; control pressure @ 6 bar: 8±10%; mineral oil (2.5)	E	887.00
329020262	Hydraulic trailer control valve; control pressure @ 6 bar: 8±10%; mineral oil (2.5)	E	881.00
329020271	Hydraulic trailer control valve; control pressure @ 6 bar: 8±10%; brake fluid (2.5)	E	887.00
329020281	Hydraulic trailer control valve; control pressure @ 6 bar: 60±10%; mineral oil (1.2)	E	887.00
329020291	Hydraulic trailer control valve; control pressure @ 6 bar: 15±10%; brake fluid (1.2)	E	887.00
329020301	Hydraulic trailer control valve; control pressure @ 6 bar: 15±10%; mineral oil (1.2)	E	887.00
329020321	Hydraulic trailer control valve; control pressure @ 6 bar: 20±10%; mineral oil (1.2)	E	887.00
329020341	Hydraulic trailer control valve; control pressure @ 6 bar: 30±10%; mineral oil (1.2)	E	887.00
329020371	Hydraulic trailer control valve; control pressure @ 6 bar: 40±10%; brake fluid (1.2)	E	886.00
329020381	Hydraulic trailer control valve; control pressure @ 6 bar: 40±10%; brake fluid (1.2)	E	887.00
329020401	Hydraulic trailer control valve; control pressure @ 6 bar: 8.5±10%; mineral oil (2.5)	E	887.00
329020421	Hydraulic trailer control valve; control pressure @ 6 bar: 60±10%; brake fluid (1.2)	E	887.00
329020451	Hydraulic trailer control valve; control pressure @ 6 bar: 8±10%; mineral oil (2.5)	E	887.00
329020511	Hydraulic trailer control valve; control pressure @ 6 bar: 86±10%; mineral oil (1.2)	E	887.00
329030001	Hydraulic trailer control valve; control pressure @ 6 bar: 12±10%; mineral oil (1.2)	E	713.00
329030011	Hydraulic trailer control valve; control pressure @ 6 bar: 8±10%; mineral oil (2.5)	E	713.00
329031001	Hydraulic trailer control valve; control pressure @ 6 bar: 8±10%; brake fluid (1.2)	E	713.00
329032001	Hydraulic trailer control valve; control pressure @ 6 bar: 20±10%; brake fluid (1.2)	E	539.00
329033001	Hydraulic trailer control valve; control pressure @ 6 bar: 30±10%; brake fluid (1.2)	E	687.00
329034001	Hydraulic trailer control valve; control pressure @ 6 bar: 30±10%; brake fluid (1.2)	E	708.00
329036001	Hydraulic trailer control valve; control pressure @ 6 bar: 18±10%; mineral oil (1.2)	E	713.00
329101001	Hydraulic trailer control valve	E	873.00
329103001	Hydraulic trailer control valve	E	873.00
329104001	Hydraulic trailer control valve	E	873.00
329105001	Hydraulic trailer control valve	E	873.00

Part number	Description	Code	List Price € (excl. VAT)
329105002	Hydraulic trailer control valve	E	1060.00
329107001	Hydraulic trailer control valve	E	1060.00
329111001	Hydraulic trailer control valve	E	873.00
329114001	Hydraulic trailer control valve	E	873.00
329115001	Hydraulic trailer control valve	E	873.00
329116001	Hydraulic trailer control valve	E	873.00
329117001	Hydraulic trailer control valve	E	873.00
329123001	Hydraulic trailer control valve	E	873.00
329125001	Hydraulic trailer control valve	E	873.00
329126001	Hydraulic trailer control valve	E	873.00
329128001	Hydraulic trailer control valve	E	873.00
329128002	Hydraulic trailer control valve	E	512.00
329128003	Hydraulic trailer control valve	E	1240.00
33090009	Limited stock; pressure converter, series II; hyd./air ratio: 16:1; medium: brake fluid; cubic inch displacement: 5.0; Terex; (N4185C)	I	742.00
332005021	Push button valve; round knob; ports: M12x1.5; w/o bellows; 8.0V	E	92.30
333001201	Double check valve (shuttle piston); port 1: M22x1.5; port 12: M22x1.5; port 2: M22x1.5	E	55.40
333009001	Double check valve	E	74.90
334004001	Coupling head; truck; black; emergency for line; cover: plastic; port: M22x1.5; port: automatic; w/o connection cam	E	56.20
334007001	Coupling head; trailer; black; emergency for line; cover: plastic; port: M22x1.5; w/o connection cam	E	56.20
334028001	Dummy coupling head; trailer; service/emergency for line	E	12.90
334053211	Coupling head; universal; service/emergency for line; cover: w/o; port: M16x1.5; w/o connection cam	E	12.90
334053231	Coupling head; universal; service/emergency for line; cover: w/o; port: M22x1.5; w/o connection cam	E	12.90
334053261	Coupling head; universal; service/emergency for line; cover: w/o; port: 1/2" NPTF; w/o connection cam	E	12.90
334054201	Coupling head; universal; yellow; service for line; cover: plastic; port: M16x1.5; port: locating pin; c/w connection cam	E	9.95
334054211	Coupling head; universal; yellow; service for line; cover: plastic; port: M22x1.5; port: locating pin; c/w connection cam	E	9.95
334054231	Coupling head; universal; yellow; service for line; cover: plastic; port: 1/2" NPTF; port: locating pin; c/w connection cam	E	15.90
334054241	Coupling head; universal; yellow; service for line; cover: plastic; port: M16x1.5; port: locating pin; c/w connection cam	E	30.80
334054451	Limited stock; coupling head; universal; yellow; service for line; cover: plastic; port: M16x1.5; port: locating pin; c/w connection cam	E	20.00
334055201	Coupling head; universal; red; emergency for line; cover: plastic; port: M16x1.5; port: locating pin; c/w connection cam	E	9.95

Part number	Description	Code	List Price € (excl. VAT)
334055211	Coupling head; universal; red; emergency for line; cover: plastic; port: M22x1.5; port: locating pin; c/w connection cam	E	9.95
334055231	Coupling head; universal; red; emergency for line; cover: plastic; port: 1/2" NPTF; port: locating pin; c/w connection cam	E	12.90
334063001	Coupling head; truck; red; emergency for line; cover: steel; port: M16x1.5; port: automatic; c/w connection cam	E	19.30
334063011	Coupling head; truck; red; emergency for line; cover: plastic; port: M16x1.5; port: automatic; c/w connection cam	E	14.40
334064001	Coupling head; truck; yellow; service for line; cover: steel; port: M16x1.5; port: automatic; c/w connection cam	E	19.30
334064011	Coupling head; truck; yellow; service for line; cover: plastic; port: M16x1.5; port: automatic; c/w connection cam	E	14.40
334066001	Dummy coupling head; truck; service/emergency for line	E	34.40
334071001	Coupling head; truck; red; emergency for line; cover: steel; port: M22x1.5; port: automatic; c/w connection cam	E	26.20
334072001	Coupling head; truck; yellow; service for line; cover: steel; port: M22x1.5; port: automatic; c/w connection cam	E	26.20
334078001	Coupling head; truck; yellow; service for line; cover: plastic; port: M16x1.5; port: automatic; c/w connection cam	E	22.60
334079001	Coupling head; truck; red; emergency for line; cover: plastic; port: M16x1.5; port: automatic; c/w connection cam	E	22.60
334080001	Coupling head; truck; red; emergency for line; cover: plastic; port: M16x1.5; port: automatic; c/w connection cam	E	22.60
334081001	Coupling head; truck; yellow; service for line; cover: plastic; port: M16x1.5; port: automatic; c/w connection cam	E	22.60
334082001	Coupling head; truck; black; service/emergency for line; cover: plastic; port: M22x1.5; port: automatic; w/o connection cam	E	48.20
334085101	Coupling head Protect-O; universal; yellow; service for line; cover: plastic; port: M16x1.5; c/w connection cam	E	26.70
334085111	Coupling head Protect-O; universal; yellow; service for line; cover: plastic; port: M16x1.5; c/w connection cam	E	21.10
334086101	Coupling head Protect-O; universal; red; emergency for line; cover: plastic; port: M16x1.5; c/w connection cam	E	21.10
337002001	Hydrair® clutch servo; brake fluid DOT4 or super-DOT4 or SAE J 1703	I	426.00
337700401	Hydraulic regulator valve	E	262.00

Part number	Description	Code	List Price € (excl. VAT)
338021001	Raise / lower valve, pneumatic (aluminium); ports (mm): 4x M12x1.5+2x M14x1.5; w/o return to ride height; w/o dead man's handle; trailer	F	401.00
338032001	Raise / lower valve, electro-magnetic; w/o return to ride height; w/o dead man's handle; MAN	F	1520.00
338050101	Raise / lower valve, electro-magnetic; w/o return to ride height; w/o dead man's handle; Volvo	F	959.00
338051101	COLAS® raise / lower valve; ports (mm): 8; c/w return to ride height; c/w dead man's handle	F	420.00
338051102	COLAS® raise / lower valve; ports (mm): 8; c/w return to ride height; c/w dead man's handle	F	420.00
338051111	COLAS® raise / lower valve; ports (mm): 8; c/w return to ride height; c/w dead man's handle; c/w 13-4 pneumatic port	F	420.00
338051112	COLAS® raise / lower valve; ports (mm): 8; c/w return to ride height; c/w dead man's handle; c/w 13-4 pneumatic port	F	420.00
338051121	COLAS® raise / lower valve; ports (mm): 8; c/w return to ride height; c/w dead man's handle; c/w filter	F	420.00
338051131	COLAS® raise / lower valve; ports (mm): 8; c/w return to ride height; c/w dead man's handle; c/w 13-4 pneumatic port	F	420.00
338051141	COLAS® raise / lower valve; ports (mm): 8; c/w return to ride height; c/w dead man's handle; c/w filter	F	420.00
338051151	COLAS® raise / lower valve	F	420.00
338052101	COLAS® raise / lower valve; ports (mm): 8; w/o return to ride height; c/w dead man's handle	F	381.00
338053101	COLAS® raise / lower valve; ports (mm): 8; w/o return to ride height; w/o dead man's handle	F	344.00
338054001	COLAS® raise / lower valve; ports (mm): 10; c/w return to ride height; c/w dead man's handle	F	410.00
338054011	COLAS® raise / lower valve; ports (mm): 10; c/w return to ride height; c/w dead man's handle	F	410.00
338055101	COLAS® raise / lower valve; ports (mm): 8; pneumatic only return to ride height; c/w dead man's handle; c/w 13-4 pneumatic port	F	410.00
338056001	COLAS® raise / lower valve; ports (mm): 10; w/o return to ride height; c/w dead man's handle	F	381.00
338057101	COLAS® raise / lower valve; ports (mm): 8; c/w return to ride height; c/w dead man's handle	F	401.00
338057111	COLAS® raise / lower valve; ports (mm): 8; c/w return to ride height; c/w dead man's handle	F	401.00
338057121	COLAS® raise / lower valve; ports (mm): 8; c/w return to ride height; c/w dead man's handle; c/w 13-4 pneumatic port	F	401.00
338058101	COLAS® raise / lower valve; ports (mm): 8; c/w return to ride height; c/w dead man's handle	F	401.00
338058121	COLAS® raise / lower valve; ports (mm): 8; c/w return to ride height; c/w dead man's handle	F	401.00

Part number	Description	Code	List Price € (excl. VAT)
338059101	COLAS® raise / lower valve; ports (mm): 8; w/o return to ride height; c/w dead man's handle	F	334.00
338061201	Raise / lower valve, COLAS®+; ports (mm): 2x8+1x12; c/w return to ride height; c/w dead man's handle; roll off	F	369.00
338062201	Raise / lower valve, COLAS®+; ports (mm): 2x8+1x12; c/w return to ride height; c/w dead man's handle; roll on/roll off	F	369.00
338071101	Raise / lower valve, COLAS®+; ports (mm): 8; c/w return to ride height; c/w dead man's handle; roll off	F	390.00
338071111	Raise / lower valve, COLAS®+; ports (mm): 8; c/w return to ride height; c/w dead man's handle; roll off	F	390.00
338071131	Raise / lower valve, COLAS®+; ports (mm): 10; c/w return to ride height; c/w dead man's handle; roll off	F	390.00
338071161	Raise / lower valve, COLAS®+; ports (mm): 8; c/w return to ride height; c/w dead man's handle; roll off	F	390.00
339018001	Female C coupling; truck; red; emergency for line; port: M22x1.5	E	41.60
339019001	Male C coupling; truck; yellow; service for line; port: M22x1.5	E	41.60
339020001	Female C coupling; truck; red; emergency for line; port: M16x1.5	E	70.30
339021001	Male C coupling; truck; yellow; service for line; port: M16x1.5	E	47.20
339022001	Male C coupling; trailer; red; emergency for line; port: M22x1.5	E	11.30
339022001BS	Male C coupling; trailer; red; emergency for line; port: M22x1.5	E	11.30
339023001	Female C coupling; trailer; yellow; service for line; port: M22x1.5	E	34.40
340005001	Piston cylinder; piston ø (mm): 100; stroke (mm): 135; length (mm): 300	C	225.00
340008001	Piston cylinder; piston ø (mm): 125; stroke (mm): 135; length (mm): 335	C	254.00
340011001	Piston cylinder; piston ø (mm): 140; stroke (mm): 155; length (mm): 355; A 140 DIN 74282	C	299.00
340011021	Piston cylinder; piston ø (mm): 140; stroke (mm): 155; length (mm): 355; special version	C	327.00
340013001	Piston cylinder; piston ø (mm): 150; stroke (mm): 155; length (mm): 355	C	334.00
340026001	Piston cylinder; piston ø (mm): 80; stroke (mm): 105; length (mm): 265	C	221.00
340026011	Piston cylinder; piston ø (mm): 80; stroke (mm): 105; length (mm): 265	C	226.00
340027001	Piston cylinder; piston ø (mm): 80; stroke (mm): 105; length (mm): 265	C	294.00
340027011	Piston cylinder; piston ø (mm): 80; stroke (mm): 105; length (mm): 265	C	294.00

Part number	Description	Code	List Price € (excl. VAT)
340029001	Piston cylinder; piston ø (mm): 65; stroke (mm): 105; length (mm): 253	C	234.00
340029011	Piston cylinder; piston ø (mm): 65; stroke (mm): 105; length (mm): 265	C	236.00
340029031	Piston cylinder; piston ø (mm): 65; stroke (mm): 105; length (mm): 253	C	269.00
340029041	Piston cylinder; piston ø (mm): 65; stroke (mm): 105; length (mm): 253	C	244.00
340076001	Piston cylinder; piston ø (mm): 125; stroke (mm): 70; length (mm): 198; c/w 2 side ventilation ports (left port plugged)	C	535.00
340076002	Piston cylinder; piston ø (mm): 125; stroke (mm): 70; length (mm): 198; c/w 2 side ventilation ports (right port plugged)	C	535.00
340079001	Piston cylinder; piston ø (mm): 150; stroke (mm): 60; length (mm): 199; c/w 2 front ventilation ports (with ports to left, top port plugged)	C	582.00
340079002	Piston cylinder; piston ø (mm): 150; stroke (mm): 60; length (mm): 199; c/w 2 front ventilation ports (with ports to left, bottom port plugged)	C	582.00
340079003	Piston cylinder; piston ø (mm): 150; stroke (mm): 60; length (mm): 199; c/w 2 front ventilation ports (yoke in-line with mounting points)	C	671.00
340122000	Piston cylinder; for wedge brake; 12/20	C	416.00
340142400	Piston cylinder; for wedge brake; 14/24	C	391.00
340162400	Piston cylinder; for wedge brake; 16/24	C	424.00
340182400	Piston cylinder; for wedge brake; 18/24	C	424.00
340202400	Piston cylinder; for wedge brake; 20/24	C	416.00
340222400	Piston cylinder; for wedge brake; 22/24	C	391.00
341004011	Control cylinder; piston ø (mm): 35; stroke (mm): 85; c/w boot; length (mm): 228; universal	C	182.00
341011021	Control cylinder; piston ø (mm): 35; stroke (mm): 50; w/o boot; length (mm): 193	C	199.00
341032011	Control cylinder; piston ø (mm): 35; stroke (mm): 35; c/w boot; length (mm): 132	C	119.00
342101600	Piston spring brake actuator (PSB)	C	315.00
342121601	Piston spring brake actuator (PSB)	C	321.00
342122400	Piston spring brake actuator (PSB)	C	352.00
342141600	Piston spring brake actuator (PSB)	C	316.00
342142400	Piston spring brake actuator (PSB)	C	355.00
342161601	Piston spring brake actuator (PSB)	C	311.00
342162401	Piston spring brake actuator (PSB)	C	356.00
342162402	Piston spring brake actuator (PSB)	C	381.00
342182400	Piston spring brake actuator (PSB)	C	355.00
342202400	Piston spring brake actuator (PSB)	C	358.00
34220240000	Double diaphragm spring brake actuator (DDSB); Blue seal; version: 20/24; E2	C	342.00

Part number	Description	Code	List Price € (excl. VAT)
342202401	Piston spring brake actuator (PSB)	C	358.00
342202402	Piston spring brake actuator (PSB)	C	356.00
342202403	Piston spring brake actuator (PSB)	C	358.00
342202404	Piston spring brake actuator (PSB)	C	358.00
342202405	Piston spring brake actuator (PSB)	C	375.00
342202406	Piston spring brake actuator (PSB)	C	375.00
342220000	Brake chamber, single diaphragm; type 22; stroke (mm): 64	C	123.00
342242401	Piston spring brake actuator (PSB)	C	366.00
342242402	Piston spring brake actuator (PSB)	C	351.00
342243000	Piston spring brake actuator (PSB)	C	391.00
343001001	Air over hydraulic servo; (piston type); piston ø (mm) 65; stroke (mm): 30; c/w fixing support	C	367.00
343031061	Air over hydraulic servo; (piston type); piston ø (mm) 125; stroke (mm): 75; c/w fixing support	C	331.00
343031062	Air over hydraulic servo; (piston type); piston ø (mm) 125; stroke (mm): 75; c/w fixing support	C	437.00
343101001	Air over hydraulic servo; (diaphragm type); type 12; stroke (mm): 33	C	411.00
343102001	Air over hydraulic servo; (diaphragm type); type 12; stroke (mm): 33	C	411.00
343200001	Air over hydraulic servo; (diaphragm type); type 14; stroke (mm): 63	C	484.00
343201001	Air over hydraulic servo; (diaphragm type); type 14; stroke (mm): 63	C	449.00
343251001	Air over hydraulic servo; (diaphragm type); type 16; stroke (mm): 63	C	440.00
343314001	Air over hydraulic servo; (diaphragm type); type 20; stroke (mm): 75	C	515.00
343315001	Air over hydraulic servo; (diaphragm type); type 20; stroke (mm): 75	C	515.00
343411001	Air over hydraulic servo; (diaphragm type); type 24; stroke (mm): 75	C	462.00
344008201	Piston spring brake actuator (PSB) (pull type); piston ø (mm): 100; stroke (mm): 80; output no stroke (N): 2000; output full stroke (N): 3000	C	627.00
344008221	Piston spring brake actuator (PSB) (pull type); piston ø (mm): 100; stroke (mm): 80; output no stroke (N): 2000; output full stroke (N): 3000	C	627.00
344008231	Piston spring brake actuator (PSB) (pull type); piston ø (mm): 100; stroke (mm): 80; output no stroke (N): 2750; output full stroke (N): 4100	C	627.00
344008251	Piston spring brake actuator (PSB) (pull type); piston ø (mm): 100; stroke (mm): 80; output no stroke (N): 2750; output full stroke (N): 4100	C	627.00
344008261	Piston spring brake actuator (PSB) (pull type); piston ø (mm): 100; stroke (mm): 80; output no stroke (N): 2500; output full stroke (N): 3300	C	627.00

Part number	Description	Code	List Price € (excl. VAT)
344008361	Piston spring brake actuator (PSB) (pull type); piston ø (mm): 100; stroke (mm): 80; output no stroke (N): 880; output full stroke (N): 1270	C	627.00
344010001	Piston spring brake actuator (PSB) (pull type); piston ø (mm): 150; stroke (mm): 70; output no stroke (N): 8093; output full stroke (N): 5886	C	630.00
344017101	Piston spring brake actuator (PSB) (pull type); piston ø (mm): 100; stroke (mm): 80; output no stroke (N): 3100; output full stroke (N): 4800	C	550.00
344019101	Piston spring brake actuator (PSB) (pull type); piston ø (mm): 100; stroke (mm): 80; output no stroke (N): 2000; output full stroke (N): 3000	C	396.00
344019151	Piston spring brake actuator (PSB) (pull type); piston ø (mm): 100; stroke (mm): 80; output no stroke (N): 2750; output full stroke (N): 4100	C	524.00
344024001	Piston spring brake actuator (PSB) (pull type); piston ø (mm): 100; stroke (mm): 80; output no stroke (N): 3100; output full stroke (N): 4800	C	675.00
344025001	Piston spring brake actuator (PSB) (pull type); piston ø (mm): 100; stroke (mm): 80; output no stroke (N): 3100; output full stroke (N): 4800	C	581.00
344026101	Piston spring brake actuator (PSB) (pull type); piston ø (mm): 100; stroke (mm): 80; output no stroke (N): 3100; output full stroke (N): 4800	C	491.00
344028001	Piston spring brake actuator (PSB) (push type); piston ø (mm): 137; stroke (mm): 57; output no stroke (N): 4700; output full stroke (N): 7200; w/o stroke indicator	C	737.00
344028011	Piston spring brake actuator (PSB) (push type); piston ø (mm): 137; stroke (mm): 57; output no stroke (N): 2300; output full stroke (N): 3400; w/o stroke indicator	C	737.00
344028021	Piston spring brake actuator (PSB) (push type); piston ø (mm): 137; stroke (mm): 57; output no stroke (N): 4700; output full stroke (N): 7200; c/w stroke indicator	C	853.00
344028031	Piston spring brake actuator (PSB) (push type); piston ø (mm): 137; stroke (mm): 57; output no stroke (N): 2300; output full stroke (N): 3400; c/w stroke indicator	C	840.00
344030101	Piston spring brake actuator (PSB) (pull type); piston ø (mm): 100; stroke (mm): 80; output no stroke (N): 3100; output full stroke (N): 4500	C	710.00
344032101	Piston spring brake actuator (PSB) (pull type); piston ø (mm): 100; stroke (mm): 80; output no stroke (N): 3100; output full stroke (N): 4500	C	591.00

Part number	Description	Code	List Price € (excl. VAT)
344036001	Piston spring brake actuator (PSB); piston ø (mm): 100; stroke (mm): 80	C	918.00
344044001	Piston spring brake actuator (PSB) (pull type); piston ø (mm): 100; stroke (mm): 80; output no stroke (N): 3100; output full stroke (N): 4800	C	838.00
344046001	Piston spring brake actuator (PSB) (pull type); piston ø (mm): 100; stroke (mm): 80; output no stroke (N): 3100; output full stroke (N): 4800	C	1130.00
344048101	Piston spring brake actuator (PSB) (pull type); piston ø (mm): 100; stroke (mm): 80; output no stroke (N): 3300; output full stroke (N): 5500	C	638.00
344050001	Piston spring brake actuator (PSB) (pull type); piston ø (mm): 100; stroke (mm): 80; output no stroke (N): 3300; output full stroke (N): 5500	C	598.00
344051001	Piston spring brake actuator (PSB) (pull type); piston ø (mm): 100; stroke (mm): 80; output no stroke (N): 3300; output full stroke (N): 5500	C	713.00
345228158	Brake chamber, single diaphragm; type 16; stroke (mm): 80; push rod (mm): 135 (M16x1.5); boot	C	154.00
346101001	Piston spring brake actuator (PSB); piston ø (mm): 159; stroke (mm): 75	C	811.00
346101002	Piston spring brake actuator (PSB); piston ø (mm): 159; stroke (mm): 75	C	841.00
3461624001	Double diaphragm spring brake actuator (DDSB); Blue seal; version: 16/24; push rod (mm): 238 (M16x1.5); protection: sealing disc; for drum brake; S-cam	C	172.00
346180001	Double diaphragm spring brake actuator (DDSB); version: 20/30; push rod (mm): 245 (M16x1.5); protection: w/o	C	185.00
346184001	Double diaphragm spring brake actuator (DDSB); version: 36/30; push rod (mm): 233 (M16x1.5); protection: w/o	C	609.00
346185001	Double diaphragm spring brake actuator (DDSB); version: 18/24; push rod (mm): 15 (rounded)	C	350.00
346186001	Double diaphragm spring brake actuator (DDSB); version: 18/24; push rod (mm): 15 (rounded)	C	381.00
346187001	Double diaphragm spring brake actuator (DDSB); version: 20/24; push rod (mm): 15 (rounded)	C	381.00
3462430001	Double diaphragm spring brake actuator (DDSB); 24/30	C	125.00
350019001	Relay emergency valve (REV); single circuit; type: StVZO; ports: 4xM22x1.5; (351006011+352001001)	E	328.00
350020201	Relay emergency valve (REV); single circuit; type: StVZO; ports: 4xM22x1.5; (351006001+352011101)	E	395.00

Part number	Description	Code	List Price € (excl. VAT)
350026002	Relay emergency valve (REV); dual circuit; type: EG; ports: 5xM22x1.5; (351008012+352012001)	E	301.00
350026102	Relay emergency valve (REV); dual circuit; type: EG; ports: 4xM22x1.5/1xM16x1.5; universal	E	301.00
350027002	Relay emergency valve (REV); dual circuit; type: EG; ports: 5xM22x1.5; 351008001+352011102+025002109)	E	339.00
350027202	Relay emergency valve (REV); dual circuit; type: StVZO; ports: 4xM22x1.5/1xM16x1.5	E	339.00
350028001	Relay emergency valve (REV); dual circuit; type: Euro; ports: 5xM22x1.5; (351008011+352012001+025002109)	E	457.00
350028101	Relay emergency valve (REV); dual circuit; type: StVZO; ports: 4xM22x1.5/1xM16x1.5	E	457.00
350036201	Quick release valve (QRV); number of ports: 4; port type: parallel; port 1: 2x M22x1.5; port 2: 4x M16x1.5; w/o thread	E	96.40
350036211	Quick release valve (QRV); number of ports: 4; port type: parallel; port 1: 2x M22x1.5; port 2: 4x M16x1.5; M22x1.5	E	96.40
350037211	Quick release valve (QRV); number of ports: 2; port type: parallel; port 1: 2x M16x1.5; port 2: 2x M16x1.5; M22x1.5	E	96.40
351006021	Relay emergency valve (REV); single circuit; type: StVZO; ports: 4xM22x1.5; universal	E	205.00
351008022	Relay emergency valve (REV); dual circuit; type: EG; ports: 5xM22x1.5; universal	E	216.00
351008024	Relay emergency valve (REV); dual circuit; type: EG; ports: 5xM22x1.5; universal	E	231.00
351008122	Relay emergency valve (REV); dual circuit; type: Euro; ports: 4xM22x1.5/1xM16x1.5; universal; dual circuit	E	216.00
351008123	Relay emergency valve (REV); dual circuit; type: Euro; ports: 4xM22x1.5/1xM16x1.5; universal	E	231.00
351008124	Relay emergency valve (REV); dual circuit; type: Euro; ports: 4xM22x1.5/1xM16x1.5; universal	E	231.00
351009021	Relay emergency valve (REV); dual circuit; type: EG; ports: 5xM22x1.5; universal	E	228.00
351009121	Relay emergency valve (REV); dual circuit; type: EG; ports: 4xM22x1.5/1xM16x1.5; universal	E	228.00
351022001	Relay emergency valve (REV); dual circuit; type: EG; ports: 5xM16x1.5/4xM22x1.5; universal	E	262.00
351033001	Relay emergency valve (REV); dual circuit; type: EG; ports: 4xM16x1.5/2xM22x1.5; for EBS EB+	E	246.00
352001001	Release valve; control: automatic; knob: black, round, w/o label; for 350001...+351006...; for REV	E	131.00
352005401	Release valve; control: automatic; knob: black, round button	E	142.00

Part number	Description	Code	List Price € (excl. VAT)
352006201	Release valve; control: automatic; knob: black, round button; 3-way	E	200.00
352007401	Release valve; control: automatic; knob: black, round button	E	159.00
352011101	Variable load valve; positions: 4; @ empty (bar): 1.5/1.9; @ 1/2 (bar): 3.0/3.5; c/w release position	E	162.00
352011102	Variable load valve; positions: 4; @ empty (bar): 2.0/2.5; @ 1/2 (bar): 4.0/4.5; c/w release position	E	139.00
352011122	Variable load valve; positions: 3; @ empty (bar): 2.0/2.5; @ 1/2 (bar): 4.0/4.5; w/o release position	E	154.00
352012001	Release valve; control: automatic; knob: black, round button; for 351008...+351009...; for REV, c/w seals	E	71.30
352018001	Shunt valve; control: manual; knob: blue, round, c/w label; ports do not have flush faces	E	73.80
352018011	Shunt valve; control: manual; knob: blue, round, c/w label; c/w bellow	E	75.90
352018021	Shunt valve; control: manual; knob: black, round, w/o label; c/w bellow; army application	E	86.10
352018031	Shunt valve; control: manual; knob: black, round, w/o label; c/w bellow; army application, c/w flap valve	E	94.30
352019001	Park valve; control: manual; knob: red, square, c/w label; ports do not have flush faces	E	82.00
352019011	Park valve; control: manual; knob: red, square, c/w label; c/w bellow; ports do not have flush faces	E	84.10
352019031	Park valve; control: manual; knob: red, square, w/o label; c/w bellow	E	126.00
352019041	Park valve; control: manual; knob: black, round, w/o label; c/w bellow	E	126.00
352022001	Control valve; w/o knob; ports: M16x1.5+M22x1.5; w/o bellow; 8.5V	E	212.00
352022011	Control valve; w/o knob; ports: M16x1.5+M22x1.5; w/o bellow; 8.5V	E	222.00
352025011	Shunt valve; control: automatic; c/w return spring	E	62.60
352028001	ILAS® (pneumatic/manual); auto-lower setting (bar): 2.5; auto-lower range (bar): 2.5±0.3; ports (mm): 6x 8; push-in	F	850.00
352028011	ILAS® (pneumatic/manual); auto-lower setting (bar): 3.0; auto-lower range (bar): 3.0-5.0; ports (mm): 6x 8; push-in	F	850.00
352028012	ILAS® (pneumatic/manual); auto-lower setting (bar): 3.5; auto-lower range (bar): 3.0-5.0; ports (mm): 6x 8; push-in	F	850.00
352028013	ILAS® (pneumatic/manual); auto-lower setting (bar): 4.0; auto-lower range (bar): 3.0-5.0; ports (mm): 6x 8; push-in	F	850.00
352028014	ILAS® (pneumatic/manual); auto-lower setting (bar): 4.5; auto-lower range (bar): 3.0-5.0; ports (mm): 6x 8; push-in	F	850.00
352029001	Shunt valve; control: automatic; knob: w/o; General Trailers/SDC	E	84.10

Part number	Description	Code	List Price € (excl. VAT)
352030001	Park valve; control: manual; knob: w/o; Daimler/General Trailers/SDC/SESR special	E	84.10
352032030	ILAS® (pneumatic/manual); auto-lower setting (bar): 3.0; auto-lower range (bar): 3.0-5.0; ports (mm): 6x 8; push-in	F	859.00
352032035	ILAS® (pneumatic/manual); auto-lower setting (bar): 3.5; auto-lower range (bar): 3.0-5.0; ports (mm): 6x 8; push-in	F	859.00
352032045	ILAS® (pneumatic/manual); auto-lower setting (bar): 4.5; auto-lower range (bar): 3.0-5.0; ports (mm): 6x 8; push-in	F	859.00
352035A35	ILAS® (pneumatic only); auto-lower setting (bar): 3.5; auto-lower range (bar): 3.0-5.3; auto-raise setting (bar): 0.7; auto-raise range (bar): 0.7-3.1; ports (mm): 6x 8; push-in	F	982.00
352035C42	ILAS® (pneumatic only); auto-lower setting (bar): 4.2; auto-lower range (bar): 3.0-5.3; auto-raise setting (bar): 0.9; auto-raise range (bar): 0.7-3.1; ports (mm): 6x 8; push-in	F	982.00
352035H30	ILAS® (pneumatic only); auto-lower setting (bar): 3.0; auto-lower range (bar): 3.0-5.3; auto-raise setting (bar): 1.4; auto-raise range (bar): 0.7-3.1; ports (mm): 6x 8; push-in	F	982.00
352035P36	ILAS® (pneumatic only); auto-lower setting (bar): 3.6; auto-lower range (bar): 3.6-6.0; auto-raise setting (bar): 2.2; auto-raise range (bar): 1.5-3.2; ports (mm): 6x 8; push-in	F	982.00
352037Z51	ILAS® (pneumatic/manual/electric); auto-lower setting (bar): 5.1; auto-lower range (bar): 3.6-6.0; auto-raise setting (bar): 3.2; auto-raise range (bar): 0.7-3.2; ports (mm): 6x 8; push-in	F	1510.00
352039001	Variable load valve; positions: 2; @ empty (bar): 3.3; w/o release position	E	330.00
352042001	Control valve; black, round, c/w label knob; ports: M16x1.5+M22x1.5; c/w bellow; 8.5V	E	195.00
352042011	Control valve; black, square, c/w label knob; ports: M16x1.5+M22x1.5; c/w bellow; 8.5V	E	195.00
352044001	Park+shunt valvecombined; control: manual; knob: black/red; c/w instruction plate	E	180.00
352045001	Park+shunt valvecombined; control: manual; knob: black/red; c/w non-return valvein port11, c/w instruction plate	E	180.00
352046001	Park+shunt valvecombined; control: manual; knob: black/red; c/w instruction plate; emergency function via. parking section of spring brake	E	190.00
352047025	ILAS® (pneumatic/manual); auto-lower setting (bar): 2.5; auto-lower range (bar): 1.5-2.9; auto-raise setting (bar): unset; auto-raise range (bar): 0.9-1.9; ports (mm): 5x 8; push-in	F	592.00

Part number	Description	Code	List Price € (excl. VAT)
352047030	ILAS® (pneumatic/manual); auto-lower setting (bar): 3.0; auto-lower range (bar): 3.0-5.3; ports (mm): 5x 8; push-in	F	592.00
352047032	ILAS® (pneumatic/manual); auto-lower setting (bar): 3.2; auto-lower range (bar): 3.0-5.3; ports (mm): 5x 8; push-in	F	592.00
352047035	ILAS® (pneumatic/manual); auto-lower setting (bar): 3.5; auto-lower range (bar): 3.0-5.3; ports (mm): 5x 8; push-in	F	592.00
352047040	ILAS® (pneumatic/manual); auto-lower setting (bar): 4.0; auto-lower range (bar): 3.6-6.0; ports (mm): 5x 8; push-in	F	592.00
352047045	ILAS® (pneumatic/manual); auto-lower setting (bar): 4.5; auto-lower range (bar): 3.6-6.0; ports (mm): 5x 8; push-in	F	592.00
352047048	ILAS® (pneumatic/manual); auto-lower setting (bar): 4.8; auto-lower range (bar): 3.6-6.0; ports (mm): 5x 8; push-in	F	592.00
352047100	ILAS® (pneumatic/manual); auto-lower setting (bar): unset; auto-lower range (bar): 3.0-5.3; ports (mm): 5x 8; push-in	F	592.00
352047200	ILAS® (pneumatic/manual); auto-lower setting (bar): unset; auto-lower range (bar): 1.5-2.9; ports (mm): 5x 8; push-in	F	592.00
352049100	ILAS® (pneumatic/manual); auto-lower setting (bar): unset; auto-lower range (bar): 3.0-5.3; ports (mm): 6x M12x1.5	F	592.00
352051100	ILAS® (pneumatic only); auto-lower setting (bar): unset; auto-lower range (bar): 3.0-5.3; auto-raise setting (bar): unset; auto-raise range (bar): 0.8-3.5; ports (mm): 5x 8; push-in	F	669.00
352051200	ILAS® (pneumatic only); auto-lower setting (bar): unset; auto-lower range (bar): 2.5-2.9; auto-raise setting (bar): unset; auto-raise range (bar): 0.8-3.5; ports (mm): 5x 8; push-in	F	659.00
352051140	ILAS® (pneumatic only); auto-lower setting (bar): 4.0; auto-lower range (bar): 3.0-5.3; auto-raise setting (bar): 1.5; auto-raise range (bar): 0.7-3.1; ports (mm): 5x 8; push-in	F	669.00
352053001	3/2-way valve; w/o knob; ports: M16x1.5+M22x1.5; w/o bellow; 8.5V	E	282.00
352054X53	ILAS® (pneumatic only); auto-lower setting (bar): 5.3; auto-lower range (bar): 2.5-6.0; auto-raise setting (bar): 3.0; auto-raise range (bar): 0.8-3.5; ports (mm): 6x 8; push-in	F	929.00
352058001	Park valve; control: manual; knob: red, square, c/w label; c/w bellow; c/w check valve (for parking brake only)	E	123.00
352061101	ILAS® (electric); ports (mm): 4x M16x1.5	F	393.00
352061111	ILAS® (electric); ports (mm): 4x M16x1.5	F	393.00
352062101	ILAS® (electric); ports (mm): 4x 8; push-in	F	399.00

Part number	Description	Code	List Price € (excl. VAT)
352062111	ILAS® (electric); ports (mm): 4x 8; push-in	F	399.00
352067001	TrCM; c/w pressure protection valve; c/w label; port 1: M22x1.5; port 1-2: M16x1.5; port 4: M16x1.5	E	408.00
352067101	TrCM; c/w pressure protection valve; c/w label; port 1: M22x1.5; port 1-2: M16x1.5; port 4: M16x1.5	E	408.00
352067121	TrCM; c/w label; port 1: M22x1.5; port 1-2: M16x1.5; port 4: M16x1.5	E	472.00
352067201	TrCM; c/w pressure protection valve; c/w label; port 1: M22x1.5; port 1-2: M16x1.5; port 4: M16x1.5	E	410.00
352067241	TrCM; c/w pressure protection valve; c/w label; c/w fittings; port 1: TU 8x1; port 1-2: TU 8x1; port 4: TU 8x1	E	136.00
352067601	TrCM+; c/w pressure protection valve; c/w label; port 1: M22x1.5; port 1-2: M16x1.5; port 4: M16x1.5	E	498.00
352067621	TrCM+; c/w label; port 1: M22x1.5; port 1-2: M16x1.5; port 4: M16x1.5	E	585.00
352070101	ILAS®-E (electric) 7x 8mm push-in; blade terminal 3-pins	A	435.00
352070111	ILAS® (electric); ports (mm): 7x 8; push-in	F	446.00
352075001	TEM; pressure protection valve: c/w; c/w shunt valve; w/o fittings; port 1: M22x1.5	E	390.00
352075011	TEM; c/w shunt valve; w/o fittings; port 1: M22x1.5	E	349.00
352075031	TEM single knob; pressure protection valve: c/w fittings; w/o; port 1: M22x1.5	E	390.00
352075051	TEM single knob; fittings: w/o; port 1: M22x1.5	E	349.00
352075101	TEM; pressure protection valve: c/w; c/w shunt valve; c/w fittings; port 1: TU 8x1	E	395.00
352075201	TEM; pressure protection valve: c/w; c/w shunt valve; w/o fittings; port 1: M22x1.5	E	395.00
352080001AM	ILAS®	F	446.00
352080011	ILAS® (electric); ports (mm): 6x M12x1.5; push-in	F	446.00
352080031	ILAS® (electric); ports (mm): 6x M12x1.5; push-in	F	446.00
355018001	Relay valve; port 1: M22x1.5; port 2: M22x1.5; port 4: M16x1.5	E	153.00
355018011	Relay valve; port 1: M22x1.5; port 2: M22x1.5; port 4: M22x1.5	E	153.00
355018071	Relay valve; port 1: M22x1.5; port 2: M16x1.5; port 4: M16x1.5	E	153.00
355093001	Relay valve; port 1: M22x1.5; port 2: M22x1.5; port 4: M22x1.5; c/w secondary control line	E	313.00
355094001	Pneumatic trailer control valve; no. of lines: 2; service pressure (bar): 11.0; Daimler	E	482.00
355095001	Pneumatic trailer control valve; no. of lines: 2; service pressure (bar): 11.0	E	482.00
3559545K	Repair kit; for compressor head	H	38.10
3559551K	Assembly head repair	H	170.00

Part number	Description	Code	List Price € (excl. VAT)
356001001	Quick release valve (QRV); number of ports: 1; port type: delivery; port 1: M22x1.5; port 2: 1x M22x1.5; M22x1.5	E	73.80
356001011	Quick release valve (QRV); number of ports: 1; port type: delivery; port 1: M22x1.5; port 2: 1x M22x1.5; M22x1.5	E	73.80
356005101	Regulating valve; pressure setting (bar): 3.0 (0-4.0)	E	183.00
356005102	Regulating valve; pressure setting (bar): 4.0 (0-4.0)	E	183.00
356005103	Regulating valve; pressure setting (bar): 2.5 (0-4.0)	E	183.00
356005104	Regulating valve; pressure setting (bar): 3.5 (0-4.0)	E	183.00
356006011	Quick release valve (QRV); number of ports: 2; port type: opposite; port 1: M22x1.5; port 2: 2x M22x1.5; M22x1.5	E	54.40
356009011	Regulating valve; pressure setting (bar): 2.0 (0.0-5.5); opening to end pressure (bar): 0.5; c/w quick release valve	E	91.30
356010011	Regulating valve; pressure setting (bar): 3.5 (0.0-5.5); opening to end pressure (bar): 0.8; c/w quick release valve	E	102.00
356010031	Regulating valve; pressure setting (bar): 3.5 (0.0-5.5); opening to end pressure (bar): 0.8; c/w quick release valve	E	115.00
356010032	Regulating valve; pressure setting (bar): 5.5 (0.0-5.5); opening to end pressure (bar): 0.8; c/w quick release valve	E	82.00
356022011	Quick release valve (QRV); number of ports: 4; port type: parallel; port 1: M22x1.5; port 2: 4x M16x1.5; M22x1.5	E	59.50
356022021	Quick release valve (QRV); number of ports: 4; port type: parallel; port 1: 1/2" NPTF; port 2: 4x 1/4" NPTF; w/o thread	E	59.50
356022031	Quick release valve (QRV); number of ports: 4; port type: parallel; port 1: M22x1.5; port 2: 4x M16x1.5; M22x1.5	E	59.50
356023001	Quick release valve (QRV); number of ports: 2; port type: parallel; port 1: M22x1.5; port 2: 2x M16x1.5; w/o thread	E	59.50
356023011	Quick release valve (QRV); number of ports: 2; port type: parallel; port 1: M22x1.5; port 2: 2x M16x1.5; M22x1.5	E	59.50
356023031	Quick release valve (QRV); number of ports: 2; port type: parallel; port 1: M22x1.5; port 2: 2x M16x1.5; M22x1.5	E	52.30
357001002	Pressure limiting valve; pre-set pressure (bar): 0.5 (0.0-1.6); ports: M22x1.5	E	221.00
357004021	Pressure limiting valve; pre-set pressure (bar): 6.0 (0.0-7.5); ports: M22x1.5	E	200.00
357004024	Pressure limiting valve; pre-set pressure (bar): 3.5 (0.0-7.5); ports: M22x1.5	E	200.00

Part number	Description	Code	List Price € (excl. VAT)
357004025	Pressure limiting valve; pre-set pressure (bar): 4.5 (0.0-7.5); ports: M22x1.5	E	200.00
357004051	Pressure limiting valve; pre-set pressure (bar): 5.0 (5.0-10.0); ports: M22x1.5	E	200.00
357012021	Pressure limiting valve; pre-set pressure (bar): 7.3 (6.5-8.5); ports: M22x1.5	E	164.00
357012022	Pressure limiting valve; pre-set pressure (bar): 7.5 (6.5-8.5); ports: M22x1.5	E	164.00
357012031	Pressure limiting valve; pre-set pressure (bar): 5.0 (0.0-8.5); ports: M22x1.5	E	164.00
357012032	Pressure limiting valve; pre-set pressure (bar): 6.0 (0.0-8.5); ports: M22x1.5	E	164.00
360009141	3/2-way solenoid valve; cable exit: above; 8.0V	E	202.00
360009241	3/2-way solenoid valve; cable exit: above; 8.0V	E	202.00
360009341	3/2-way solenoid valve; cable exit: above; 8.0V	E	202.00
360015001	3/2 way valve; 10V	E	103.00
360016001	3/2-way valve; ports: M12x1.5cable exit: DIN bayonett; 10.0V	E	200.00
360017001	3/2-way valve; ports: M12x1.5cable exit: DIN bayonett; 10.0V	E	184.00
360018001	3/2-way valve; ports: M12x1.5cable exit: DIN bayonett; 10.0V	E	184.00
361006003	Pressure switch; port: M12x1.5 male ; terminals: SCREW	E	137.00
361006102	Pressure switch; port: M12x1.5 male ; cut-out (bar): 0.7; terminals: screw	E	30.80
361006201	Pressure switch; port: M12x1.5 male ; cut-in (bar): 0.5; terminals: spade	E	28.50
361006302	Pressure switch; port: M12x1.5 male ; cut-out (bar): 5.5; terminals: spade	E	28.50
361006305	Pressure switch; port: M12x1.5 male ; cut-out (bar): 4.5; terminals: spade	E	28.50
361006306	Pressure switch; port: M12x1.5 male ; cut-out (bar): 2.5; terminals: spade	E	28.50
361007001	Pressure switch; port: M12x1.5; cut-in (bar): 0.5; terminals: screw	E	34.30
361007002	Pressure switch; port: M12x1.5; cut-in (bar): 1.0; terminals: screw	E	32.30
361007104	Pressure switch; port: M12x1.5; cut-out (bar): 5.0; terminals: screw	E	30.60
361007201	Pressure switch; port: M12x1.5; cut-in (bar): 0.5; terminals: spade	E	34.30
361007201E	Pressostato n.c.1/4 3,5bar+isteresi+cap	I	101.00
361007206	Limited stock; pressure switch; port: M12x1.5; terminals: spade	B	23.60
361007301	Pressure switch; port: M12x1.5; cut-out (bar): 4.5; terminals: spade	E	30.60
361007302	Pressure switch; port: M12x1.5; cut-out (bar): 5.0; terminals: spade	E	34.30
361007305	Pressure switch; port: M12x1.5; cut-out (bar): 5.5; terminals: spade	E	34.30

Part number	Description	Code	List Price € (excl. VAT)
364094031	Wheel sensor unit; for ABS DGX/MGX/MODAL/MODULAR; cable length (m) 1.0; angled type	B	34.40
364094061	Sensor	B	86.90
364096112	Power cable; for ISO 7638; 16m	B	163.00
364096122	Power cable; for ISO 7638; 9m	B	142.00
364105121	ABS modulator relay valve (MRV); for ABS MODULAR/MODAL; solenoid: DIN bayonett; delivery port: 2x M22x1.5; 24; system: 2M/3M	B	200.00
364115121	ABS modulator relay valve (MRV); for ABS MODULAR/MODAL; solenoid: DIN bayonett; delivery port: 6x M16x1.5; 24; system: 1M; valve assy	B	262.00
364122101	MRV cable; 8m; modulator valve	B	76.90
364122111	MRV cable; 8m; modulator valve	B	76.90
364122151	MRV cable; 0.75m; modulator valve	B	45.10
364124001	Power cable; for ISO 1185 (24N); 12m	B	72.20
364137101	Power cable; for ISO 7638; 12m	B	149.00
364142001	Electronic control unit (ECU); Modal; 100; 12V; no. of sensors: 2/4/6; modulator x 1/2/3 valve	B	1280.00
364143001	Power cable; for ISO 7638; 12m	B	398.00
364143031	Limited stock; Power cable; for ISO 7638; 16m	B	154.00
364157021	ABS modulator relay valve (MRV); for ABS MODAL; solenoid: M27x1.0; delivery port: 2x M22x1.5; 12; system: 2M/3M	B	400.00
364160001	ABS modulator relay valve (MRV); for ABS MODAL; cable length (m) 0.8; delivery port: 6x M16x1.5; 12; system: 1M	B	457.00
364161021	ABS modulator relay valve (MRV); for ABS MODAL; cable length (m) 0.8; delivery port: 6x M16x1.5; 12; system: 2M	B	467.00
364174001	Power cable; for ISO 7638; 12m	B	224.00
364183001	ABS kit; MODAL; 2S/1M; voltage (V): 12	B	1880.00
364193001	Power cable; for ISO 1185 (24N); 10m	B	82.00
364212001	Sensor extension cable; 4m	B	54.90
364212011	Sensor extension cable; 4m	B	54.90
364212021	Sensor extension cable; 4m	B	54.90
364277011	ABS kit; MODAL; 2S/2M	B	1650.00
364278001	Plug; for ISO 7638; 12m	B	231.00
364285001	ABS kit; MODAL; 2S/2M; voltage (V): 24	B	1650.00
364290001	ABS kit; MODAL; 4S/2M; voltage (V): 24	B	1260.00
364328001	ABS kit; MODULAR 1; 2S/1M; voltage (V): 24	B	1240.00
364362001	Power cable; for ISO 7638; 12m; Framatome connector fitted	B	187.00
364362021	Power cable; for ISO 7638; 14m; Framatome connector fitted	B	262.00
364362031	Power cable; for ISO 7638; 18m; Framatome connector fitted	B	315.00
364364001	Power cable; for ISO 7638; 10m; Framatome connector fitted	B	287.00
364364031	Power cable; for ISO 7638; 16m; Framatome connector fitted	B	282.00
364365001	Power cable; for ISO 7638; 12m; Framatome connector fitted	B	189.00

Part number	Description	Code	List Price € (excl. VAT)
364367001	Power cable; for ISO 7638; 12m; Framatome connector fitted	B	224.00
364367011	Power cable; for ISO 7638; Framatome connector fitted	B	190.00
364370001	Power cable; for ISO 1185 (24N); 12m; Framatome connector fitted	B	39.90
364375011	Power cable	B	231.00
364377011	Diagnostic cable; for Info Centre; 6m; Framatome connector fitted; extension	B	102.00
364380001	ABS kit; MODULAR 2 ADR; 2S-4S/2M; voltage (V): 24	B	540.00
364381001	Electronic control unit (ECU); ABS MODULAR 2	B	1130.00
364386001	Power cable; for ISO 7638	B	190.00
364509001	Power cable; 12m	B	32.10
364509021	Cable; for U-ABS power; 15m	B	87.20
364510001	Power cable; for ISO 7638; 12.5m	B	228.00
364510021	Power cable; for ISO 7638; 15m	B	262.00
364528011	Wheel sensor unit, straight; cable length (m): 2	B	65.60
364546001	Electronic control unit (ECU)	B	50.60
364562001	MODULAR 1; c/w loom	B	339.00
364564001	ABS kit; U-ABS; 2S-4S/2M/3M; voltage (V): 24	B	585.00
364572051	Cable; 10m solenoid	B	52.30
364572061	Cable; 14m solenoid	B	54.80
364590001	Junction box	B	84.60
364594011	Power cable; for ISO 7638; 16m	B	74.60
364602001	Cable; for valve	B	50.00
364604001	Cable	B	102.00
364605001	Cable; for Soft Docking EB+; sensor and beeper	L	91.00
364606001	Cable; for Soft Docking EB+; signalization and brake	L	175.00
364606011	Signalization and brake loom; Soft Docking; for EB+	L	245.00
364607001	Cable; for Soft Docking EB+	L	95.00
364608001	Soft Docking EB+; ECU box	L	610.00
364610001	Cable; for Soft Docking EB+; signalization and brake	L	185.00
364614001	Sensor; for Soft Docking EB+, US; vertical	L	234.00
364616001	Beeper; Soft Docking; for EB+	L	87.20
364617001	Led outline marker lamp; Soft Docking; for EB+	L	98.40
364617011	Led outline marker lamp; Soft Docking; for EB+	L	98.40
364622001	Cable; for Soft Docking EB+; extension	L	27.70
364622011	Cable; for Soft Docking EB+; extension	L	39.80
364622021	Cable; for Soft Docking EB+; extension	L	44.90
367061001	Limited stock; Electrical; ultra compact vehicle light; symmetric; voltage (V): 12-24	M	93.40
367061008	Limited stock; Electrical; ultra compact vehicle diffused light; symmetric; voltage (V): 12-24	M	28.00
367091809	Limited stock; Electrical; compact vehicle light; asymmetric; voltage (V): 12	M	92.00
367091810	Limited stock; Electrical; compact vehicle light; asymmetric; voltage (V): 24	M	104.00

Part number	Description	Code	List Price € (excl. VAT)
367091821	Limited stock; Electrical; backup vehicle light; voltage (V): 12; E-approved	M	102.00
367091822	Limited stock; Electrical; backup vehicle light; voltage (V): 24; E-approved	M	104.00
367091840	Limited stock; Electrical; compact vehicle light; symetric; voltage (V): 12	M	102.00
367091841	Limited stock; Electrical; compact vehicle light; symetric; voltage (V): 24	M	104.00
367101804	Limited stock; Electrical; TYRI classic-heavy duty vehicle light; voltage (V): 12-24; E-approved	M	102.00
367101815	Limited stock; Electrical; TYRI classic-diffused vehicle light; symetric; voltage (V): 12-24	M	138.00
367103062	Limited stock; Electrical; TYRI classic-heavy duty vehicle light; asymetric; voltage (V): 12-24	M	217.00
367109076	Limited stock; Electrical; TYRI classic-diffused vehicle light; symetric; voltage (V): 12-24	M	98.30
36710BP06	Limited stock; Electrical; safety vehicle light; voltage (V): 12-24; BluePoint, narrow	M	96.60
367VL4901	Limited stock; Electrical; slim vehicle light; symetric; voltage (V): 12-24	M	111.00
367VL4903	Limited stock; Electrical; slim vehicle light; asymetric; voltage (V): 12-24	M	98.30
367VL4921	Limited stock; Electrical; slim vehicle light; symetric; voltage (V): 12-24	M	96.60
37008155	Straight terminal P.In Tu8x1.5-thread M14 female	I	2.89
393585001	Exciter; solid; no. of teeth: 80; inner Ø (mm): 152; application: BPW 9 TM	B	42.80
393585011	Exciter; solid; no. of teeth: 80; inner Ø (mm): 176	B	42.80
40003-00	Kolv	N	6.87
40008-00	Stallskruv kompl	N	17.40
400TNK4A	Reservoir; for power pack classic; capacity: 18.7L; mounting bracket: horizontal	N	762.00
40516152	L fitting chassis th/th M16f-M16M	I	9.30
4100122/50	Bushing 10037; for Manual brake adjuster; pack of 50	P	8.25
4200015	Limited stock; supporto per serbatoio D310 piatto	I	5.74
4200101	Washer	I	0.12
4200103	Washer	I	0.09
4200105	Rondella in alluminio diam. 18	I	0.35
4200107	Washer	I	0.08
4200501	Plug	I	0.65
420100258	Cap; for fitting	I	0.69
420101782	Fitting; drain valve; M22x1.5	D	21.10
4201768	Fitting; reinforcing insert for DIN tube; type 12x9	I	0.35
4201782	Fitting; reinforcing insert for DIN tube; type 20x16	I	0.59
4202300102	Modulator valve; 0.8 bar; pneumatic	I	384.00
4202560	Limited stock; Raccordo diritto liscio di riduz.18/t6	I	8.26

Part number	Description	Code	List Price € (excl. VAT)
4203726	Limited stock; fitting, miscellaneous	I	4.51
4203916	Limited stock; niplo gomito M16/M16	I	5.22
4204160	Raccordo a gomito m12x1-t6	I	6.80
420CAP01	Protection cap	I	3.91
420CLAMP001	Zip tie; 200x3.6mm	I	0.05
420FTN004	Exhaust Protection Filter; 1/8"	F	2.20
420FTN005/10	Exhaust Protection Filter; 1/4"; pack of 10	F	29.80
420FTN0505	Filter; nylon; M16x1.5	I	2.04
420VM0001	Limited stock; spanner 12mm-CLE 12 mm mixte Facom 440.12	I	2.47
420VM0003	Vite te m8x30 uni 5739 znb	I	0.22
420VM0004	Dado esagonale m8 znb uni 5588	I	0.04
420VM0005	Rondella piana d8 znb uni 6592	I	0.03
420VM0008	Vite TS M4X40 ZNB uni 7688	I	0.08
420VM0009	Dado esagonale m4 znb uni 5588	I	0.01
420VM0013	Washer steel ext dia.: 8,8 mm-int dia.: 4,4 mm	I	0.01
420VM0017	Vite te m8 x 60 znb uni 5739	I	0.46
420VM0019	Hexagonal nut m18	I	1.05
420VM0023	Vite TE M6 X 30 uni 5739 ZNB	I	0.08
420VM0031	Limited stock; VITE TS M4X60 UNI 6109 ZNB	I	0.15
420VM0036	Asta per livellatrice diam.6 l=300 mm	I	0.76
420VM0039	Dado esagonale M6 ZNB uni 5588	I	0.08
420VM0040	Limited stock; rondella piana D6 ZNB uni 6592	I	0.03
420VM0042	Dado esagonale m5 znb uni 5588	I	0.02
420VM0043	Rondella piana D5 ZNB UNI 6592	I	0.04
420VM0046	Rondella dentellata d4 znb uni 6798	I	0.02
420VM0051	Vite esagono inc. m8 x 50 inox uni 5931	I	0.42
420VM0053	Vite esagono inc m4 x 10 inox uni 5931	I	0.08
420VM0055	Limited stock; pressa cavo passo PG9 IP 66	I	0.72
420VM0064	Limited stock; vite TE M6X25 UNI 5739 ZNB	I	0.06
420VM0073	Vite m6x16 t.s. znb uni5933	I	0.12
420VM0075	Asta per livellatrice diam.6 l=650 mm	I	1.94
420VM0076	Vite te m8x80 znb uni739	I	0.38
420VM0082	Shaft female 1/8"-m8x0,75	I	7.64
420VM0083	Vite T.C. M4X50 ZNB UNI 6107	I	0.18
420VM0084	Blocchetto alluminio 4 fori-1/4	I	12.30
420VM0087	Pressacavo pg 9 grey ip 68	I	0.15
420VM0087A	Presse étoupe pa ral7035 ip68 pg9	I	0.51
420VM0090	Square nut m18x1,5	I	5.59
420VM0091	Gommino x asta livellatrice "	I	2.81
420VM0094	Tirante registrabile	I	12.70
420VM0096	Vite te m4x40 uni 5739znb	I	0.06
420VM0098	Dado m8 znb flangiato	I	0.08
420VM0099	Vite m8x30 zn flangiata	I	0.38
420VM0102COMP	Limited stock; U bolt m8 diam 396	I	6.05
420VM0103COMP	Limited stock; Archetto D=310 L=920 completo	I	2.96
420VM0104	Support; for manometer, inox D100 1/2" Gas	I	33.20
420VM0105	Hexagonal nut 1/2" gas	I	2.35
420VM0108	Vite m8x20 zn flangiata	I	0.22

Part number	Description	Code	List Price € (excl. VAT)
420VM0109COMP	Archetto d=310 l=880 corto completo	I	5.76
420VM0111	Dado esagonale autobl.m8 uni7473	I	0.09
420VM0113	Dado esagonale autobl.m4 uni7473	I	0.03
420VM0115	Asta per livellatrice diam.6 l=400 mm	I	1.42
420VM0120	Vite te+fl zincata 8.8 din6921 8x40	I	0.42
420VM0121	Pad wear indicator (PWI); cable (mm) 870; single pad indication	I	31.10
420VM0123	Limited stock; Scatola di deriv.liscia 100x100 h 50	M	7.60
420VM0124	Gommino x asta livellatrice tipo " "	I	6.42
420VM0125	Vite m8x16 zn flangiata	I	0.26
420VM0126	Shaft female 1/8" -m8x1	I	9.63
420VM0129	Nut d3 inox	I	0.02
420VM0130	Washer theeted d3 inox	I	0.02
420VM0131	Screw m3 x12 inox	I	0.04
420VM0300	Alu manifold; tube ø 8mm & 6mm; straight: 6mm & 1mm; check point: no & no; Plug: 1	I	57.80
420VM0301	Alu manifold; tube ø 8mm & 6mm; straight: 6mm; check point: no; Plug: 1	I	63.80
420VM0303	Vite esagono inc m8x20 inox uni 5931	I	0.23
420VM0304	Vite esagono inc. m8x16 inox uni 5931	I	0.22
420VP0005	Limited stock; Staffa 3 modulo modal twin	I	5.17
420VP0034	Staffa per ilas * 131919494	I	28.70
42150003	Levelling valve, Height Control valve; type: EGP	F	187.00
42593163	Air connection; for brake chamber2x M16	C	35.50
48000	Motor support	N	11.40
48100225	Linkage; for levelling valve (90554...); SRK 168; max length: 19-5/8"; (for type CR)	F	24.40
48100287	Linkage; for levelling valve (90554...); SRK 225; max length: 13-1/2"; c/w 12" control arm; (for type IR)	F	59.60
50099-00	Motor pump	N	365.00
50132-00	Solenoid; motor: classic MB 769; 24V	N	104.00
50216-00	Start switch; motor MG/MB/MD/MA/MF; 24V	N	113.00
51326	Rack; for version AA1	A	18.80
531040001	Rotary connector; 6 way	I	1960.00
54002709	Joint CU 18x22	I	0.61
541835	Valve lifter; for automatic drain valve/Consep; for ADV/Consep w/o drain collector	D	8.12
551018001	3/2-way valve; plunger knob; ports: M14x1.5; 8.0V	E	163.00
554005001	3/2-way valve; w/o knob; ports: M14x1.5; 8.0V	E	134.00
554020001	3/2-way valve; w/o knob; ports: M16x1.5; 10.0V	E	293.00
56018309	Pipe clamp for dia 8 mm	I	0.86
567002002	Pressure limiting valve; pre-set pressure (bar): 1.5 (0.0-1.5); ports: M12+M16x1.5	D	195.00
567006001	Pressure limiting valve; pre-set pressure (bar): 0.3; ports: M12x1.5	D	192.00

Part number	Description	Code	List Price € (excl. VAT)
580001	3/2 way valve	E	35.80
580002	3/2 way valve; 1/8"; bi-stable c/w top lever; manual	E	50.50
580003	Pressure limiting valve	E	36.90
580004	3/2 way valve; 1/8"; normally opened-pneumatic pilot	E	41.40
580005	Quick release valve (QRV)	E	16.30
580006	3/2 way valve; 1/8"; roller lever; spring return	E	59.60
580009	Self steering axle valveN.O.(triple command)	E	164.00
580011	Double check valve; 1/8"	E	13.40
580013	One way flow regulator	E	13.60
580014K	3/2 way valve; 1/8"; solenoid; normally closed-spring	E	83.70
580019	3/2 way valve; 1/8"; normally closed pneumatic pilot-spring	E	38.60
580023K	3/2 way valve; 1/8"; solenoid; spring return	E	87.70
580024	5/2 way valve; 1/4"; normally open detented; push-pull	E	63.10
580027K	3/2 way valve; 1/4"; solenoid; spring return	E	95.50
580028	Control valve	E	148.00
580029	Limited stock; 3/2 way valve; 1/8"; tappet operated - spring return	E	23.40
580032	5/2 way valve; 1/4"; pneumatic pilot	E	73.00
580033K	3/2 way valve; 1/4"; solenoid; spring return	E	125.00
580035	100cc capacity air tank	E	119.00
580036	Pressure limiting valveM16x1.5 adjust. at 7.5 bar	E	62.70
580038K	3/2 way valve; 1/8"; solenoid; normally closed	E	53.00
580039	Double check valve; 1/4"	E	14.40
580040K	3/2 way valve; 1/8"; solenoid; normally opened/closed	E	87.00
580042K	3/2 way valve; 1/8"; solenoid; normally opened	E	83.90
580044	Pressure gauge; Ø50 mm; 1/4"	E	10.30
580050	3/2 way valve; 1/8"; c/w red knob	E	83.50
580060	3/2 way valve; 1/8"; solenoid	E	45.50
580061	5/2 way valve; 1/8"; normally opened; push pull	E	51.30
580062	Pneumatic valve; 5/3 ways 1/8"	E	72.90
580065K	5/2 way valve; 1/4"; c/w coil	E	85.50
580066K	DC coil	E	58.50
580067	3/2 way valve; 1/4"; normally closed; pneumatic pilot	E	51.10
580068X	Pressure gauge	E	27.90
580070	3/2 way valve; 1/8	E	58.40
580071	3/2 way valve; 1/4"; normally closed; 90°	E	68.30
580073	Special 3/2 way valve1/8", with manual bi-stable	E	156.00
580074	5/2 way valve; 24V; 2W+/-10%; 1/8"	E	12.90
580075K	3/2 way valve; 1/8"; solenoid; normally opened	E	82.70
580078	3/2 way valve; 1/8"; with manual bi-stable; Electrical	E	156.00
580082	Pressure gauge; 0-10 bar	E	70.10
580084	3/2 way valve; 1/8"; normally closed/opened; pneumatic	E	44.20
580085K	5/2 way valve;+connector; complete	E	219.00

Part number	Description	Code	List Price € (excl. VAT)
580086C	3/2 way valve; 1/4"; solenoid;-40°/+100°C	E	58.40
580090	3/2 way micro valve; normally closed; M5 threaded	E	34.20
580097	Deviatore da cruscotto	E	89.20
580098	Ghiera di bloccaggio	E	12.00
580109	5/2 way manual valve; c/w to-plever; 522L; 1/4"bistable	E	71.00
580111	Pressure protection valve	E	170.00
580131159802	Fitting manifold; M12x1.5; 76mm; 9mm	I	25.60
580131159804	Fitting manifold	I	20.50
580D20040	Cylinder double effect; for 980000111038, 980000111055, 980000111906ø20 mm; stroke 40 mm	C	79.50
580D20040WS	Control cylinder; ø20 mm; stroke 40 mm; c/w boot	C	58.90
580LP1	Axle lift valve	E	226.00
580S20040SP	Cylinder	C	62.70
580S20100	Limited stock; Cylinder simple effect; for 980000159002	C	42.90
601002001	Load sensing valve; mechanical; lever length (mm): 90-176; mount height (mm): 140-1045	E	631.00
601002021	Load sensing valve; mechanical; lever length (mm): 25-50; mount height (mm): 140-1045	E	569.00
601002071	Load sensing valve; mechanical; lever length (mm): 25-50; mount height (mm): 100-985	E	631.00
601013001	Load sensing valve; mechanical; lever length (mm): 50-130; mount height (mm): 120-1025	E	482.00
601013011	Load sensing valve; mechanical; lever length (mm): 50-130; mount height (mm): 120-1025	E	462.00
60114-00	DC motor; Ø (mm): 112; He2000; kit; voltage (V): 24; power (kW): 2; rotation side: right; c/w overheat protection; flange: special	N	547.00
60115-00	DC motor; Ø (mm): 112; He2000; kit; voltage (V): 24; power (kW): 2; rotation side: right; c/w overheat protection; flange: special	N	547.00
602005001	Load sensing valve; pneumatic	E	457.00
60296-00	Limited stock; Motor pump	N	333.00
60654-00	Solenoid; 24V	N	74.00
612017001	Levelling valve, Aluminium; type: 1.25; ports (mm): M12x1.5; lever: w/o (round)	F	148.00
612017061	Levelling valve, Aluminium; type: 1.25; ports (mm): M12x1.5; lever: loose/round	F	148.00
612017071	Levelling valve, Aluminium; type: 1.25; ports (mm): M12x1.5; lever: loose/round	F	148.00
612017091	Levelling valve, Aluminium; type: 3.0; ports (mm): M12x1.5; lever: loose/round	F	148.00
612025001	Linkage kit; for levelling valve (612.....); chassis connection; M8	F	14.60
612025011	Linkage; for levelling valve; Schmitz	F	14.60
612031011	Levelling valve, Aluminium; type: 1.3; ports (mm): M12x1.5+M16x1.5; lever: w/o (flat)	F	381.00

Part number	Description	Code	List Price € (excl. VAT)
612032001	Levelling valve, Aluminium; type: 1.3; ports (mm): M12x1.5+M16x1.5; lever: loose/round	F	250.00
612035001	Levelling valve, EGP; type: 1.25; ports (mm): M12x1.5; lever: w/o (round)	F	45.00
612035011	Levelling valve, EGP; type: 1.25; ports (mm): M12x1.5; lever: loose/round	F	148.00
612035021	Levelling valve, EGP; type: 3.0; ports (mm): M12x1.5; lever: loose/round	F	148.00
612035031	Levelling valve, EGP; type: 4.0; ports (mm): M12x1.5; lever: loose/round	F	148.00
612035041	Levelling valve, EGP; type: 1.25; ports (mm): 8; push-in; lever: loose/round	F	158.00
612035051	Levelling valve, EGP; type: 3.0; ports (mm): 8; push-in; lever: loose/round	F	158.00
612035061	Levelling valve, EGP; type: 4.0; ports (mm): 8; push-in; lever: loose/round	F	158.00
612035071	Levelling valve, EGP; type: 5.0; ports (mm): 8; push-in; lever: loose/round	F	158.00
612035081	Levelling valve, EGP; push-in; lever: loose/round	F	148.00
612035091	Levelling valve, EGP; push-in; lever: loose/round	F	158.00
612036001	Levelling valve, EGP; type: 1.25; ports (mm): 1/4"-18NPTF; lever: w/o (round)	F	142.00
612041021	Levelling valve, EGP; type: 5.0; ports (mm): 8; push-in	F	164.00
612043001	Linkage	F	8.66
612046211	Levelling valve, EGP; type: 3.0; ports (mm): 8; push-in; lever: loose/round	F	292.00
612046212	Levelling valve, EGP; type: 3.0; ports (mm): 8; push-in; lever: loose/round	F	292.00
612046251	Levelling valve, EGP; type: 3.0; ports (mm): M12x1.5; lever: w/o (round)	F	292.00
612046252	Levelling valve, EGP; type: 3.0; ports (mm): M12x1.5; lever: w/o (round)	F	292.00
612046261	Levelling valve, EGP; type: 3.0; ports (mm): 8; push-in; lever: loose/round	F	292.00
612046271	Levelling valve, EGP; type: 1.25; ports (mm): 1/4"-18NPTF; lever: loose/round	F	292.00
612046461	Levelling valve, EGP; type: 3.0; ports (mm): 8; push-in; lever: loose/round	F	180.00
612047002	Levelling valve, EGP; type: 3.0; ports (mm): 8; push-in; lever: loose/round	F	299.00
612048101	Levelling valve, EGP; type: 1.25; ports (mm): M12x1.5; lever: assembled/flat/straight/120 mm	F	169.00
612048111	Levelling valve, EGP; type: 3.0; ports (mm): M12x1.5; lever: assembled/flat/60 mm offset/160 mm	F	169.00

Part number	Description	Code	List Price € (excl. VAT)
612048131	Levelling valve, EGP; type: 1.25; ports (mm): M12x1.5; lever: assembled/flat/60 mm offset/160 mm	F	169.00
612048171	Levelling valve, EGP; type: 3.0; ports (mm): M12x1.5; lever: assembled/flat/30 mm offset/70 mm	F	169.00
612048181	Levelling valve, EGP; type: 1.25; ports (mm): M12x1.5; lever: assembled/flat/60 mm offset/120 mm	F	169.00
612048191	Levelling valve, EGP; type: 3.0; ports (mm): M12x1.5; lever: assembled/flat/60 mm offset/120 mm	F	169.00
612056001	Levelling valve, EGP; type: 4.0; ports (mm): 8; push-in; lever: loose/round	F	167.00
612056021	Levelling valve, EGP; type: 4.0; ports (mm): 8; push-in; lever: loose/round	F	167.00
612057001	Levelling valve, EGP; type: 3.0; ports (mm): 8; push-in; lever: loose/round	F	143.00
612080001	Alu manifold; tube ø 8mm & 12mm; straight: 7mm & 1mm; check point: no; Plug: no	F	72.10
612080011	Alu manifold; tube ø 8mm; straight: 8mm; check point: no; Plug: no	F	72.10
613005001	Variable load sensing valve; mechanical	E	651.00
6204110030110	Reman compressor RVI 411 003 011 0 (core PN=9204110030110)	H	1660.00
6204111510090	Reman compressor MAN 411 151 009 0 (core PN=9204111510090)	H	673.00
6204111540040	Reman compressor MB 411 154 004 0 (core PN=9204111540040)	H	643.00
6204123520200	Reman compressor IVECO 412 352 020 0 (core PN=9204123520200)	H	601.00
6204124420000	Reman compressor RVI 412 442 000 0 (core PN=9204124420000)	H	752.00
6204127040180	Reman compressor VOLVO RVI RMP4127040180 (core PN=9204127040180)	H	752.00
6204127040277	Reman compressor VOLVO RVI 412 704 027 7 (core PN=9204127040277)	H	1270.00
62051541006007	Reman compressor MAN 515 410 0600 7 (core PN=92051541006007)	H	1140.00
6209115045040	Reman compressor DAF 911 504 504 0 (core PN=9209115045040)	H	808.00
6209115045060	Reman compressor DAF 911 504 506 0 (core PN=9209115045060)	H	808.00
6209125140040	Reman compressor VOLVO RMP9125140040	H	752.00
6209125140090	Reman compressor SCANIA 912 514 0009 0 (core PN=9209125140090)	H	824.00
6209125180040	Reman compressor DAF 912 518 004 0 (core PN=9209125180040)	H	1040.00
620ACX83D	Reman compressor IVECO ACX83D (core PN=920ACX83D)	H	643.00
620LK1567	Reman compressor RVI LK1567 (core PN=920LK1567)	H	795.00
620LK3841	Reman compressor VOLVO LK3841	H	574.00
620LK3869	Reman compressor LK3869 (core PN=920LK3869)	H	800.00

Part number	Description	Code	List Price € (excl. VAT)
620LK4936	Reman compressor IVECO LK4936 (core PN=920LK4936)	H	563.00
620LK4941	Reman compressor SCANIA LK4941 (core PN=920LK4941)	H	648.00
620LP3970	Reman compressor VOLVO LP3970 (core PN=920LP3970)	H	596.00
620LP3980	Reman compressor MAN LP3980 (core PN=920LP3980)	H	673.00
620LP3997	Reman compressor MAN LP3997 (core PN=920LP3997)	H	700.00
620LP4845	Reman compressor RVI LP4845 (core PN=920LP4845)	H	581.00
620LP4851	Reman compressor RVI LP4851 (core PN=920LP4851)	H	648.00
620LP4855	Reman compressor RVI LP4855 (core PN=920LP4855)	H	685.00
620LP4857	Reman compressor IVECO LP4857 (core PN=920LP4857)	H	601.00
620LP4964	Reman compressor SCANIA LP4964 (core PN=920LP4964)	H	777.00
620LP4985	Reman compressor VOLVO LP4985 (core PN=920LP4985)	H	643.00
680002127	Cable; 16m; c/w aspack	M	80.40
70753C	Automatic brake adjuster AA1; boxed; control unit: 74253; N42x1.5x13H DIN 5480; no. of holes: 1; L1: 145; Daimler	A	339.00
70754C	Automatic brake adjuster AA1; boxed; control unit: 74253; N42x1.5x13H DIN 5480; no. of holes: 1; L1: 145; Daimler	A	339.00
70762C	Automatic brake adjuster AA1; boxed; control unit: 74877; A38x34 DIN 5482; no. of holes: 2; L1: 180; Saurer	A	425.00
70764C	Automatic brake adjuster AA1; boxed; control unit: 74871; A38x34 DIN 5482; no. of holes: 2; L1: 180; Saurer	A	425.00
70771C	Automatic brake adjuster AA1; boxed; control unit: 74255; N42x1.5x13H DIN 5480; no. of holes: 1; L1: 115; Daimler/Neoplan	A	339.00
70772C	Automatic brake adjuster AA1; boxed; control unit: 74255; N42x1.5x13H DIN 5480; no. of holes: 1; L1: 115; Daimler/Neoplan	A	339.00
70802C	Automatic brake adjuster AA1; boxed; control unit: 74422; SAE 1 1/2" 10; no. of holes: 3; L1: 203; SAF	A	271.00
70803C	Automatic brake adjuster AA1; boxed; control unit: 74422; SAE 1 1/2" 10; no. of holes: 3; L1: 203; SAF	A	271.00
70865C	Automatic brake adjuster AA1; boxed; control unit: 74438; SAE 1 1/2" 10; no. of holes: 2; L1: 210; SAB	A	306.00
70866C	Automatic brake adjuster AA1; boxed; control unit: 74962; SAE 1 1/2" 10; no. of holes: 2; L1: 210; SAB	A	317.00
70867C	Automatic brake adjuster AA1; boxed; control unit: 74482; N42x1.5x13H DIN 5480; no. of holes: 1; L1: 145; Daimler	A	317.00

Part number	Description	Code	List Price € (excl. VAT)
70903C	Automatic brake adjuster AA1; boxed; control unit: 74865; SAE 1 1/2" 10; no. of holes: 1; L1: 160; Menarini/Bredamenerinibus	A	328.00
70919C	Automatic brake adjuster AA1; boxed; control unit: 74860; 32 UNI 222; no. of holes: 1; L1: 180; Sicca/Bredamenarinibus	A	384.00
70932C	Automatic brake adjuster AA1; boxed; control unit: 74893; N42x1.5x13H DIN 5480; no. of holes: 1; L1: 165; Volvo	A	342.00
70949C	Automatic brake adjuster AA1; boxed; control unit: 74459; SAE 1 1/2" 10; no. of holes: 4; L1: 200; SAF	A	229.00
70950C	Automatic brake adjuster AA1; boxed; control unit: 74884; N42x1.5x13H DIN 5480; no. of holes: 1; L1: 110; Daimler	A	386.00
70952C	Automatic brake adjuster AA1; boxed; control unit: 74782; N42x1.5x13H DIN 5480; no. of holes: 1; L1: 145; Daimler	A	368.00
70953C	Automatic brake adjuster AA1; boxed; control unit: 74782; N42x1.5x13H DIN 5480; no. of holes: 1; L1: 145; Daimler	A	368.00
70954C	Automatic brake adjuster AA1; boxed; control unit: 74682; N42x1.5x13H DIN 5480; no. of holes: 1; L1: 145; Daimler	A	224.00
70957C	Automatic brake adjuster AA1; boxed; control unit: 74414; SAE 1 1/2" 10; no. of holes: 1; L1: 152; Volvo	A	329.00
70969C	Automatic brake adjuster AA1; boxed; control unit: 74422; SAE 1 1/2" 10; no. of holes: 3; L1: 198; SAF/BPW	A	339.00
70970C	Automatic brake adjuster AA1; boxed; control unit: 74422; SAE 1 1/2" 10; no. of holes: 3; L1: 198; SAF/BPW	A	339.00
71020	Repair kit; for twin air drier drain valve	D	52.50
71034	Air drier cartridge kit; for twin air drier; 10 bar	D	316.00
71036	Centre section repair kit; for twin air drier; 10 bar	D	176.00
71038	Repair kit; for twin air drier shuttle valve	D	52.00
71054	Air drier cartridge+repair kit; for single air drier	D	243.00
71059	Air drier cartridge kit; for single air drier	D	141.00
71060	Repair kit; for single air drier non-return valveoutlet	D	35.70
71200	Twin air drier (TD); series 200; cut-out (bar): 8; range: 0.7+0.5; 13 safety valve (bar)	D	1720.00
71206	Twin air drier (TD); series 200; w/o Governor; w/o safety valve (bar)	D	1280.00
71230	Single air drier (SD); M12x1.75	D	756.00
71239	Single air drier (SD); M12x1.75	D	876.00
71240	Single air drier (SD); safety valve (bar): 13M12x1.5	D	814.00

Part number	Description	Code	List Price € (excl. VAT)
71311S	Automatic drain valve (ADV); (elec); M22x1.5; electrical connection: M24; voltage (V)/ current (A): 24/0.5; max. operating pressure (bar): 20	D	207.00
71313	Automatic drain valve (ADV); (elec); 1/4" NPTF; electrical connection: M24; voltage (V)/ current (A): 24/0.5; max. operating pressure (bar): 20	D	233.00
71317S	Automatic drain valve (ADV); (elec); M22x1.5; electrical connection: M24; voltage (V)/ current (A): 12/1; max. operating pressure (bar): 20	D	237.00
71323S	Automatic drain valve (ADV); (elec); M22x1.5; electrical connection: M27; voltage (V)/ current (A): 24/0.5; max. operating pressure (bar): 20	D	172.00
71325	Automatic drain valve (ADV); (elec); M22x1.5; electrical connection: M24; voltage (V)/ current (A): 24/0.5; max. operating pressure (bar): 20	D	250.00
71327	Repair kit; for automatic drain valve; complete	D	38.00
71341	Automatic drain valve (ADV); (elec); M22x1.5; electrical connection: M24; voltage (V)/ current (A): 24/0.5; max. operating pressure (bar): 20	D	250.00
71345	Automatic drain valve (ADV); (elec); 1/4" NPTF; electrical connection: M24; voltage (V)/ current (A): 12/1; max. operating pressure (bar): 20	D	250.00
71347	Automatic drain valve (ADV); (elec); M22x1.5; electrical connection: M24; voltage (V)/ current (A): 12/1; max. operating pressure (bar): 20	D	250.00
71376	Repair kit; for Consep; condenser side; complete	D	30.40
71868S	Cartridge grip ring kit; for single air drier SDX	D	65.00
72007C	Automatic brake adjuster AA1; boxed; control unit: 74471; SAE 1 1/2" 10; no. of holes: 3; L1: 178; SAF	A	309.00
72008C	Automatic brake adjuster AA1; boxed; control unit: 74471; SAE 1 1/2" 10; no. of holes: 3; L1: 178; SAF	A	309.00
72053C	Automatic brake adjuster AA1; boxed; control unit: 74270; SAE 1 1/2" 10; no. of holes: 4; L1: 210; SAF/BPW	A	229.00
72055C	Automatic brake adjuster AA1; boxed; control unit: 74770; N42x1.5x13H DIN 5480; no. of holes: 1; L1: 145; Daimler	A	106.00
72059C	Automatic brake adjuster AA1; boxed; control unit: 74686; N42x1.5x13H DIN 5480; no. of holes: 1; L1: 145; Daimler	A	224.00
72060C	Automatic brake adjuster AA1; boxed; control unit: 74272; N42x1.5x13H DIN 5480; no. of holes: 1; L1: 145; Daimler	A	224.00

Part number	Description	Code	List Price € (excl. VAT)
72061C	Automatic brake adjuster AA1; boxed; control unit: 74272; N42x1.5x13H DIN 5480; no. of holes: 1; L1: 145; Daimler	A	224.00
72064C	Automatic brake adjuster AA1; boxed; control unit: 74269; N42x1.5x13H DIN 5480; no. of holes: 1; L1: 145; Daimler	A	339.00
72065C	Automatic brake adjuster AA1; boxed; control unit: 74269; N42x1.5x13H DIN 5480; no. of holes: 1; L1: 145; Daimler	A	339.00
72173C	Automatic brake adjuster AA1; boxed; control unit: 74293; N42x1.5x13H DIN 5480; no. of holes: 1; L1: 145; Daimler	A	359.00
72174C	Automatic brake adjuster AA1; boxed; control unit: 74293; N42x1.5x13H DIN 5480; no. of holes: 1; L1: 145; Daimler	A	359.00
72180C	Automatic brake adjuster AA1; boxed; control unit: 74357; SAE 1 1/2" 28; no. of holes: 1; L1: 127; Foden	A	306.00
72181C	Automatic brake adjuster AA1; boxed; control unit: 74357; SAE 1 1/2" 28; no. of holes: 1; L1: 140; Foden	A	306.00
72203C	Automatic brake adjuster AA1; boxed; control unit: 74778; A38x34 DIN 5482; no. of holes: 1; L1: 145; ZF/Neoplan	A	271.00
72204C	Automatic brake adjuster AA1; boxed; control unit: 74778; A38x34 DIN 5482; no. of holes: 1; L1: 145; ZF/Neoplan	A	271.00
72205C	Automatic brake adjuster AA1; boxed; control unit: 74404; N42x1.5x13H DIN 5480; no. of holes: 1; L1: 152; Kälble	A	75.70
72211C	Automatic brake adjuster AA1; boxed; control unit: 74477; N42x1.5x13H DIN 5480; no. of holes: 1; L1: 130; Daimler	A	224.00
72212C	Automatic brake adjuster AA1; boxed; control unit: 74477; N42x1.5x13H DIN 5480; no. of holes: 1; L1: 130; Daimler	A	224.00
72213C	Automatic brake adjuster AA1; boxed; control unit: 74476; N42x1.5x13H DIN 5480; no. of holes: 1; L1: 130; Daimler	A	224.00
72238C	Automatic brake adjuster AA1; boxed; control unit: 74266; SAE 1 1/2" 10; no. of holes: 3; L1: 178; SAF	A	271.00
72239C	Automatic brake adjuster AA1; boxed; control unit: 74266; SAE 1 1/2" 10; no. of holes: 3; L1: 178; SAF	A	271.00
72250C	Automatic brake adjuster AA1; boxed; control unit: 74632; SAE 1 1/2" 10; no. of holes: 5; L1: 250; SAF	A	196.00
72254C	Automatic brake adjuster AA1; boxed; control unit: 74632; SAE 1 1/2" 10; no. of holes: 4; L1: 210; Traylor/Samro	A	379.00
72262C	Automatic brake adjuster AA1; boxed; control unit: 74567; SAE 1 1/2" 10; no. of holes: 5; L1: 215; Sisu	A	317.00

Part number	Description	Code	List Price € (excl. VAT)
72326C	Automatic brake adjuster AA1; boxed; control unit: 74778; A38x34 DIN 5482; no. of holes: 1; L1: 152; ZF	A	344.00
72330C	Automatic brake adjuster AA1; boxed; control unit: 74900; A38x34 DIN 5482; no. of holes: 1; L1: 152; Van Hool/ Iveco Turbocity/ Bredamenarinibus	A	240.00
72361C	Automatic brake adjuster AA1; boxed; control unit: 74990; SAE 1 1/2" 10; no. of holes: 1; L1: 115; MCW	A	332.00
72367C	Automatic brake adjuster AA1; boxed; control unit: 74902; SAE 1 1/2" 10; no. of holes: 1; L1: 140; Dennis	A	332.00
72416C	Automatic brake adjuster AA1; boxed; control unit: 74590; A36x40 DIN 5481; no. of holes: 4; L1: 250; Kässbohrer	A	322.00
72417C	Automatic brake adjuster AA1; boxed; control unit: 74592; SAE 1 1/2" 10; no. of holes: 1; L1: 165; Foden	A	340.00
72428C	Automatic brake adjuster AA1; boxed; control unit: 74385; SAE 1 1/2" 10; no. of holes: 1; L1: 145; Sisu	A	229.00
72429C	Automatic brake adjuster AA1; boxed; control unit: 74386; SAE 1 1/2" 10; no. of holes: 1; L1: 145; Sisu	A	229.00
72459C	Automatic brake adjuster AA1; boxed; control unit: 74900; A38x34 DIN 5482; no. of holes: 1; L1: 160; Van Hool	A	430.00
72460C	Automatic brake adjuster AA1; boxed; control unit: 74900; A38x34 DIN 5482; no. of holes: 1; L1: 160; Van Hool	A	430.00
72461C	Automatic brake adjuster AA1; boxed; control unit: 74373; A38x34 DIN 5482; no. of holes: 1; L1: 150; Van Hool	A	344.00
72462C	Automatic brake adjuster AA1; boxed; control unit: 74373; A38x34 DIN 5482; no. of holes: 1; L1: 150; Van Hool	A	344.00
72517C	Automatic brake adjuster AA1; boxed; control unit: 74284; SAE 1 1/2" 10; no. of holes: 1; L1: 145; Volvo	A	307.00
72521C	Automatic brake adjuster AA1; boxed; control unit: 74507; SAE 1 1/2" 10; no. of holes: 1; L1: 145; Sisu	A	420.00
72522C	Automatic brake adjuster AA1; boxed; control unit: 74507; SAE 1 1/2" 10; no. of holes: 1; L1: 145; Sisu	A	420.00
72523C	Automatic brake adjuster AA1; boxed; control unit: 74558; SAE 1 1/2" 10; no. of holes: 1; L1: 140; DAF	A	193.00
72524C	Automatic brake adjuster AA1; boxed; control unit: 74558; SAE 1 1/2" 10; no. of holes: 1; L1: 140; DAF	A	193.00

Part number	Description	Code	List Price € (excl. VAT)
72525C	Automatic brake adjuster AA1; boxed; control unit: 74555; SAE 1 1/2" 10; no. of holes: 1; L1: 140; DAF	A	229.00
72526C	Automatic brake adjuster AA1; boxed; control unit: 74555; SAE 1 1/2" 10; no. of holes: 1; L1: 140; DAF	A	229.00
72530C	Automatic brake adjuster AA1; boxed; control unit: 74555; SAE 1 1/2" 10; no. of holes: 1; L1: 140; DAF	A	313.00
72532C	Automatic brake adjuster AA1; boxed; control unit: 74558; SAE 1 1/2" 10; no. of holes: 1; L1: 165; DAF	A	273.00
72533C	Automatic brake adjuster AA1; boxed; control unit: 74558; SAE 1 1/2" 10; no. of holes: 1; L1: 165; DAF	A	273.00
72534C	Automatic brake adjuster AA1; boxed; control unit: 74555; SAE 1 1/2" 10; no. of holes: 1; L1: 140; DAF	A	273.00
72536C	Automatic brake adjuster AA1; boxed; control unit: 74557; SAE 1 1/2" 10; no. of holes: 1; L1: 140; DAF	A	270.00
72537C	Automatic brake adjuster AA1; boxed; control unit: 74557; SAE 1 1/2" 10; no. of holes: 1; L1: 140; DAF	A	270.00
72538C	Automatic brake adjuster AA1; boxed; control unit: 74560; SAE 1 1/2" 10; no. of holes: 1; L1: 165; DAF	A	209.00
72539C	Automatic brake adjuster AA1; boxed; control unit: 74560; SAE 1 1/2" 10; no. of holes: 1; L1: 165; DAF	A	209.00
72542C	Automatic brake adjuster AA1; boxed; control unit: 74557; SAE 1 1/2" 10; no. of holes: 1; L1: 165; DAF	A	250.00
72543C	Automatic brake adjuster AA1; boxed; control unit: 74557; SAE 1 1/2" 10; no. of holes: 1; L1: 165; DAF	A	250.00
72544C	Automatic brake adjuster AA1; boxed; control unit: 74556; SAE 1 1/2" 10; no. of holes: 1; L1: 143; DAF	A	250.00
72545C	Automatic brake adjuster AA1; boxed; control unit: 74556; SAE 1 1/2" 10; no. of holes: 1; L1: 143; DAF	A	250.00
72547C	Automatic brake adjuster AA1; boxed; control unit: 74560; SAE 1 1/2" 10; no. of holes: 1; L1: 165; DAF	A	283.00
72548C	Automatic brake adjuster AA1; boxed; control unit: 74561; SAE 1 1/2" 10; no. of holes: 1; L1: 140; DAF	A	267.00
72560C	Automatic brake adjuster AA1; boxed; control unit: 74145; SAE 1 1/2" 10; no. of holes: 1; L1: 152; Leyland	A	349.00
72566C	Automatic brake adjuster AA1; boxed; control unit: 74580; 40x1.5 CSN 014950.1; no. of holes: 1; L1: 200; Liaz	A	250.00

Part number	Description	Code	List Price € (excl. VAT)
72567C	Automatic brake adjuster AA1; boxed; control unit: 74580; 40x1.5 CSN 014950.1; no. of holes: 1; L1: 200; Liaz	A	250.00
72568C	Automatic brake adjuster AA1; boxed; control unit: 74262; SAE 1 1/2" 10; no. of holes: 1; L1: 165; Foden	A	238.00
72581C	Automatic brake adjuster AA1; boxed; control unit: 74570; SAE 1 1/2" 10; no. of holes: 5; L1: 215; SAF	A	312.00
72591C	Automatic brake adjuster AA1; boxed; control unit: 74485; A38x34 DIN 5482; no. of holes: 1; L1: 150; Kässbohrer	A	229.00
72592C	Automatic brake adjuster AA1; boxed; control unit: 74485; A38x34 DIN 5482; no. of holes: 1; L1: 150; Kässbohrer	A	229.00
72596C	Automatic brake adjuster AA1; boxed; control unit: 74885; N42x1.5x13H DIN 5480; no. of holes: 1; L1: 145; Daimler	A	240.00
72597C	Automatic brake adjuster AA1; boxed; control unit: 74801; N42x1.5x13H DIN 5480; no. of holes: 1; L1: 145; Daimler	A	224.00
72598C	Automatic brake adjuster AA1; boxed; control unit: 74801; N42x1.5x13H DIN 5480; no. of holes: 1; L1: 145; Daimler	A	224.00
72608C	Automatic brake adjuster AA1; boxed; control unit: 74555; SAE 1 1/2" 10; no. of holes: 1; L1: 140; DAF	A	270.00
72609C	Automatic brake adjuster AA1; boxed; control unit: 74555; SAE 1 1/2" 10; no. of holes: 1; L1: 140; DAF	A	270.00
72641C	Automatic brake adjuster AA1; boxed; control unit: 74572; A38x34 DIN 5482; no. of holes: 1; L1: 152; ZF/ Iveco Bus 490/Breda-menarinibus	A	229.00
72645C	Automatic brake adjuster AA1; boxed; control unit: 74511; SAE 1 1/2" 10; no. of holes: 5; L1: 250; SAF/BPW	A	313.00
72646C	Automatic brake adjuster AA1; boxed; control unit: 74373; A38x34 DIN 5482; no. of holes: 1; L1: 150; Van Hool	A	271.00
72647C	Automatic brake adjuster AA1; boxed; control unit: 74373; A38x34 DIN 5482; no. of holes: 1; L1: 150; Van Hool	A	271.00
72662C	Automatic brake adjuster AA1; boxed; control unit: 74230; SAE 1 1/2" 10; no. of holes: 1; L1: 165; Scania	A	229.00
72663C	Automatic brake adjuster AA1; boxed; control unit: 74229; SAE 1 1/2" 10; no. of holes: 1; L1: 165; Scania	A	229.00
72664C	Automatic brake adjuster AA1; boxed; control unit: 74229; SAE 1 1/2" 10; no. of holes: 1; L1: 165; Scania	A	229.00

Part number	Description	Code	List Price € (excl. VAT)
72667C	Automatic brake adjuster AA1; boxed; control unit: 74966; SAE 1 1/2" 10; no. of holes: 1; L1: 140; Volvo	A	314.00
72670C	Automatic brake adjuster AA1; boxed; control unit: 74444; SAE 1 1/2" 10; no. of holes: 1; L1: 165; Volvo	A	326.00
72671C	Automatic brake adjuster AA1; boxed; control unit: 74444; SAE 1 1/2" 10; no. of holes: 1; L1: 165; Volvo	A	326.00
72677C	Automatic brake adjuster AA1; boxed; control unit: 74983; SAE 1 1/2" 10; no. of holes: 1; L1: 140; Volvo	A	321.00
72678C	Automatic brake adjuster AA1; boxed; control unit: 74472; SAE 1 1/2" 10; no. of holes: 1; L1: 140; Volvo	A	229.00
72679C	Automatic brake adjuster AA1; boxed; control unit: 74608; SAE 1 1/2" 10; no. of holes: 1; L1: 140; DAF	A	229.00
72680C	Automatic brake adjuster AA1; boxed; control unit: 74608; SAE 1 1/2" 10; no. of holes: 1; L1: 140; DAF	A	229.00
72688C	Automatic brake adjuster AA1; boxed; control unit: 74475; A38x34 DIN 5482; no. of holes: 1; L1: 145; ZF	A	350.00
72689C	Automatic brake adjuster AA1; boxed; control unit: 74475; A38x34 DIN 5482; no. of holes: 1; L1: 145; ZF	A	350.00
72695C	Automatic brake adjuster AA1; boxed; control unit: 74189; SAE 1 1/2" 10; no. of holes: 1; L1: 143; DAF	A	273.00
72696C	Automatic brake adjuster AA1; boxed; control unit: 74189; SAE 1 1/2" 10; no. of holes: 1; L1: 143; DAF	A	273.00
72698C	Automatic brake adjuster AA1; boxed; control unit: 74926; A38x34 DIN 5482; no. of holes: 1; L1: 150; Nishiuimi	A	273.00
72704C	Automatic brake adjuster AA1; boxed; control unit: 74555; SAE 1 1/2" 10; no. of holes: 1; L1: 145; DAF	A	229.00
72705C	Automatic brake adjuster AA1; boxed; control unit: 74555; SAE 1 1/2" 10; no. of holes: 1; L1: 145; DAF	A	229.00
72717C	Automatic brake adjuster AA1; boxed; control unit: 74402; SAE 1 1/2" 10; no. of holes: 1; L1: 127; Volvo	A	334.00
72718C	Automatic brake adjuster AA1; boxed; control unit: 74402; SAE 1 1/2" 10; no. of holes: 1; L1: 127; Volvo	A	334.00
72725C	Automatic brake adjuster AA1; boxed; control unit: 74402; SAE 1 1/2" 10; no. of holes: 1; L1: 127; Volvo	A	329.00
72726C	Automatic brake adjuster AA1; boxed; control unit: 74472; SAE 1 1/2" 10; no. of holes: 1; L1: 152; Volvo	A	271.00

Part number	Description	Code	List Price € (excl. VAT)
72727C	Automatic brake adjuster AA1; boxed; control unit: 74390; SAE 1 1/2" 10; no. of holes: 1; L1: 130; Scania	A	333.00
72728C	Automatic brake adjuster AA1; boxed; control unit: 74390; SAE 1 1/2" 10; no. of holes: 1; L1: 130; Scania	A	333.00
72729C	Automatic brake adjuster AA1; boxed; control unit: 74499; SAE 1 1/2" 10; no. of holes: 1; L1: 130; Scania	A	339.00
72730C	Automatic brake adjuster AA1; boxed; control unit: 74499; SAE 1 1/2" 10; no. of holes: 1; L1: 130; Scania	A	339.00
72745C	Automatic brake adjuster AA1; boxed; control unit: 74453; SAE 1 1/2" 10; no. of holes: 1; L1: 165; Scania	A	339.00
72746C	Automatic brake adjuster AA1; boxed; control unit: 74758; SAE 1 1/2" 10; no. of holes: 1; L1: 130; Scania	A	339.00
72747C	Automatic brake adjuster AA1; boxed; control unit: 74758; SAE 1 1/2" 10; no. of holes: 1; L1: 130; Scania	A	339.00
72758C	Automatic brake adjuster AA1; boxed; control unit: 74807; A36x40 DIN 5481; no. of holes: 6; L1: 250; Kässbohrer	A	229.00
72782C	Automatic brake adjuster AA1; boxed; control unit: 74448; SAE 1 1/2" 10; no. of holes: 1; L1: 145; Volvo	A	229.00
72783C	Automatic brake adjuster AA1; boxed; control unit: 74448; SAE 1 1/2" 10; no. of holes: 1; L1: 145; Volvo	A	229.00
72784C	Automatic brake adjuster AA1; boxed; control unit: 74448; SAE 1 1/2" 10; no. of holes: 1; L1: 165; Volvo	A	229.00
72785C	Automatic brake adjuster AA1; boxed; control unit: 74448; SAE 1 1/2" 10; no. of holes: 1; L1: 165; Volvo	A	229.00
72788D	Automatic brake adjuster AA1; boxed; control unit: 74808; SAE 1 1/2" 10; no. of holes: 5; L1: 205; ROR	A	271.00
72788S	Automatic brake adjuster AA1; boxed; control unit: 74808; SAE 1 1/2" 10; no. of holes: 5; L1: 205; ROR	A	146.00
72809C	Automatic brake adjuster AA1; boxed; control unit: 74768; N42x1.5x13H DIN 5480; no. of holes: 1; L1: 130; Daimler	A	271.00
72810C	Automatic brake adjuster AA1; boxed; control unit: 74768; N42x1.5x13H DIN 5480; no. of holes: 1; L1: 130; Daimler	A	271.00
72811C	Automatic brake adjuster AA1; boxed; control unit: 74512; N42x1.5x13H DIN 5480; no. of holes: 1; L1: 130; Daimler	A	271.00
72812C	Automatic brake adjuster AA1; boxed; control unit: 74512; N42x1.5x13H DIN 5480; no. of holes: 1; L1: 130; Daimler	A	271.00

Part number	Description	Code	List Price € (excl. VAT)
72815C	Automatic brake adjuster AA1; boxed; control unit: 74427; SAE 1 1/2" 10; no. of holes: 1; L1: 140; DAF	A	271.00
72816C	Automatic brake adjuster AA1; boxed; control unit: 74427; SAE 1 1/2" 10; no. of holes: 1; L1: 140; DAF	A	271.00
72825C	Automatic brake adjuster AA1; boxed; control unit: 74235; SAE 1 1/2" 10; no. of holes: 1; L1: 165; Scania	A	271.00
72826C	Automatic brake adjuster AA1; boxed; control unit: 74235; SAE 1 1/2" 10; no. of holes: 1; L1: 165; Scania	A	271.00
72827C	Automatic brake adjuster AA1; boxed; control unit: 74718; SAE 1 1/2" 10; no. of holes: 3; L1: 178; SAE	A	271.00
72833C	Automatic brake adjuster AA1; boxed; control unit: 74558; SAE 1 1/2" 10; no. of holes: 1; L1: 165; DAF	A	279.00
72834C	Automatic brake adjuster AA1; boxed; control unit: 74558; SAE 1 1/2" 10; no. of holes: 1; L1: 165; DAF	A	279.00
72837C	Automatic brake adjuster AA1; boxed; control unit: 74374; SAE 1 1/2" 10; no. of holes: 2; L1: 178; SAE	A	350.00
72858C	Automatic brake adjuster AA1; boxed; control unit: 74784; JIS B 1602 (39x25x1.5); no. of holes: 1; L1: 150; Daewoo	A	350.00
72862C	Automatic brake adjuster AA1; boxed; control unit: 74725; SAE 1 1/2" 10; no. of holes: 3; L1: 178; Ruthmann	A	350.00
72867C	Automatic brake adjuster AA1; boxed; control unit: 74620; 40x1.5 CSN 014950.1; no. of holes: 1; L1: 160; Liaz	A	340.00
72868C	Automatic brake adjuster AA1; boxed; control unit: 74620; 40x1.5 CSN 014950.1; no. of holes: 1; L1: 160; Liaz	A	340.00
72869C	Automatic brake adjuster AA1; boxed; control unit: 74614; SAE 1 1/2" 10; no. of holes: 2; L1: 180; SAE	A	350.00
72870C	Automatic brake adjuster AA1; boxed; control unit: 74614; SAE 1 1/2" 10; no. of holes: 2; L1: 180; SAE	A	350.00
72872C	Automatic brake adjuster AA1; boxed; control unit: 74474; A38x34 DIN 5482; no. of holes: 1; L1: 145; ZF	A	271.00
72875D	Automatic brake adjuster AA1; boxed; control unit: 74616; SAE 1 1/2" 10; no. of holes: 6; L1: 250; BPW	A	271.00
72875S	Automatic brake adjuster AA1; boxed; control unit: 74616; SAE 1 1/2" 10; no. of holes: 6; L1: 250; BPW	A	146.00
72876D	Automatic brake adjuster AA1; boxed; control unit: 74617; SAE 1 1/2" 10; no. of holes: 6; L1: 250; BPW	A	271.00

Part number	Description	Code	List Price € (excl. VAT)
72876S	Automatic brake adjuster AA1; boxed; control unit: 74617; SAE 1 1/2" 10; no. of holes: 6; L1: 250; BPW	A	146.00
72886C	Automatic brake adjuster AA1; boxed; control unit: 74618; SAE 1 1/2" 10; no. of holes: 1; L1: 145; DAF	A	265.00
72887C	Automatic brake adjuster AA1; boxed; control unit: 74618; SAE 1 1/2" 10; no. of holes: 1; L1: 145; DAF	A	265.00
72888C	Automatic brake adjuster AA1; boxed; control unit: 74855; A40x36 DIN 5482; no. of holes: 5; L1: 250; Panav	A	333.00
72918C	Automatic brake adjuster AA1; boxed; control unit: 74422; SAE 1 1/2" 10; no. of holes: 1; L1: 140; ROR	A	322.00
72921C	Automatic brake adjuster AA1; boxed; control unit: 74778; A38x34 DIN 5482; no. of holes: 1; L1: 152; Van Hool	A	302.00
72922C	Automatic brake adjuster AA1; boxed; control unit: 74778; A38x34 DIN 5482; no. of holes: 1; L1: 152; Van Hool	A	302.00
72928C	Automatic brake adjuster AA1; boxed; control unit: 74164; A40x36 DIN 5482; no. of holes: 2; L1: 155; Raba	A	271.00
72929C	Automatic brake adjuster AA1; boxed; control unit: 74628; A38x34 DIN 5482; no. of holes: 1; L1: 152; ZF	A	271.00
72930C	Automatic brake adjuster AA1; boxed; control unit: 74373; A38x34 DIN 5482; no. of holes: 1; L1: 152; ZF	A	271.00
72937C	Automatic brake adjuster AA1; boxed; control unit: 74787; N42x1.5x13H DIN 5480; no. of holes: 1; L1: 145; Foden/Sisu	A	271.00
72938C	Automatic brake adjuster AA1; boxed; control unit: 74787; N42x1.5x13H DIN 5480; no. of holes: 1; L1: 145; Foden/Sisu	A	271.00
72944C	Automatic brake adjuster AA1; boxed; control unit: 74966; SAE 1 1/2" 10; no. of holes: 1; L1: 152; Volvo	A	307.00
72999C	Automatic brake adjuster AA1; boxed; control unit: 74632; SAE 1 1/2" 10; no. of holes: 4; L1: 155; Norwegian Defense	A	352.00
73084S	Gasket; for single/twin air drier	D	18.90
73176S	Non-return valveoutlet; for twin air drier; M22; length: 33mm	D	82.30
73340S	Diaphragm; for single/twin air drier	D	3.31
73481S	Heating element; for single/twin air drier; 24V/90W; M24	D	162.00
73483S	Non-return valveinlet; for twin air drier; M22/M24; length: 33mm	D	79.40
73589S	Drain valve; for twin air drier; plastic	D	146.00
73614	Repair kit; for twin air drier drain valve	D	55.30
73616	Repair kit; for single/twin air drier unloading valve	D	60.10

Part number	Description	Code	List Price € (excl. VAT)
73620	Centre section repair kit; for twin air drier; 10 bar	D	145.00
73666S	Drain valve; for twin air drier; plastic; R 1/4" outlet	D	160.00
74164S	Control unit; for version AA1; Alpha 135 Dg.	A	55.40
74181S	Control unit; for version AA1; Alpha 334 Dg.	A	55.40
74230S	Control unit; for version AA1; Alpha 308 Dg.	A	55.40
74235S	Control unit; for version AA1; Alpha 84 Dg.	A	65.00
74246S	Control unit; for version AA1; Alpha 71 Dg.	A	55.40
74255S	Control unit; for version AA1; Alpha 346 Dg.	A	55.40
74270S	Control unit; for version AA1; Alpha 20 Dg.	A	55.40
74295S	Control unit; for version AA1; Alpha 79 Dg.	A	55.40
74380S	Control unit; for version AA1; Alpha 32 Dg.	A	55.40
74410S	Control unit; for version AA1; Alpha 75 Dg.	A	55.40
74412S	Control unit; for version AA1; Alpha 90 Dg.	A	55.40
74448S	Control unit; for version AA1; Alpha 5 Dg.	A	87.00
74472S	Control unit; for version AA1; Alpha 171.5 Dg.	A	55.40
74475S	Control unit; for version AA1; Alpha 100 Dg.	A	90.60
74476S	Control unit; for version AA1; Alpha 337.5 Dg.	A	55.40
74477S	Control unit; for version AA1; Alpha 358 Dg.	A	55.40
74482S	Control unit; for version AA1; Alpha 75 Dg.	A	55.40
74527S	Control unit; for version S-ABA	A	55.40
74566S	Control unit; for version AA1; Alpha 75 Dg.	A	55.40
74624S	Control unit; for version AA1; Alpha 0 Dg.	A	55.40
74627S	Control unit; for version AA1; Alpha 350 Dg.	A	83.60
74637S	Control unit; for version AA1; Alpha 110 Dg.	A	55.40
74682S	Control unit; for version AA1; Alpha 86 Dg.	A	55.40
74686S	Control unit; for version AA1; Alpha 358 Dg.	A	55.40
74688S	Control unit; for version AA1; Alpha 101 Dg.	A	83.30
74768S	Control unit; for version AA1; Alpha 103 Dg.	A	55.40
74771S	Control unit; for version AA1; Alpha 98 Dg.	A	55.40
74778S	Control unit; for version AA1; Alpha 50 Dg.	A	55.40
74788S	Control unit; for version AA1; Alpha 75 Dg.	A	55.40
74812S	Control unit; for version AA1; Alpha 145 Dg.	A	55.40
74854S	Control unit; for version AA1; Alpha 61 Dg.	A	55.40
74864S	Control unit; for version AA1; Alpha 79 Dg.	A	55.40

Part number	Description	Code	List Price € (excl. VAT)
74900S	Control unit; for version AA1; Alpha 0 Dg.	A	55.20
74953S	Control unit; for version AA1; Alpha 140 Dg.	A	55.40
74966S	Control unit; for version AA1; Alpha 150 Dg.	A	55.40
7561024S	Heat shrink sleeve; for electrical connection; for crimp connectors	B	6.99
75611588	Warning lamp ABS	B	35.30
75611675	Junction box	B	79.50
75611912	Bulb; for ABS trailer warning lamp; 24V, 5W; double pole	B	3.68
75611973	Bracket; for ABS trailer warning lamp	B	8.09
75613218	Connection box; for electrical connection; (ABS MGX); orange	B	109.00
76012	Visual lining wear indicator; for ABA; application: SAF	A	8.12
76014	Spline washer; w/o o-ring; BPW	A	5.78
76025	Peg spanner; for ABA; for side cover	A	118.00
76035	End load tester; for ABA	A	932.00
76046	Repair kit; for version AA1	A	79.60
76087	Distance washer; 42±0.5 mmOD; 23±0.2mmID; 3±0.2mm thick	A	4.37
76281S	Relay; for automatic drain valve/Consep; 24V	D	29.80
76283S	Electrical connection kit; for automatic drain valve/Consep; M24; (can be used on air driers)	D	43.90
76284S	Electrical connection kit; for automatic drain valve/Consep; M27; (can be used on air driers)	D	44.90
76670	Anchor bracket; bolt type; ROR	A	16.70
76672	Anchor bracket; bolt type; ROR	A	20.90
76862	Screw; Torx; M4	A	0.32
76878/10	Bush; for control arm; plastic; pack of 10	A	21.90
76902	Bush; for control arm; plastic; c/w screw	A	5.78
76916	Anchor bracket; bolt type; SAF	A	16.70
76918	Anchor bracket; bolt type; SAF	A	16.70
76922	Anchor bracket; bolt type; SAF/Trailer	A	20.90
76924	Visual lining wear indicator; for ABA; application: ROR	A	8.12
76925	Visual lining wear indicator; for ABA; application: BPW	A	8.12
76979	Anchor bracket; U-type; SAF/BPW/SMB	A	14.60
76980	Anchor bracket; U-type; SAF/BPW/SMB	A	14.60
76986	Anchor bracket; U-type; Trailer/Fruehauf	A	14.60
76995	Anchor bracket; U-type; ROR TM/TE	A	14.60
76996	Anchor bracket; U-type; ROR TM/TE	A	14.60
76997	Anchor bracket; U-type; ROR AC	A	14.60
77244S	Heating element; for single air drier SDX; 24V/90W; M27; costal	D	139.00
77304	Single air drier (SDX); cut-out (bar): 9.5; range: 0.6+0.4; inlet 1/ outlet 21: Voss 12; Daimler	D	751.00
77322	Repair kit; for Consep; c/w cyclone; c/w o-rings	D	47.70

Part number	Description	Code	List Price € (excl. VAT)
77359S	Turbo protection valve; for single air drier SDX; M22x1.5; 2.7 bar; (cut off valve)	D	160.00
77362S	Automatic drain valvekit; for Consep; 24V; M27; w/o drain collector	D	278.00
77411S	Black box; for single air drier SDX	D	306.00
77434S	Regeneration valve; for single air drier SDX; ø0.9	D	148.00
77484S	Blind plug kit; for single air drier SDX; for plugged port 5	D	28.20
78104S	Black box; for single air drier SDX	D	260.00
78127	Single air drier (SDX); cut-out (bar): 8.9; range: 1.3±0.2; inlet 1/ outlet 21: 1/2" NPTF; Foden Trucks	D	672.00
78141S	Black box; for single air drier SDX	D	306.00
78150S	Heating element; for single air drier SDX; 24V/90W; cable length: 0.5m; Deutsch kit	D	184.00
78164	Repair kit; for Consep; condenser side; c/w o-rings; w/o cyclone; c/w 6 nuts; bolts	D	15.80
78165	Coil kit; for automatic drain valve/ Consep; 24V; M27	D	88.80
78166	Coil kit; for automatic drain valve/ Consep; 12V; M24	D	28.80
78169S	Black box; for single air drier SDX	D	306.00
78171S	Black box; for single air drier SDX	D	306.00
78186S	Black box; for single air drier SDX	D	356.00
78193	Drain valve; for twin air drier; plastic; R 1/4" outlet; (as 73666S)	D	129.00
78209	Single air drier (SDX); cut-out (bar): 10.0; range: 1.0+0.3; inlet 1/ outlet 21: M22x1.5; Renault; AM	D	672.00
78210	Single air drier (SDX); cut-out (bar): 12.5; range: 1.0+0.3; inlet 1/ outlet 21: M22x1.5; Renault; AM	D	672.00
78211	Single air drier (SDX); cut-out (bar): 8.7; range: 1.0+0.3; inlet 1/ outlet 21: M22x1.5; Renault; AM	D	672.00
78240	Draining box kit; for automatic drain valve/Consep	D	32.60
78682S	Depot valve; for single air drier SDX; for air driers; inlet port M22x1.5	D	315.00
78703S	Black box; for single air drier SDX	D	297.00
78717S	Black box; for single air drier SDX	D	297.00
78752	Single air drier (SDX); cut-out (bar): 8.7; range: 1.0+0.3; inlet 1/ outlet 21: M22x1.5; Renault	D	672.00
78758	Single air drier (SDX); w/o Governor; inlet 1/ outlet 21: M22x1.5; Kockums	D	800.00
78800	Air drier cartridge kit; for single air drier SDX; for air driers c/w regeneration valve; c/w ball	D	134.00
78801S	Non-return valveoutlet; for single air drier SDX; 2x check valvecone	D	50.40
78831S	O-ring; for single air drier SDX; 150x3	D	3.95
78840S	Non-return valveoutlet; for single air drier SDX; for air driers c/w serial no. after week 7 09	D	22.20
78949S	Black box; for single air drier SDX	D	282.00
78964	Air drier cartridge kit; for single air drier SDX; for air driers w/o regeneration valve	D	118.00
78985	Single air drier (SDX); cut-out (bar): 12.2; range: 0.9+0.7; inlet 1/ outlet 21: M22x1.5; Scania; AM	D	659.00

Part number	Description	Code	List Price € (excl. VAT)
78986	Single air drier (SDX); cut-out (bar): 10.3; range: 0.9±0.3; inlet 1/ outlet 21: M22x1.5; Scania; AM	D	851.00
78988	Single air drier (SDX); cut-out (bar): 8.5; range: 0.8±0.2; inlet 1/ outlet 21: M22x1.5; Volvo; AM	D	607.00
78990	Single air drier (SDX); cut-out (bar): 12.0; range: 1.0±0.3; inlet 1/ outlet 21: M22x1.5; Volvo; AM	D	607.00
79002C	Automatic brake adjuster AA1; boxed; control unit: 74736; N42x1.5x13H DIN 5480; no. of holes: 1; L1: 145; Sisu	A	229.00
79003C	Automatic brake adjuster AA1; boxed; control unit: 74736; N42x1.5x13H DIN 5480; no. of holes: 1; L1: 145; Sisu	A	229.00
79004D	Automatic brake adjuster AA1; boxed; control unit: 74635; SAE 1 1/2" 10; no. of holes: 4; L1: 215; SMB	A	271.00
79004S	Automatic brake adjuster AA1; boxed; control unit: 74635; SAE 1 1/2" 10; no. of holes: 4; L1: 215; SMB	A	146.00
79005D	Automatic brake adjuster AA1; boxed; control unit: 74635; SAE 1 1/2" 10; no. of holes: 6; L1: 250; SAF	A	271.00
79005S	Automatic brake adjuster AA1; boxed; control unit: 74635; SAE 1 1/2" 10; no. of holes: 6; L1: 250; SAF	A	146.00
79006C	Automatic brake adjuster AA1; boxed; control unit: 74635; SAE 1 1/2" 10; no. of holes: 3; L1: 153; SAF	A	285.00
79007C	Automatic brake adjuster AA1; boxed; control unit: 74981; BNA 227 D3.5; no. of holes: 1; L1: 175; Renault	A	463.00
79008C	Automatic brake adjuster AA1; boxed; control unit: 74981; BNA 227 D3.5; no. of holes: 1; L1: 175; Renault	A	463.00
79009C	Automatic brake adjuster AA1; boxed; control unit: 74389; BNA 227 D3.5; no. of holes: 1; L1: 175; Renault	A	463.00
79010C	Automatic brake adjuster AA1; boxed; control unit: 74389; BNA 227 D3.5; no. of holes: 1; L1: 175; Renault	A	463.00
79011C	Automatic brake adjuster AA1; boxed; control unit: 74899; BNA 227 D3.5; no. of holes: 1; L1: 150; Renault	A	436.00
79013C	Automatic brake adjuster AA1; boxed; control unit: 74374; BNA 227 D3.5; no. of holes: 1; L1: 175; Renault	A	240.00
79014C	Automatic brake adjuster AA1; boxed; control unit: 74374; BNA 227 D3.5; no. of holes: 1; L1: 175; Renault	A	240.00
79015C	Automatic brake adjuster AA1; boxed; control unit: 74992; BNA 227 D3.5; no. of holes: 1; L1: 175; Renault	A	240.00

Part number	Description	Code	List Price € (excl. VAT)
79016C	Automatic brake adjuster AA1; boxed; control unit: 74992; BNA 227 D3.5; no. of holes: 1; L1: 175; Renault	A	240.00
79017C	Automatic brake adjuster AA1; boxed; control unit: 74372; BNA 227 D3.5; no. of holes: 1; L1: 175; Renault	A	240.00
79018C	Automatic brake adjuster AA1; boxed; control unit: 74372; BNA 227 D3.5; no. of holes: 1; L1: 175; Renault	A	240.00
79019C	Automatic brake adjuster AA1; boxed; control unit: 74573; BNA 227 D3.5; no. of holes: 1; L1: 140; Renault	A	463.00
79020C	Automatic brake adjuster AA1; boxed; control unit: 74579; BNA 227 D3.5; no. of holes: 1; L1: 175; Renault	A	271.00
79021C	Automatic brake adjuster AA1; boxed; control unit: 74579; BNA 227 D3.5; no. of holes: 1; L1: 175; Renault	A	271.00
79022D	Automatic brake adjuster AA1; boxed; control unit: 74635; SAE J 498; no. of holes: 4; L1: 215; Fruehauf	A	271.00
79022S	Automatic brake adjuster AA1; boxed; control unit: 74635; SAE J 498; no. of holes: 4; L1: 215; Fruehauf	A	146.00
79023D	Automatic brake adjuster AA1; boxed; control unit: 74635; SAE 1 1/2" 10; no. of holes: 4; L1: 210; Traylor	A	271.00
79024C	Automatic brake adjuster AA1; boxed; control unit: 74735; SAE 1 1/2" 10; no. of holes: 1; L1: 165; DAF	A	271.00
79025C	Automatic brake adjuster AA1; boxed; control unit: 74735; SAE 1 1/2" 10; no. of holes: 1; L1: 165; DAF	A	271.00
79028C	Automatic brake adjuster AA1; boxed; control unit: 74737; SAE 1 1/2" 10; no. of holes: 3; L1: 203; Stefen	A	344.00
79029C	Automatic brake adjuster AA1; boxed; control unit: 74737; SAE 1 1/2" 10; no. of holes: 3; L1: 203; Stefen	A	344.00
79035D	Automatic brake adjuster AA1; boxed; control unit: 74635; SAE 1 1/2" 10; no. of holes: 5; L1: 215; SAF	A	271.00
79035S	Automatic brake adjuster AA1; boxed; control unit: 74635; SAE 1 1/2" 10; no. of holes: 5; L1: 215; SAF	A	146.00
79038C	Automatic brake adjuster AA1; boxed; control unit: 74803; SAE 1 1/2" 10; no. of holes: 3; L1: 178; SAF	A	341.00
79039C	Automatic brake adjuster AA1; boxed; control unit: 74803; SAE 1 1/2" 10; no. of holes: 3; L1: 178; SAF	A	341.00
79040C	Automatic brake adjuster AA1; boxed; control unit: 74953; A38x34 DIN 5482; no. of holes: 1; L1: 175; Kässbohrer	A	229.00

Part number	Description	Code	List Price € (excl. VAT)
79041C	Automatic brake adjuster AA1; boxed; control unit: 74953; A38x34 DIN 5482; no. of holes: 1; L1: 175; Kässbohrer	A	229.00
79043C	Automatic brake adjuster AA1; boxed; control unit: 74803; SAE 1 1/2" 10; no. of holes: 2; L1: 179; SAF	A	271.00
79044C	Automatic brake adjuster AA1; boxed; control unit: 74803; SAE 1 1/2" 10; no. of holes: 2; L1: 179; SAF	A	271.00
79051C	Automatic brake adjuster AA1; boxed; control unit: 74737; SAE 1 1/2" 10; no. of holes: 5; L1: 215; ROR	A	229.00
79056C	Automatic brake adjuster AA1; boxed; control unit: 74410; A40x36 DIN 5482; no. of holes: 1; L1: 175; Raba	A	229.00
79057C	Automatic brake adjuster AA1; boxed; control unit: 74746; 40x1.5 CSN 014950.1; no. of holes: 1; L1: 170; Karosa	A	339.00
79059C	Automatic brake adjuster AA1; boxed; control unit: 74624; 40x1.5 CSN 014950.1; no. of holes: 1; L1: 240; Karosa	A	351.00
79060C	Automatic brake adjuster AA1; boxed; control unit: 74624; 40x1.5 CSN 014950.1; no. of holes: 1; L1: 240; Karosa	A	351.00
79063C	Automatic brake adjuster AA1; boxed; control unit: 74374; A38x34 DIN 5482; no. of holes: 1; L1: 150; Graziano	A	416.00
79064C	Automatic brake adjuster AA1; boxed; control unit: 74374; A38x34 DIN 5482; no. of holes: 1; L1: 150; Graziano	A	416.00
79068C	Automatic brake adjuster AA1; control unit: 74385; SAE 1 1/2" 10; no. of holes: 1; L1: 145; Sisu	A	470.00
79079C	Automatic brake adjuster AA1; boxed; control unit: 74813; A40x36 DIN 5482; no. of holes: 1; L1: 175; Raba	A	345.00
79086C	Automatic brake adjuster AA1; boxed; control unit: 74803; SAE 1 1/2" 10; no. of holes: 1; L1: 130; SAF	A	271.00
79087C	Automatic brake adjuster AA1; boxed; control unit: 74803; SAE 1 1/2" 10; no. of holes: 1; L1: 130; SAF	A	271.00
79090C	Automatic brake adjuster AA1; boxed; control unit: 74816; SAE 1 1/2" 10; no. of holes: 4; L1: 203; SAF	A	333.00
79105C	Automatic brake adjuster AA1; boxed; control unit: 74878; SAE 1 1/2" 10; no. of holes: 1; L1: 165; Scania	A	271.00
79106C	Automatic brake adjuster AA1; boxed; control unit: 74878; SAE 1 1/2" 10; no. of holes: 1; L1: 165; Scania	A	271.00
79111C	Automatic brake adjuster AA1; boxed; control unit: 74738; 32 UNI 222; no. of holes: 6; L1: 250; Cardi	A	229.00

Part number	Description	Code	List Price € (excl. VAT)
79114C	Automatic brake adjuster AA1; boxed; control unit: 74240; SAE 1 1/2" 10; no. of holes: 5; L1: 200; Müller	A	346.00
79121C	Automatic brake adjuster AA1; boxed; control unit: 74702; A40x36 DIN 5482; no. of holes: 1; L1: 145; Raba	A	345.00
79122C	Automatic brake adjuster AA1; boxed; control unit: 74244; BNA 227 D3.5; no. of holes: 1; L1: 180; Iveco Cityclass	A	271.00
79123C	Automatic brake adjuster AA1; boxed; control unit: 74248; BNA 227 D3.5; no. of holes: 1; L1: 180; Iveco Cityclass	A	271.00
79126C	Automatic brake adjuster AA1; boxed; control unit: 74246; 40x1.5 CSN 014950.1; no. of holes: 1; L1: 170; PPS	A	271.00
79127C	Automatic brake adjuster AA1; boxed; control unit: 74246; 40x1.5 CSN 014950.1; no. of holes: 1; L1: 170; PPS	A	271.00
79133C	Automatic brake adjuster AA1; boxed; control unit: 74963; SAE 1 1/2" 28; no. of holes: 1; L1: 140; Foden	A	314.00
79138C	Automatic brake adjuster AA1; boxed; control unit: 74148; SAE 1 1/2" 10; no. of holes: 2; L1: 178; SAE	A	350.00
79139C	Automatic brake adjuster AA1; boxed; control unit: 74148; SAE 1 1/2" 10; no. of holes: 2; L1: 178; SAE	A	350.00
79140C	Automatic brake adjuster AA1; boxed; control unit: 74148; SAE 1 1/2" 10; no. of holes: 2; L1: 178; SAE	A	350.00
79141C	Automatic brake adjuster AA1; boxed; control unit: 74148; SAE 1 1/2" 10; no. of holes: 2; L1: 178; SAE	A	350.00
79142C	Automatic brake adjuster AA1; boxed; control unit: 74250; SAE 1 1/2" 10; no. of holes: 2; L1: 178; SAE	A	350.00
79143C	Automatic brake adjuster AA1; boxed; control unit: 74250; SAE 1 1/2" 10; no. of holes: 2; L1: 178; SAE	A	350.00
79144C	Automatic brake adjuster AA1; boxed; control unit: 74250; SAE 1 1/2" 10; no. of holes: 2; L1: 178; SAE	A	350.00
79145C	Automatic brake adjuster AA1; boxed; control unit: 74250; SAE 1 1/2" 10; no. of holes: 2; L1: 178; SAE	A	350.00
79146C	Automatic brake adjuster AA1; boxed; control unit: 74148; SAE 1 1/2" 10; no. of holes: 2; L1: 178; SAE	A	350.00
79147C	Automatic brake adjuster AA1; boxed; control unit: 74148; SAE 1 1/2" 10; no. of holes: 2; L1: 178; SAE	A	350.00
79148C	Automatic brake adjuster AA1; boxed; control unit: 74148; SAE 1 1/2" 10; no. of holes: 3; L1: 178; SAE	A	240.00

Part number	Description	Code	List Price € (excl. VAT)
79149C	Automatic brake adjuster AA1; boxed; control unit: 74251; SAE 1 1/2" 10; no. of holes: 6; L1: 250; SAE	A	271.00
79152C	Automatic brake adjuster AA1; boxed; control unit: 74418; BNA 227 D3.5; no. of holes: 1; L1: 183; Renault	A	377.00
79153C	Automatic brake adjuster AA1; boxed; control unit: 74418; BNA 227 D3.5; no. of holes: 1; L1: 183; Renault	A	377.00
79156C	Automatic brake adjuster AA1; boxed; control unit: 74265; SAE 1 1/2" 10; no. of holes: 1; L1: 165; Dennis	A	271.00
79157C	Automatic brake adjuster AA1; boxed; control unit: 74265; SAE 1 1/2" 10; no. of holes: 1; L1: 165; Dennis	A	271.00
79160C	Automatic brake adjuster AA1; boxed; control unit: 74261; SAE 1 1/2" 10; no. of holes: 6; L1: 250; Volvo/ROR	A	240.00
79165C	Automatic brake adjuster AA1; boxed; control unit: 74900; A38x34 DIN 5482; no. of holes: 1; L1: 152; Van Hool	A	411.00
79166C	Automatic brake adjuster AA1; boxed; control unit: 74900; A38x34 DIN 5482; no. of holes: 1; L1: 152; Van Hool	A	411.00
79167C	Automatic brake adjuster AA1; boxed; control unit: 74855; SAE 1 1/2" 10; no. of holes: 1; L1: 165; DAF	A	321.00
79177C	Automatic brake adjuster AA1; boxed; control unit: 74908; SAE 1 1/2" 28; no. of holes: 1; L1: 140; Optare	A	366.00
79179C	Automatic brake adjuster AA1; boxed; control unit: 74560; SAE 1 1/2" 10; no. of holes: 1; L1: 145; DAF	A	242.00
79180C	Automatic brake adjuster AA1; boxed; control unit: 74560; SAE 1 1/2" 10; no. of holes: 1; L1: 145; DAF	A	242.00
79183C	Automatic brake adjuster AA1; boxed; control unit: 74261; SAE 1 1/2" 10; no. of holes: 3; L1: 153; ROR	A	229.00
79186C	Automatic brake adjuster AA1; boxed; control unit: 74303; N42x1.5x13H DIN 5480; no. of holes: 1; L1: 145; Daimler	A	224.00
79197C	Automatic brake adjuster AA1; boxed; control unit: 74863; N42x1.5x13H DIN 5480; no. of holes: 1; L1: 215; MAN	A	330.00
79198C	Automatic brake adjuster AA1; boxed; control unit: 74863; N42x1.5x13H DIN 5480; no. of holes: 1; L1: 215; MAN	A	330.00
79201C	Automatic brake adjuster AA1; boxed; control unit: 74872; N42x1.5x13H DIN 5480; no. of holes: 1; L1: 215; MAN	A	250.00
79204C	Automatic brake adjuster AA1; boxed; control unit: 74789; N42x1.5x13H DIN 5480; no. of holes: 1; L1: 115; MAN	A	323.00

Part number	Description	Code	List Price € (excl. VAT)
79205C	Automatic brake adjuster AA1; boxed; control unit: 74688; N42x1.5x13H DIN 5480; no. of holes: 1; L1: 145; MAN	A	219.00
79206C	Automatic brake adjuster AA1; boxed; control unit: 74688; N42x1.5x13H DIN 5480; no. of holes: 1; L1: 145; MAN	A	219.00
79207C	Automatic brake adjuster AA1; boxed; control unit: 74480; N42x1.5x13H DIN 5480; no. of holes: 1; L1: 145; MAN	A	219.00
79208C	Automatic brake adjuster AA1; boxed; control unit: 74565; N42x1.5x13H DIN 5480; no. of holes: 1; L1: 145; MAN	A	219.00
79209C	Automatic brake adjuster AA1; boxed; control unit: 74565; N42x1.5x13H DIN 5480; no. of holes: 1; L1: 145; MAN	A	219.00
79210C	Automatic brake adjuster AA1; boxed; control unit: 74785; N42x1.5x13H DIN 5480; no. of holes: 1; L1: 145; MAN	A	219.00
79211C	Automatic brake adjuster AA1; boxed; control unit: 74785; N42x1.5x13H DIN 5480; no. of holes: 1; L1: 145; MAN	A	219.00
79212C	Automatic brake adjuster AA1; boxed; control unit: 74566; N42x1.5x13H DIN 5480; no. of holes: 1; L1: 145; MAN	A	219.00
79215C	Automatic brake adjuster AA1; boxed; control unit: 74887; N42x1.5x13H DIN 5480; no. of holes: 1; L1: 130; MAN	A	309.00
79216C	Automatic brake adjuster AA1; boxed; control unit: 74688; N42x1.5x13H DIN 5480; no. of holes: 1; L1: 130; MAN	A	219.00
79217C	Automatic brake adjuster AA1; boxed; control unit: 74688; N42x1.5x13H DIN 5480; no. of holes: 1; L1: 130; MAN	A	219.00
79218C	Automatic brake adjuster AA1; boxed; control unit: 74599; N42x1.5x13H DIN 5480; no. of holes: 1; L1: 130; MAN	A	219.00
79219C	Automatic brake adjuster AA1; boxed; control unit: 74768; N42x1.5x13H DIN 5480; no. of holes: 1; L1: 130; MAN	A	219.00
79220C	Automatic brake adjuster AA1; boxed; control unit: 74768; N42x1.5x13H DIN 5480; no. of holes: 1; L1: 130; MAN	A	219.00
79223C	Automatic brake adjuster AA1; boxed; control unit: 74564; N42x1.5x13H DIN 5480; no. of holes: 1; L1: 215; MAN	A	219.00
79224C	Automatic brake adjuster AA1; boxed; control unit: 74564; N42x1.5x13H DIN 5480; no. of holes: 1; L1: 215; MAN	A	219.00
79225C	Automatic brake adjuster AA1; boxed; control unit: 74788; N42x1.5x13H DIN 5480; no. of holes: 1; L1: 130; MAN	A	219.00
79226C	Automatic brake adjuster AA1; boxed; control unit: 74788; N42x1.5x13H DIN 5480; no. of holes: 1; L1: 130; MAN	A	219.00

Part number	Description	Code	List Price € (excl. VAT)
79227C	Automatic brake adjuster AA1; boxed; control unit: 74689; N42x1.5x13H DIN 5480; no. of holes: 1; L1: 145; MAN	A	219.00
79228C	Automatic brake adjuster AA1; boxed; control unit: 74512; N42x1.5x13H DIN 5480; no. of holes: 1; L1: 130; MAN	A	316.00
79229C	Automatic brake adjuster AA1; boxed; control unit: 74512; N42x1.5x13H DIN 5480; no. of holes: 1; L1: 130; MAN	A	316.00
79258C	Automatic brake adjuster AA1; boxed; control unit: 74373; SAE 1 1/2" 10; no. of holes: 1; L1: 165; Kamaz	A	342.00
79259C	Automatic brake adjuster AA1; boxed; control unit: 74373; SAE 1 1/2" 10; no. of holes: 1; L1: 165; Kamaz	A	342.00
79260C	Automatic brake adjuster AA1; boxed; control unit: 74175; SAE 1 1/2" 10; no. of holes: 1; L1: 165; Kamaz	A	342.00
79261C	Automatic brake adjuster AA1; boxed; control unit: 74175; SAE 1 1/2" 10; no. of holes: 1; L1: 165; Kamaz	A	342.00
79264C	Automatic brake adjuster AA1; boxed; control unit: 74251; SAE 1 1/2"-10; no. of holes: 2; L1: 148; SAE	A	333.00
79265C	Automatic brake adjuster AA1; boxed; control unit: 74147; SAE 1 1/2" 10; no. of holes: 1; L1: 140; DANA	A	271.00
79266C	Automatic brake adjuster AA1; boxed; control unit: 74147; SAE 1 1/2" 10; no. of holes: 1; L1: 140; DANA	A	271.00
79269C	Automatic brake adjuster AA1; boxed; control unit: 74174; SAE 1 1/2" 10; no. of holes: 1; L1: 165; Gigant/SAE	A	350.00
79270C	Automatic brake adjuster AA1; boxed; control unit: 74174; SAE 1 1/2" 10; no. of holes: 1; L1: 165; Gigant/SAE	A	350.00
79282C	Automatic brake adjuster AA1; boxed; control unit: 74187; BNA 227 D3.5; no. of holes: 1; L1: 135; Jelcz	A	349.00
79288C	Automatic brake adjuster AA1; boxed; control unit: 74489; SAE 1 1/2" 28; no. of holes: 1; L1: 160; Renault	A	357.00
79289C	Automatic brake adjuster AA1; boxed; control unit: 74489; SAE 1 1/2" 28; no. of holes: 1; L1: 160; Renault	A	357.00
79290C	Automatic brake adjuster AA1; boxed; control unit: 74488; BNA 227 D3.5; no. of holes: 1; L1: 175; Renault	A	423.00
79291C	Automatic brake adjuster AA1; boxed; control unit: 74488; BNA 227 D3.5; no. of holes: 1; L1: 175; Renault	A	423.00
79294C	Automatic brake adjuster AA1; boxed; control unit: 74696; BNA 227 D3.5; no. of holes: 1; L1: 160; Renault	A	292.00

Part number	Description	Code	List Price € (excl. VAT)
79295C	Automatic brake adjuster AA1; boxed; control unit: 74696; BNA 227 D3.5; no. of holes: 1; L1: 160; Renault	A	292.00
79296C	Automatic brake adjuster AA1; boxed; control unit: 74733; BNA 227 D3.5; no. of holes: 1; L1: 160; Renault	A	292.00
79297C	Automatic brake adjuster AA1; boxed; control unit: 74733; BNA 227 D3.5; no. of holes: 1; L1: 160; Renault	A	292.00
79298C	Automatic brake adjuster AA1; boxed; control unit: 74860; SAE 1 1/2" 28; no. of holes: 1; L1: 160; Renault	A	292.00
79299C	Automatic brake adjuster AA1; boxed; control unit: 74372; BNA 227 D3.5; no. of holes: 1; L1: 160; Renault	A	292.00
79300C	Automatic brake adjuster AA1; boxed; control unit: 74372; BNA 227 D3.5; no. of holes: 1; L1: 160; Renault	A	292.00
79301C	Automatic brake adjuster AA1; boxed; control unit: 74716; BNA 227 D3.5; no. of holes: 1; L1: 160; Renault	A	463.00
79302C	Automatic brake adjuster AA1; boxed; control unit: 74716; BNA 227 D3.5; no. of holes: 1; L1: 160; Renault	A	463.00
79304C	Automatic brake adjuster AA1; boxed; control unit: 74573; SAE 1 7/16" 28; no. of holes: 1; L1: 160; Renault	A	229.00
79305C	Automatic brake adjuster AA1; boxed; control unit: 74573; SAE 1 7/16" 28; no. of holes: 1; L1: 160; Renault	A	229.00
79306C	Automatic brake adjuster AA1; boxed; control unit: 74627; BNA 227 D3.5; no. of holes: 1; L1: 175; Renault	A	412.00
79307C	Automatic brake adjuster AA1; boxed; control unit: 74627; BNA 227 D3.5; no. of holes: 1; L1: 175; Renault	A	412.00
79308C	Automatic brake adjuster AA1; boxed; control unit: 74812; BNA 227 D3.5; no. of holes: 1; L1: 175; Renault	A	271.00
79309C	Automatic brake adjuster AA1; boxed; control unit: 74812; BNA 227 D3.5; no. of holes: 1; L1: 175; Renault	A	271.00
79310C	Automatic brake adjuster AA1; boxed; control unit: 74812; BNA 227 D3.5; no. of holes: 1; L1: 160; Renault	A	271.00
79311C	Automatic brake adjuster AA1; boxed; control unit: 74812; BNA 227 D3.5; no. of holes: 1; L1: 160; Renault	A	271.00
79312C	Automatic brake adjuster AA1; boxed; control unit: 74991; BNA 227 D3.5; no. of holes: 1; L1: 175; Renault	A	381.00
79313C	Automatic brake adjuster AA1; boxed; control unit: 74991; BNA 227 D3.5; no. of holes: 1; L1: 175; Renault	A	381.00

Part number	Description	Code	List Price € (excl. VAT)
79344C	Automatic brake adjuster AA1; boxed; control unit: 74190; 40x1.5 CSN 014950.1; no. of holes: 1; L1: 140; PPS	A	352.00
79345C	Automatic brake adjuster AA1; boxed; control unit: 74190; 40x1.5 CSN 014950.1; no. of holes: 1; L1: 140; PPS	A	352.00
79347C	Automatic brake adjuster AA1; boxed; control unit: 74233; SAE 1 1/2" 10; no. of holes: 1; L1: 165; Scania	A	229.00
79348C	Automatic brake adjuster AA1; boxed; control unit: 74233; SAE 1 1/2" 10; no. of holes: 1; L1: 165; Scania	A	229.00
79364C	Automatic brake adjuster AA1; boxed; control unit: 74763; SAE 1 1/2" 10; no. of holes: 1; L1: 150; Kamaz	A	342.00
79365C	Automatic brake adjuster AA1; boxed; control unit: 74763; SAE 1 1/2" 10; no. of holes: 1; L1: 150; Kamaz	A	342.00
79371C	Automatic brake adjuster AA1; boxed; control unit: 74723; A38x34 DIN 5482; no. of holes: 1; L1: 152; DAF/Sisu	A	281.00
79394C	Automatic brake adjuster AA1; boxed; control unit: 74199; SAE 1 1/2" 10; no. of holes: 1; L1: 165; Sisu	A	105.00
79396C	Automatic brake adjuster AA1; boxed; control unit: 74736; N42x1.5x13H DIN 5480; no. of holes: 1; L1: 165; Sisu	A	292.00
79397C	Automatic brake adjuster AA1; boxed; control unit: 74736; N42x1.5x13H DIN 5480; no. of holes: 1; L1: 165; Sisu	A	292.00
79407C	Automatic brake adjuster AA1; boxed; control unit: 74203; N42x1.5x13H DIN 5480; no. of holes: 1; L1: 165; Sisu	A	292.00
79408C	Automatic brake adjuster AA1; boxed; control unit: 74203; N42x1.5x13H DIN 5480; no. of holes: 1; L1: 165; Sisu	A	292.00
79419C	Automatic brake adjuster AA1; boxed; control unit: 74692; SAE 1 1/2" 10; no. of holes: 2; L1: 178; SAE	A	389.00
79429C	Automatic brake adjuster AA1; boxed; control unit: 74778; A38x34 DIN 5482; no. of holes: 1; L1: 145; ZF	A	292.00
79430C	Automatic brake adjuster AA1; boxed; control unit: 74778; A38x34 DIN 5482; no. of holes: 1; L1: 145; ZF	A	292.00
79440C	Automatic brake adjuster AA1; boxed; control unit: 74627; BNA 227 D3.5; no. of holes: 1; L1: 160; Renault	A	271.00
79441C	Automatic brake adjuster AA1; boxed; control unit: 74627; BNA 227 D3.5; no. of holes: 1; L1: 160; Renault	A	271.00
79442C	Automatic brake adjuster AA1; boxed; control unit: 74235; SAE 1 1/2" 10; no. of holes: 1; L1: 165; Scania	A	271.00

Part number	Description	Code	List Price € (excl. VAT)
79443C	Automatic brake adjuster AA1; boxed; control unit: 74235; SAE 1 1/2" 10; no. of holes: 1; L1: 165; Scania	A	271.00
79462C	Automatic brake adjuster AA1; boxed; control unit: 74628; A38x34 DIN 5482; no. of holes: 1; L1: 152	A	395.00
79463C	Automatic brake adjuster AA1; boxed; control unit: 74373; A38x34 DIN 5482; no. of holes: 1; L1: 152	A	416.00
79491C	Automatic brake adjuster AA1; boxed; control unit: 74453; A38x34 DIN 5482; no. of holes: 1; L1: 170	A	404.00
79501C	Automatic brake adjuster AA1; boxed; control unit: 74378; SAE 1 1/2" 10; no. of holes: 1; L1: 165; Sisu	A	229.00
79520C	Automatic brake adjuster AA1; boxed; control unit: 74246; 40x1.5 CSN 014950.1; no. of holes: 1; L1: 150; Neocar	A	229.00
79521C	Automatic brake adjuster AA1; boxed; control unit: 74246; 40x1.5 CSN 014950.1; no. of holes: 1; L1: 150; Neocar	A	229.00
79542C	Automatic brake adjuster AA1; boxed; control unit: 74251; SAE 1 1/2" 10; no. of holes: 5; L1: 180; SAE	A	216.00
79550C	Automatic brake adjuster AA1; boxed; control unit: 74732; SAE 1 1/2" 10; no. of holes: 1; L1: 165; Scania	A	374.00
79551C	Automatic brake adjuster AA1; boxed; control unit: 74732; SAE 1 1/2" 10; no. of holes: 1; L1: 165; Scania	A	374.00
79558C	Automatic brake adjuster AA1; control unit: 74246; 40x1.5 CSN 014950.1; no. of holes: 1; L1: 150	A	360.00
79559C	Automatic brake adjuster AA1; control unit: 74246; 40x1.5 CSN 014950.1; no. of holes: 1; L1: 150	A	360.00
79577C	Automatic brake adjuster AA1; boxed; control unit: 74321; SAE 1 1/2" 10; no. of holes: 1; L1: 165; DAF	A	290.00
79578C	Automatic brake adjuster AA1; boxed; control unit: 74321; SAE 1 1/2" 10; no. of holes: 1; L1: 165; DAF	A	290.00
79619D	Automatic brake adjuster AA1; boxed; control unit: 74808; SAE 1 1/2" 10; no. of holes: 7; L1: 238; RORVH	A	271.00
79620C	Automatic brake adjuster AA1; boxed; control unit: 74763; SAE 1 1/2" 10; no. of holes: 1; L1: 125	A	337.00
79630C	Automatic brake adjuster AA1; boxed; control unit: 74635; SAE 1 1/2" 10; no. of holes: 4; L1: 215; SMB	A	188.00
79637C	Automatic brake adjuster AA1; boxed; control unit: 74778; A38x34 DIN 5482; no. of holes: 1; L1: 145; ZF	A	250.00

Part number	Description	Code	List Price € (excl. VAT)
79638C	Automatic brake adjuster AA1; control unit: 74778; A38x34 DIN 5482; no. of holes: 1; L1: 145; ZF	A	250.00
79641C	Automatic brake adjuster AA1; boxed; control unit: 74411; SAE 1 1/2" 10; no. of holes: 1; L1: 185; Volvo	A	209.00
79642C	Automatic brake adjuster AA1; boxed; control unit: 74411; SAE 1 1/2" 10; no. of holes: 1; L1: 185; Volvo	A	209.00
79643C	Automatic brake adjuster AA1; boxed; control unit: 74385; SAE 1 1/2" 10; no. of holes: 5; L1: 215; Sisu	A	229.00
79649C	Automatic brake adjuster AA1; boxed; control unit: 74617; SAE 1 1/2" 10; no. of holes: 7; L1: 250; SAE	A	250.00
79677C	Automatic brake adjuster AA1; boxed; control unit: 74181; SAE 1 1/2" 10; no. of holes: 1; L1: 165; Volvo	A	250.00
79678C	Automatic brake adjuster AA1; boxed; control unit: 74181; SAE 1 1/2" 10; no. of holes: 1; L1: 165; Volvo	A	250.00
79682C	Automatic brake adjuster AA1; boxed; control unit: 74357; SAE 1 1/2" 28; no. of holes: 1; L1: 143; Foden	A	250.00
79683C	Automatic brake adjuster AA1; boxed; control unit: 74573; BNA 227 D3.5; no. of holes: 1; L1: 160	A	333.00
79684C	Automatic brake adjuster AA1; boxed; control unit: 74573; BNA 227 D3.5; no. of holes: 1; L1: 160	A	333.00
79696C	Automatic brake adjuster AA1; boxed; control unit: 74284; SAE 1 1/2" 10; no. of holes: 2; L1: 155; GKN	A	454.00
79713C	Automatic brake adjuster AA1; boxed; control unit: 74309; SAE 1 1/2" 10; no. of holes: 1; L1: 145; Volvo	A	250.00
79714C	Automatic brake adjuster AA1; boxed; control unit: 74309; SAE 1 1/2" 10; no. of holes: 1; L1: 145; Volvo	A	250.00
79777C	Automatic brake adjuster AA1; boxed; control unit: 74261; JIS B 1602 (39x25x1.5); no. of holes: 1; L1: 150; Daewoo Bus	A	330.00
79778C	Automatic brake adjuster AA1; boxed; control unit: 74261; JIS B 1602 (39x25x1.5); no. of holes: 1; L1: 150; Daewoo Bus	A	330.00
79779C	Automatic brake adjuster AA1; boxed; control unit: 74327; JIS B 1602 (39x25x1.5); no. of holes: 1; L1: 150	A	330.00
79792C	Automatic brake adjuster AA1; boxed; control unit: 74266; SAE 1 1/2"-10; no. of holes: 2; L1: 165; SAF	A	297.00
79793C	Automatic brake adjuster AA1; boxed; control unit: 74266; SAE 1 1/2"-10; no. of holes: 2; L1: 165; SAF	A	297.00

Part number	Description	Code	List Price € (excl. VAT)
79814C	Automatic brake adjuster AA1; boxed; control unit: 74635; SAE 1 1/2"-10; no. of holes: 5; L1: 180; SAF	A	187.00
79817C	Automatic brake adjuster AA1; boxed; control unit: 74737; SAE 1 1/2"-10; no. of holes: 5; L1: 140; MERITOR	A	322.00
79818C	Automatic brake adjuster AA1; boxed; control unit: 74737; SAE 1 1/2"-10; no. of holes: 1; L1: 140; MERITOR	A	322.00
79877C	Automatic brake adjuster AA1; boxed; control unit: 74230; SAE 1 1/2" 10; no. of holes: 1; L1: 165; Scania	A	229.00
79878C	Automatic brake adjuster AA1; boxed; control unit: 74230; SAE 1 1/2" 10; no. of holes: 1; L1: 165; Scania	A	229.00
79995C	Automatic brake adjuster AA1; boxed; control unit: 74882; SAE 1 1/2"-10; no. of holes: 1; L1: 145; Sisu	A	235.00
80000C	Automatic brake adjuster S-ABA; boxed; control unit: 74527; spline type: N42x1.5x13H DIN 5480; no. of holes: 1; L1: 145; Daimler	A	224.00
80001C	Automatic brake adjuster S-ABA; boxed; control unit: 74527; spline type: N42x1.5x13H DIN 5480; no. of holes: 1; L1: 145; Daimler	A	224.00
80008C	Automatic brake adjuster S-ABA; boxed; control unit: 74528; spline type: N42x1.5x13H DIN 5480; no. of holes: 1; L1: 145; Daimler	A	224.00
80009C	Automatic brake adjuster S-ABA; boxed; control unit: 74528; spline type: N42x1.5x13H DIN 5480; no. of holes: 1; L1: 145; Daimler	A	224.00
80010C	Automatic brake adjuster S-ABA; boxed; control unit: 74527; spline type: N42x1.5x13H DIN 5480; no. of holes: 1; L1: 145; Daimler	A	224.00
80011C	Automatic brake adjuster S-ABA; boxed; control unit: 74527; spline type: N42x1.5x13H DIN 5480; no. of holes: 1; L1: 145; Daimler	A	224.00
80012C	Automatic brake adjuster S-ABA; boxed; control unit: 74527; spline type: N42x1.5x13H DIN 5480; no. of holes: 1; L1: 145; Daimler	A	224.00
80013C	Automatic brake adjuster S-ABA; boxed; control unit: 74527; spline type: N42x1.5x13H DIN 5480; no. of holes: 1; L1: 145; Daimler	A	224.00
80014C	Automatic brake adjuster S-ABA; boxed; control unit: 74527; spline type: N42x1.5x13H DIN 5480; no. of holes: 1; L1: 145; Daimler	A	224.00
80019D	Automatic brake adjuster S-ABA; boxed; control unit: 74530; spline type: SAE 1 1/2" 10; no. of holes: 6; L1: 250; BPW	A	271.00
80019S	Automatic brake adjuster S-ABA; boxed; control unit: 74530; spline type: SAE 1 1/2" 10; no. of holes: 6; L1: 250; BPW	A	146.00
80020D	Automatic brake adjuster S-ABA; boxed; control unit: 74530; spline type: SAE 1 1/2" 10; no. of holes: 5; L1: 205; ROR	A	271.00

Part number	Description	Code	List Price € (excl. VAT)
80020S	Automatic brake adjuster S-ABA; boxed; control unit: 74530; spline type: SAE 1 1/2" 10; no. of holes: 5; L1: 205; ROR	A	146.00
80021D	Automatic brake adjuster S-ABA; boxed; control unit: 74530; spline type: SAE J 498; no. of holes: 4; L1: 215; Fruehauf	A	271.00
80021S	Automatic brake adjuster S-ABA; boxed; control unit: 74530; spline type: SAE J 498; no. of holes: 4; L1: 215; Fruehauf	A	146.00
80022D	Automatic brake adjuster S-ABA; boxed; control unit: 74530; spline type: SAE 1 1/2" 10; no. of holes: 6; L1: 250; SAF	A	271.00
80022S	Automatic brake adjuster S-ABA; boxed; control unit: 74530; spline type: SAE 1 1/2" 10; no. of holes: 6; L1: 250; SAF	A	146.00
80023D	Automatic brake adjuster S-ABA; boxed; control unit: 74530; spline type: SAE 1 1/2" 10; no. of holes: 4; L1: 215; SMB	A	271.00
80023S	Automatic brake adjuster S-ABA; boxed; control unit: 74530; spline type: SAE 1 1/2" 10; no. of holes: 4; L1: 215; SMB	A	146.00
80024D	Automatic brake adjuster S-ABA; boxed; control unit: 74530; spline type: SAE 1 1/2" 10; no. of holes: 4; L1: 210; Traylor	A	271.00
80024S	Automatic brake adjuster S-ABA; boxed; control unit: 74530; spline type: SAE 1 1/2" 10; no. of holes: 4; L1: 210; Traylor	A	146.00
80030C	Automatic brake adjuster S-ABA; boxed; control unit: 74527; spline type: N42x1.5x13H DIN 5480; no. of holes: 1; L1: 145; Daimler	A	224.00
80039C	Automatic brake adjuster S-ABA; boxed; control unit: 74527; spline type: SAE 1 1/2" 10; no. of holes: 1; L1: 145; Kamaz	A	357.00
800404K	Air drier purge valve; for air drier USA	H	57.00
80040C	Automatic brake adjuster S-ABA; boxed; control unit: 74527; spline type: SAE 1 1/2" 10; no. of holes: 1; L1: 145; Kamaz	A	357.00
80041C	Automatic brake adjuster S-ABA; boxed; control unit: 74530; spline type: SAE 1 1/2" 10; no. of holes: 4; L1: 180; SAF	A	359.00
80108C	Automatic brake adjuster S-ABA; boxed; control unit: 74530; spline type: SAE 1 1/2" 10; no. of holes: 7; L1: 105; SAE	A	188.00
80109C	Automatic brake adjuster S-ABA; boxed; control unit: 74529; spline type: SAE 1 1/2" 10; no. of holes: 1; L1: 140; SouthAfrica	A	301.00
80123C	Automatic brake adjuster S-ABA; boxed; control unit: 74534; spline type: SAE 1 1/2"-10; no. of holes: 2; L1: 180; SAE	A	349.00
80124C	Automatic brake adjuster S-ABA; boxed; control unit: 74527; spline type: SAE 1 1/2" 10; no. of holes: 2; L1: 180; SAE	A	250.00

Part number	Description	Code	List Price € (excl. VAT)
80125C	Automatic brake adjuster S-ABA; boxed; control unit: 74527; spline type: SAE 1 1/2" 10; no. of holes: 2; L1: 180; SAE	A	250.00
80126C	Automatic brake adjuster S-ABA; boxed; control unit: 74530; spline type: SAE 1 1/2" 10; no. of holes: 6; L1: 105; SAE	A	188.00
80129C	Automatic brake adjuster S-ABA; boxed; control unit: 74527; spline type: SAE 1 1/2" 10; no. of holes: 1; L1: 165; SAE	A	349.00
80130C	Automatic brake adjuster S-ABA; boxed; control unit: 74527; spline type: SAE 1 1/2" 10; no. of holes: 1; L1: 165; SAE	A	349.00
80133C	Automatic brake adjuster S-ABA; boxed; control unit: 74530; spline type: SAE 1 1/2" 10; no. of holes: 1; L1: 127.5; Hendrikssons_DAF	A	176.00
80134C	Automatic brake adjuster S-ABA; boxed; control unit: 74534; spline type: SAE 1 1/2"-10; no. of holes: 6; L1: 180; SAE	A	198.00
80136C	Automatic brake adjuster S-ABA; boxed; control unit: 74537; spline type: SAE 1 1/2"-10; no. of holes: 2; L1: 180; SAE	A	357.00
80163C	Automatic brake adjuster S-ABA; boxed; control unit: 74527; spline type: N42x1.5x12H DIN 5480; no. of holes: 1; L1: 145; Daimler	A	224.00
80164C	Automatic brake adjuster S-ABA; boxed; control unit: 74527; spline type: N42x1.5x12H DIN 5480; no. of holes: 1; L1: 145; Daimler	A	224.00
80165C	Automatic brake adjuster S-ABA; boxed; control unit: 74528; spline type: N42x1.5x12H DIN 5480; no. of holes: 1; L1: 145; Daimler	A	224.00
80166C	Automatic brake adjuster S-ABA; boxed; control unit: 74528; spline type: N42x1.5x12H DIN 5480; no. of holes: 1; L1: 145; Daimler	A	224.00
80167C	Automatic brake adjuster S-ABA; boxed; control unit: 74527; spline type: N42x1.5x12H DIN 5480; no. of holes: 1; L1: 145; Daimler	A	224.00
80168C	Automatic brake adjuster S-ABA; boxed; control unit: 74532; spline type: N42x1.5x12H DIN 5480; no. of holes: 1; L1: 145; Daimler	A	224.00
80176C	Automatic brake adjuster S-ABA; boxed; control unit: 74535; spline type: N42x1.5x12H DIN 5480; no. of holes: 1; L1: 145; MAN	A	219.00
80177C	Automatic brake adjuster S-ABA; boxed; control unit: 74535; spline type: N42x1.5x12H DIN 5480; no. of holes: 1; L1: 145; MAN	A	219.00
80178C	Automatic brake adjuster S-ABA; boxed; control unit: 74536; spline type: N42x1.5x12H DIN 5480; no. of holes: 1; L1: 145; MAN	A	219.00
80179C	Automatic brake adjuster S-ABA; boxed; control unit: 74536; spline type: N42x1.5x12H DIN 5480; no. of holes: 1; L1: 145; MAN	A	219.00
80180C	Automatic brake adjuster S-ABA; boxed; control unit: 74537; spline type: N42x1.5x12H DIN 5480; no. of holes: 1; L1: 145; MAN	A	219.00

Part number	Description	Code	List Price € (excl. VAT)
80181C	Automatic brake adjuster S-ABA; boxed; control unit: 74537; spline type: N42x1.5x12H DIN 5480; no. of holes: 1; L1: 145; MAN	A	219.00
80183C	Automatic brake adjuster S-ABA; boxed; control unit: 74535; spline type: N42x1.5x12H DIN 5480; no. of holes: 1; L1: 145; MAN	A	219.00
80346C	Automatic brake adjuster S-ABA; boxed; control unit: 74534; spline type: SAE 1 1/2"-10; no. of holes: 3; L1: 152; SAF	A	337.00
80347C	Automatic brake adjuster S-ABA; boxed; control unit: 74534; spline type: SAE 1 1/2"-10; no. of holes: 3; L1: 152; SAF	A	337.00
80361C	Automatic brake adjuster S-ABA; boxed; control unit: 74528; spline type: SAE 1 1/2"-10; no. of holes: 3; L1: 152; SAF	A	337.00
80362C	Automatic brake adjuster S-ABA; boxed; control unit: 74528; spline type: SAE 1 1/2"-10; no. of holes: 3; L1: 152; SAF	A	337.00
80363D	Automatic brake adjuster S-ABA; boxed; control unit: 74530; spline type: SAE 1 1/2"-10; no. of holes: 6; L1: 250	A	267.00
80367C	Automatic brake adjuster S-ABA; boxed; control unit: 74534; spline type: SAE 1 1/2"-10; no. of holes: 3; L1: 178; SAF	A	302.00
80368C	Automatic brake adjuster S-ABA; boxed; control unit: 74534; spline type: SAE 1 1/2"-10; no. of holes: 3; L1: 178; SAF	A	302.00
80382C	Automatic brake adjuster S-ABA; boxed; control unit: 74527; spline type: SAE 1 1/2"-10; no. of holes: 2; L1: 180; SAE	A	337.00
80383C	Automatic brake adjuster S-ABA; boxed; control unit: 74527; spline type: SAE 1 1/2"-10; no. of holes: 2; L1: 180; SAE	A	337.00
80409C	Automatic brake adjuster S-ABA; boxed	A	153.00
80499C	Automatic brake adjuster S-ABA; boxed; control unit: 74527; spline type: A 38x34 DIN 5482; no. of holes: 1; L1: 145; DAB	A	345.00
80500C	Automatic brake adjuster S-ABA; boxed; control unit: 74527; spline type: A 38x34 DIN 5482; no. of holes: 1; L1: 145; DAB	A	345.00
80530D	Automatic brake adjuster S-ABA; boxed; control unit: 74541; spline type: SAE 1 1/2" 10; no. of holes: 6; L1: 250; BPW	A	271.00
80530S	Automatic brake adjuster S-ABA; boxed; control unit: 74541; spline type: SAE 1 1/2" 10; no. of holes: 6; L1: 250; BPW	A	120.00
80532D	Automatic brake adjuster S-ABA; boxed; control unit: 74541; spline type: SAE 1 1/2" 10; no. of holes: 5; L1: 180; BPW	A	271.00
80559D	Automatic brake adjuster S-ABA; boxed; control unit: 74530; spline type: SAE 1 1/2" 10; no. of holes: 5; L1: 180; BPW	A	271.00

Part number	Description	Code	List Price € (excl. VAT)
80559S	Automatic brake adjuster S-ABA; boxed; control unit: 74530; spline type: SAE 1 1/2" 10; no. of holes: 5; L1: 180; BPW	A	146.00
80563C	Automatic brake adjuster S-ABA; boxed; control unit: 74528; spline type: N42x1.5x12H DIN 5480; no. of holes: 1; L1: 145; MAN	A	295.00
80564C	Automatic brake adjuster S-ABA; boxed; control unit: 74528; spline type: N42x1.5x12H DIN 5480; no. of holes: 1; L1: 145; MAN	A	295.00
80647C	Automatic brake adjuster S-ABA; boxed; control unit: 74546; spline type: N42x1.5x13H DIN 5480; no. of holes: 1; L1: 145	A	320.00
80648C	Automatic brake adjuster S-ABA; boxed; control unit: 74547; spline type: N42x1.5x13H DIN 5480; no. of holes: 1; L1: 145	A	320.00
80649C	Automatic brake adjuster S-ABA; boxed; control unit: 74548; spline type: N42x1.5x13H DIN 5480; no. of holes: 1; L1: 145	A	318.00
80650C	Automatic brake adjuster S-ABA; boxed; control unit: 74549; spline type: N42x1.5x13H DIN 5480; no. of holes: 1; L1: 145	A	318.00
80651C	Automatic brake adjuster S-ABA; boxed; control unit: 74548; spline type: N42x1.5x13H DIN 5480; no. of holes: 1; L1: 145	A	320.00
80652C	Automatic brake adjuster S-ABA; boxed; control unit: 74549; spline type: N42x1.5x13H DIN 5480; no. of holes: 1; L1: 145	A	320.00
810023001	EB+ system Gen3	L	672.00
812032001	Levelling valve	F	294.00
812032011	Levelling valve	F	307.00
81374/10	Bush; 19.0 mmOD; 14.0 mmID; pack of 10	A	41.70
814001002	Cable; for EB+ 3M link; length (m): 12; material: PVC; (power B-power B link)	L	113.00
814001012	Cable; for EB+ 3M link; length (m): 2; material: PVC; (power B-power B link)	L	92.30
814001022	Cable; for EB+ 3M link; length (m): 5; material: PVC; (power B-power B link)	L	102.00
814001042	Cable; for EB+ 3M link; length (m): 10; material: PVC; (power B-power B link)	L	107.00
814001052	Cable; for EB+ 3M link; length (m): 8; material: PVC; (power B-power B link)	L	99.50
814001302	Cable; for COLAS®/ILAS®-E; DIN 72585; length (m): 7; material: PVC; auxilliary connection	L	68.70
814001312	Cable; for COLAS®/ILAS®-E; DIN 72585; length (m): 18; material: PVC; auxilliary connection	L	111.00
814001322	Cable; for COLAS®/ILAS®-E; DIN 72585; length (m): 2; material: PVC; auxilliary connection	L	23.60
814001332	Cable; for COLAS®/ILAS®-E; DIN 72585; length (m): 4; material: PVC; auxilliary connection	L	31.80
814001342	Cable; for COLAS®/ILAS®-E; DIN 72585; length (m): 1; material: PVC; auxilliary connection	L	55.40

Part number	Description	Code	List Price € (excl. VAT)
814001352	Cable; for auxilliary connection; length (m): 12; material: PVC	L	71.80
814001372	Cable; for auxilliary connection; material: PVC	L	60.50
814001502	Cable; for REV pressure switch; length (m): 10; material: PVC	L	93.30
814001512	Cable; for REV pressure switch; length (m): 2; material: PVC	L	64.60
814001522	Cable; for REV pressure switch; length (m): 0.75; material: PVC	L	55.90
814001532	Cable; for REV pressure switch; length (m): 3; material: PVC	L	29.30
814001542	Cable; for REV pressure switch; length (m): 5; material: PVC	L	35.90
814001552	Cable; for REV pressure switch; length (m): 8; material: PVC	L	46.20
814001562	Cable; for REV pressure switch; length (m): 26	L	142.00
814001601	Cable; for diagnostics; PC to EBS EB+; length (m): 6.5; for direct ECU connection	L	92.30
814001621	Cable; for diagnostics; PC to EBS EB+; length (m): 20.0; for direct ECU connection	L	113.00
814001993	Limited stock; Cable	L	74.70
814002202	Cable; for ISO 1185 (24N); length (m): 12; material: PVC	L	72.80
814002212	Cable; for ISO 1185 (24N); length (m): 16; material: PVC	L	98.40
814002222	Cable; for ISO 1185 (24N); length (m): 6; material: PVC	L	35.90
814002232	Cable; for ISO 1185 (24N); length (m): 4; material: PVC	L	25.70
814002242	Cable; for ISO 1185 (24N); length (m): 9; material: PVC	L	36.40
814002301	Cable; for super aux; length (m): 6; material: PVC	L	63.60
814002311	Cable; for super aux; length (m): 12; material: PVC	L	245.00
814002321	Cable; for super aux; length (m): 9; material: PVC	L	96.40
814002331	Cable; for super aux; length (m): 4	L	56.40
814003102	Cable; for ISO 7638; length (m): 12; material: PVC; straight	L	228.00
814003112	Cable; for ISO 7638; length (m): 16; material: PVC; straight	L	307.00
814003122	Cable; for ISO 7638; length (m): 18; material: PVC; straight	L	277.00
814003132	Cable; for ISO 7638; length (m): 9; material: PVC; straight	L	176.00
814003142	Cable; for ISO 7638; length (m): 14; material: PVC; straight	L	267.00
814003152	Cable; for ISO 7638; length (m): 6; material: PVC; straight	L	129.00
814003201	Cable; for ISO 7638; length (m): 1; material: PVC	L	93.30
814003211	Cable; for ISO 7638	L	233.00
814003431	Cable; for ISO 7638; length (m): 9; material: PVC; straight	L	83.20
814004102	Cable; for ISO 7638; length (m): 9; material: PVC	L	241.00
814004112	Cable; for ISO 7638; length (m): 12; material: PVC	L	246.00
814004122	Cable; for ISO 7638; length (m): 15; material: PVC	L	303.00
814004132	Cable; for ISO 7638; length (m): 18; material: PVC	L	359.00

Part number	Description	Code	List Price € (excl. VAT)
814004301	Cable; for super aux; length (m): 1.1	L	31.30
814004311	Cable; for super aux; length (m): 6; material: PVC; DIN 72585	L	74.90
814004401	Cable; for sensor extension; length (m): 3; material: PUR	L	22.10
814004411	Cable; for sensor extension; length (m): 6; material: PUR	L	33.90
814004421	Cable; for sensor extension; length (m): 2; material: PUR	L	30.80
814004431	Cable; for sensor extension; length (m): 10; material: PUR	L	51.80
814004441	Cable; for sensor extension; length (m): 14; material: PUR	L	73.80
814004451	Cable; for sensor extension; length (m): 8; material: PUR	L	42.10
814004461	Cable; for sensor extension; length (m): 12; material: PUR	L	62.60
814004471	Cable; for sensor extension; length (m): 4; material: PVC	L	25.70
814006102	Cable; for ISO 7638; length (m): 26; material: PVC; w/o CAN bus	L	487.00
814006301	Cable; for telematic; length (m): 1; material: PVC; DIN 72585	L	53.30
814006311	Cable; for telematic; length (m): 12; material: PVC; DIN 72585	L	115.00
814007111	Cable; for lining wear sensor interface; length (m): 5; material: PUR; extension; EB+	L	46.80
814008101	Cable; for ISO 7638; length (m): 12	L	200.00
814009101	Cable; for ISO 7638; length (m): 16	L	93.30
814009111	Cable; for ISO 7638	L	83.10
814009131	Cable; for ISO 7638	L	79.00
814009301	Cable; for 3/2 valve; length (m): 7; DIN 72585	L	79.00
814010101	Cable; for diagnostics; EBS EB+ to DIAG+/Info Centre; length (m): 6.5; chassis cable	L	104.00
814010111	Cable; for diagnostics; EBS EB+ to DIAG+/Info Centre; length (m): 2.6; chassis cable	L	76.90
814010121	Cable; for diagnostics; EBS EB+ to DIAG+/Info Centre; length (m): 5.0; chassis cable	L	71.30
814011001	Cable; for diagnostics; PC to EBS EB+; length (m): 6.5; for side of vehicle connection	L	83.10
814012201	Cable; for auxilliary connection; length (m): 7; material: PVC; DIN 72585	L	79.00
814012211	Cable; for auxilliary connection; length (m): 18; material: PVC; DIN 72585	L	128.00
814012221	Cable; for auxilliary connection; length (m): 1; material: PVC; DIN 72585	L	54.40
814012231	Cable; for auxilliary connection; length (m): 2; material: PVC; DIN 72585	L	71.80
814012241	Cable; for auxilliary connection; length (m): 5; material: PVC; DIN 72585	L	48.20
814012251	Cable; for auxilliary connection; length (m): 3; material: PVC; DIN 72585	L	39.00

Part number	Description	Code	List Price € (excl. VAT)
814012261	Cable; for auxilliary connection; length (m): 4; material: PVC; DIN 72585	L	43.10
814012271	Cable; for auxilliary connection; length (m): 10; material: PVC; DIN 72585	L	49.20
814019001	Cable; for Info Centre; length (m): 6.5; material: PVC	L	57.40
814019011	Cable; for Info Centre; length (m): 1.5; material: PVC	L	74.90
814019021	Cable; for Info Centre; length (m): 8.0; material: PVC	L	65.60
814019031	Cable; for Info Centre 2; length (m): 14; EB+ Gen2; extension; assembled	B	102.00
814025001	Cable; for Info Centre; length (m): 1.0; material: PVC	L	58.00
814026001	Cable; for PWRA; length (m): 1.5; DIN 72585	L	90.80
814026021	Cable; for ISO 7638; length (m): 12; material: PVC; c/w CAN bus ISO 11992	L	113.00
814027001	Cable	L	50.30
814028001	Cable; for ISO 15170; splitter	L	129.00
814028011	Cable; for ISO 15170; splitter	L	102.00
814029021	Cable; for super aux; length (m): 6.0/1.0; material: PVC; DIN 72585	L	152.00
814029201	EB+ Super aux cable assy; for ECU split	L	159.00
814030001	Cable; for diagnostics; EBS EB+ to DIAG+/Info Centre; length (m): 6.5; for Gen3	L	80.00
814030011	Cable; for diagnostics; EBS EB+ to DIAG+/Info Centre; length (m): 2.5; for Gen3	L	104.00
814030021	Cable; for diagnostics; EBS EB+ to DIAG+/Info Centre; length (m): 5.0; for Gen3	L	90.20
814030031	Cable; for diagnostics; EBS EB+ to DIAG+/Info Centre; length (m): 15.0; for Gen3	L	181.00
814031101	Cable; for TPMS; length (m): 1 (DIAG/RCU); 7 (Info Centre); Y splitter	L	276.00
814033001	Cable; for CAN; length (m): 1	L	45.10
814033011	Cable; for CAN; length (m): 12	L	127.00
814036001	Cable; for diagnostics; PC to EBS EB+; length (m): 6.5; for Gen3	L	71.80
814036011	Cable; for diagnostics; PC to EBS EB+; length (m): 15.0; for Gen3	L	114.00
814036021	Cable; for diagnostics; PC to EBS EB+; length (m): 20.0; for Gen3	L	135.00
814037001	Cable; for Info Centre; length (m): 6.5	L	79.00
814037011	Cable; for Info Centre; length (m): 0.5	L	67.70
814037021	Cable; for Info Centre; length (m): 8.0	L	92.30
814037031	Cable; for Info Centre; length (m): 14.0	L	136.00
814037041	Cable; for Info Centre	L	62.60
814038001	Y-splitter cable; for diagnostics; slipper assembly	L	221.00
814039001	Cable; for slipper; length (m): 0.5; 3x2x2 twin aux	L	97.40
814039201	Aux Y-splitter cable; for EB+; length (m): 0.65; Soft Docking use 364607001	L	116.00

Part number	Description	Code	List Price € (excl. VAT)
814040001	Cable; for aux to FCI Rear RCU- unterminated; length (m): 1.2	L	64.60
814040201	Cable; for aux to FCI Front RCU- unterminated; length (m): 1.2	L	260.00
814040221	Cable; for aux to FCI Front RCU- unterminated; length (m): 10	L	37.30
814041001	Cable; for EB+ 3M link; length (m): 12; for Gen3	L	170.00
814041011	Cable; for EB+ 3M link; length (m): 2; for Gen3	L	40.00
814041021	Cable; for EB+ 3M link; length (m): 5; for Gen3	L	108.00
814041031	Cable; for EB+ 3M link; length (m): 14; for Gen3	L	201.00
814041041	Cable; for EB+ 3M link; length (m): 10; for Gen3	L	146.00
814041051	Cable; for EB+ 3M link; length (m): 8; for Gen3	L	111.00
814042031	Cable; for power A to power A; length (m): 1.8	L	54.40
815015001	LWI system; aux. 2m; sensor 2.5m; 3.5m; 4.5m; aux connector: blue, 3 pole; LWS connector: 2 pole	L	193.00
815015002	Sensor	M	51.70
815018001	Head board interface; for diagnostics; EBS EB+ to DIAG+/ Info Centre; length (m): 0.45; for ECU--> 08 2005	L	321.00
815020001	Traction interface; EBS EB+; 8m	L	128.00
815021001	Info Point; EBS EB+; 7m	L	235.00
815022001	Control Line pressure Sensor	L	154.00
815023001	PC interface; for DIAG+; PC to EBS EB+; USB connection	L	723.00
815023011	PC interface; for Fleet+; PC to EBS EB+; USB connection	L	699.00
815030001	Height sensor	L	69.70
815031001	Cable; for push switch box; length (m): 7; material: PVC	L	149.00
815033001	Rotary switchbox; c/w aux cable; 7m	L	135.00
815040001	Cable; for push switch box; length (m): 7; material: PVC; c/w mouting plate	L	145.00
815041001	Info Centre 2	L	441.00
815046001	Info Centre 2; ADR	L	364.00
815052001	Tire pressure monitoring system (TPMS); receiver control unit	L	645.00
815053001	Tire pressure monitoring system (TPMS); low frequency wand	L	404.00
815055001	Ignition line interface; for EB+; Gen3	L	44.30
815999999	Sensor	M	44.20
83327	Single air drier (SDX); cut-out (bar): 11.0; range: 1.3±0.3; inlet 1/ outlet 21: M22x1.5; Jelcz	D	851.00
83377	Twin air drier (TD); series 200; cut- out (bar): 8; range: 0.7+0.5; 13 safety valve (bar)	D	1850.00
83491	Single air drier (SDX); cut-out (bar): 11.0; range: 0.7+0.5; inlet 1/ outlet 21: M22x1.5; Iveco Cityclass Euro 2	D	757.00
84076	Repair kit; for ABA withdrawing tool; c/w threaded bush	A	224.00
84423	Spacer; for chassis to anchor point connection	A	14.60
84579	Bush; 19.0 mmOD; 12.7mmID	A	4.17
84734	Bush; 16mm	A	5.08

Part number	Description	Code	List Price € (excl. VAT)
869075	Black box; for single air drier SDX	D	306.00
86993	Anchor bracket; U-type; SAF	A	14.60
86994	Anchor bracket; U-type; SAF	A	14.60
87127	Single air drier (SDX); cut-out (bar): 11.0; range: 0.7+0.5; inlet 1/ outlet 21: M22x1.5; Iveco Cityclass Euro 2	D	655.00
87189	Single air drier (SDX); cut-out (bar): 10.0; range: 1.4±0.3; inlet 1/ out- let 21: M22x1.5; Dennis Bus	D	659.00
872195	Black box; for single air drier SDX	D	306.00
87255	Coil kit; for automatic drain valve/ Consep; 24V; M24	D	82.30
87282	Single air drier (SDX); cut-out (bar): 10.8; range: 1.3±0.2; inlet 1/ outlet 21: M22x1.5; Volvo	D	607.00
87295	Single air drier (SDX); cut-out (bar): 10.3; range: 0.9±0.3; inlet 1/ outlet 21: M22x1.5; Scania	D	624.00
87296	Single air drier (SDX); cut-out (bar): 8.5; range: 0.8±0.2; inlet 1/ outlet 21: M22x1.5; Volvo	D	607.00
87297	Single air drier (SDX); cut-out (bar): 11.5; range: 1.0±0.3; inlet 1/ outlet 21: M22x1.5; Volvo	D	607.00
87298	Single air drier (SDX); w/o Gover- nor; inlet 1/ outlet 21: M22x1.5; Volvo	D	498.00
873325	Black box; for single air drier SDX	D	265.00
873465	Black box; for single air drier SDX	D	306.00
873475	Black box; for single air drier SDX	D	301.00
873485	Black box; for single air drier SDX	D	265.00
89203	Silencer kit; for single air drier SDX	D	34.70
894465	Black box; for single air drier SDX	D	306.00
89454	Coil kit; for automatic drain valve/ Consep; 24V; c/w cable: 0.3m	D	154.00
89724	DB 22 MkII+III; application SAF/ BPW; nb of pads: 4	K	163.00
89796	ModulX DB 19; application SAE; nb of pads: 4	K	173.00
90027	Core complete; for automatic drain valve/Consep	D	30.40
90054007	Levelling valve, CR (zinc); ports (mm): 1/8" NPT; lever: assembled/ flat/offset	F	153.00
90054630/10	Lever connector; for levelling valve (90.....); elbow piece; pack of 10	F	32.40
902695	Black box; for single air drier SDX	D	297.00
90361	Safety valve; for single air drier SDX; 11 bar; M16x1.5; red cap	D	76.40
90362	Safety valve; for single air drier SDX/single/twin air drier; 13 bar; M16x1.5; green cap	D	76.40
90364	Repair kit; for Consep; ADV side; complete	D	39.00
90373	Bush; x12; for control arm; plastic	A	19.30
904053001	Pressure regulating/setting tool; for ILAS® III (352047.../ 352049.../ 352051...)	F	51.40
905002001	Leak detection spray	I	11.80
90548	Single air drier (SDX); cut-out (bar): 12.0; range: 1.0±0.3; inlet 1/ out- let 21: M22x1.5; Volvo; AM	D	596.00
905495	Black box; for single air drier SDX	D	260.00
90554107	Pressure protection valve; opening pressure (bar): 75 PSIG; closing pressure (bar): 70 PSIG; c/w back- flow; 1/4" NPT	E	39.00

Part number	Description	Code	List Price € (excl. VAT)
90554114	Levelling valve, CR (zinc); ports (mm): 1/4" NPT; lever: assembled/flat/offset	F	153.00
90554147	Levelling valve, CR (zinc); ports (mm): 1/8" NPT; lever: assembled/flat/offset	F	106.00
90554151	Pressure protection valve; opening pressure (bar): 6.1; closing pressure (bar): 5.2; c/w backflow; M12	E	93.10
90554334	Levelling valve, CR (zinc); ports (mm): 1/8" NPT; lever: assembled/flat/offset	F	290.00
90554615	3-way pilot valve; ports: 1/4" NPT; 8.5V	F	103.00
90555105	Levelling valve, EGP; type: EGP; ports (mm): 1/4"NPT	F	72.60
90555106	Levelling valve, EGP; type: EGP; ports (mm): 1/4"NPT	F	401.00
90555142	Levelling valve, Height Control valve	F	145.00
90555353	Levelling valve, heigh control valve	F	87.80
90571	Lining wear sensor (LWS); spline type N42x1.5x9H; no. of spline teeth 26; R/H front or L/H rear	O	113.00
90572	Lining wear sensor (LWS); spline type N42x1.5x9H; no. of spline teeth 26; L/H front or R/H rear	O	113.00
90693	Adjustment shaft kit; type s/n 143...-->; MKIV+ModulX (for pad clearance adjustment)	K	26.20
90966	Plug; for SDX	D	22.70
91015	Application mechanism kit; type ModulX DB 22	K	751.00
91164	Repair kit; for black box; c/w heat resistant material	D	182.00
91239	DB 22 MkII+III; application SMB; nb of pads: 4	K	163.00
91790S	Consep condenser; electric (quick-fit); (1) M22x1.5,(2) Voss 232 NG12; voltage (V)/ current (A): 24/0.5 (M27x1)	D	385.00
91804	Repair kit; for version S-ABA; position 4; S/N 348xxx-->	A	93.00
91806	Repair kit; for version S-ABA; position 6; S/N 348xxx-->	A	128.00
91917	Coil kit; for automatic drain valve/ Consep; 24V; c/w cable: 1m; DIN	D	189.00
91918	Coil kit; for automatic drain valve/ Consep; 24V; c/w cable: 1m; Deutsch kit	D	150.00
91935	Lining wear sensor (LWS); spline type N42x1.5x9H; no. of spline teeth 26; L/H front or R/H rear	O	136.00
91936	Lining wear sensor (LWS); spline type N42x1.5x9H; no. of spline teeth 26; R/H front or L/H rear	O	136.00
92003S	Automatic drain valvekit; for Consep; 24V; M27; c/w drain collector	D	273.00
92008	DB 22 MkIV+ModulX; application universal; nb of pads: 4	K	163.00
92009	DB 22 MkIV+ModulX; application SMB; nb of pads: 4	K	163.00
92010	DB 22 MkIV+ModulX; application SAE; nb of pads: 4	K	163.00
92050	Pad wear indicator kit (PWI); cable (mm) 195; inc. 91244+pad retainer bolt	K	63.00

Part number	Description	Code	List Price € (excl. VAT)
92051	Pad wear indicator kit (PWI); cable (mm) 695; inc. 91244+pad retainer bolt; for axle side	K	63.00
92188	Automatic drain valve (ADV)	D	98.50
92200	Air disc brake; disc brake unit; version: ModulX (v6); DB 22; c/w carrier; w/o accessories	K	1510.00
92201	Air disc brake; disc brake unit; version: ModulX (v6); DB 22; c/w carrier; w/o accessories	K	1510.00
92202	Air disc brake; disc brake unit; version: ModulX (v6); DB 22; c/w carrier; w/o accessories	K	1510.00
92203	Air disc brake; disc brake unit; version: ModulX (v6); DB 22; c/w carrier; w/o accessories	K	1510.00
92502	Air disc brake; disc brake unit; version: ModulX (v6); DB 22; c/w carrier; c/w pads; w/o accessories	K	800.00
92503	Air disc brake; disc brake unit; version: ModulX (v6); DB 22; c/w carrier; w/o accessories	K	757.00
92534S	Black box; for single air drier SDX	D	297.00
92559	Air disc brake; disc brake unit; version: ModulX (v6); DB 19; c/w carrier; c/w pads; w/o accessories	K	800.00
92560	Air disc brake; disc brake unit; version: ModulX (v6); DB 19; c/w carrier; w/o accessories	K	757.00
92569S	Automatic drain valvekit; for Consep; 24V; M24; c/w drain collector; ADV to be at 180 degrees when fitted to 92794	D	50.90
92573S	Consep condenser; electric (quick-fit); M22x1.5; voltage (V)/ current (A): 24/0.5 (M24x1)	D	382.00
92671S	Consep condenser; electric (quick-fit); M22x1.5; voltage (V)/ current (A): 24/0.5 (M27x1)	D	393.00
92692S	Automatic drain valvekit; for Consep; 24V; M27; w/o drain collector	D	273.00
92693S	Consep condenser; electric (quick-fit); M22x1.5; voltage (V)/ current (A): 24/0.5 (M27x1)	D	393.00
92694S	Automatic drain valvekit; for Consep; 24V; M24; w/o drain collector	D	243.00
92695S	Consep condenser; electric (quick-fit); M22x1.5; voltage (V)/ current (A): 24/0.5 (M24x1)	D	393.00
92793S	Consep condenser; electric (quick-fit); M22x1.5; voltage (V)/ current (A): 24/0.5 (pigtail); 1; DIN	D	424.00
92794S	Consep condenser; electric (quick-fit); M22x1.5; voltage (V)/ current (A): 24/0.5 (M24x1)	D	239.00
92795	Consep condenser; electric (quick-fit); M22x1.5; voltage (V)/ current (A): 12/1 (M24x1)	D	382.00
92796S	Consep condenser; electric (quick-fit); M22x1.5; voltage (V)/ current (A): 24/0.5 (M24x1)	D	217.00
92797S	Consep condenser; electric (quick-fit); M22x1.5; voltage (V)/ current (A): 24/0.5 (pigtail); 1; Deutsch	D	382.00
92808	Air disc brake; disc brake unit; version: ModulX (v6); DB 22; c/w carrier; c/w pads; w/o accessories	K	1170.00
92812	Air disc brake; disc brake unit; version: ModulX (v6); DB 19; c/w carrier; c/w pads; w/o accessories	K	800.00

Part number	Description	Code	List Price € (excl. VAT)
92814	Air disc brake; disc brake unit; version: ModulX (v6); DB 19; c/w carrier; c/w pads; w/o accessories	K	800.00
92824	Air disc brake; disc brake unit; version: ModulX (v6); DB 22 LT; c/w carrier; c/w pads; w/o accessories	K	1060.00
92826	Repair kit; for Consep; condenser side; complete	D	33.10
92832	Repair kit; for Consep; condenser side; c/w o-rings; w/o cyclone; c/w 4 locking collar nuts	D	16.30
92833	Repair kit; for Consep; ADV side; complete	D	47.70
92939S	Consep condenser; electric (quick-fit); M22x1.5; voltage (V)/ current (A): 24/0.5 (pigtail); 1; DIN	D	326.00
92966	Repair kit; for Consep; M27	D	13.60
92994	ModulX DB 22 LT; application universal; nb of pads: 4	K	163.00
92996S	Automatic drain valvekit; for Consep; 24V; c/w cable: 1m; c/w swivel draining box; DIN contact	D	283.00
92997S	Automatic drain valvekit; for Consep; 24V; c/w cable: 1m; c/w drain collector; draining box turned 60 degrees	D	273.00
93096	Single air drier (SDX); cut-out (bar): 10.8; range: 1.3±0.2; inlet 1/ outlet 21: M22x1.5; Volvo; sealed valveunit (SVU)+MTC+	D	607.00
93097	Single air drier (SDX); cut-out (bar): 12.0; range: 1.0±0.3; inlet 1/ outlet 21: M22x1.5; Volvo; sealed valveunit (SVU)+MTC+	D	607.00
93100	Draining box kit; for automatic drain valve/Consep; c/w swivel	D	8.99
93101S	Black box; for single air drier SDX	D	317.00
93102S	Black box; for single air drier SDX	D	260.00
93143	Single air drier (SDX); cut-out (bar): 8.9; range: 0.7+0.2; inlet 1/ outlet 21: M22x1.5; Solaris; c/w MTC+	D	659.00
93144	Single air drier (SDX); w/o Governor; inlet 1/ outlet 21: M22x1.5; Solaris; c/w MTC+	D	634.00
93179	Single air drier (SDX); cut-out (bar): 9.8; range: 0.9+0/-0.2; inlet 1/ outlet 21: M22x1.5; VDL Jonckheere; sealed valveunit (SVU)+MTC+	D	672.00
93299	Sliding function repair kit; type ModulX (4 pieces) (c/w slide pins) (c/w 6x bellow)	K	238.00
93522	Air drier cartridge kit; for single air drier SDX	D	128.00
93522MH	Air drier cartridge; for M+H; laser printed	D	72.70
93636	Anchor bracket; for version S-ABA; U-type; universal	A	14.60
93677A	Single air drier (SDX); cut-out (bar): 10.0; range: 0.7+0.2; inlet 1/ outlet 21: M22x1.5; c/w MTC+	D	655.00
93678S	Black box; for single air drier SDX	D	297.00
93728S	Black box; for single air drier SDX	D	260.00
93729	Single air drier (SDX); cut-out (bar): 10.3; range: 0.9±0.3; inlet 1/ outlet 21: M22x1.5; Scania; sealed valveunit (SVU)+MTC+	D	769.00
93837	Air disc brake; disc brake unit; version: ModulX (v6); DB 22; c/w carrier; w/o accessories	K	800.00

Part number	Description	Code	List Price € (excl. VAT)
93839	Air disc brake; disc brake unit; version: ModulX (v6); DB 22; c/w carrier; w/o accessories	K	800.00
93840	Air disc brake; disc brake unit; version: ModulX (v6); DB 22; c/w carrier; w/o accessories	K	800.00
93841	Air disc brake; disc brake unit; version: ModulX (v6); DB 22 LT; c/w carrier; c/w pads; w/o accessories	K	1060.00
93842	Air disc brake; disc brake unit; version: ModulX (v6); DB 22 LT; c/w carrier; w/o accessories	K	888.00
93887	ModulX DB 22 LT; application SMB/Gigant; nb of pads: 4	K	163.00
94027	Air disc brake; disc brake unit; version: ModulT; DBT 22 LT	K	344.00
94164	Worm wheel	A	7.53
94605	Air disc brake; disc brake unit; version: ModulX (v6); DB 19; c/w carrier; w/o accessories	K	801.00
94608	ModulX DB 19; application Volvo/ Renault; nb of pads: 4	K	214.00
94609	Pad wear sensor kit (PWS); cable (mm) 1000; 3 pin	K	151.00
94610	Pad wear sensor kit (PWS); cable (mm) 1000; 4 pin	K	151.00
94659	Par retainer; type universal	K	69.30
94660	Sliding function sealing kit; type ModulX (w/o slide pins)	K	178.00
94661	Sliding function sealing kit; type MkII+III+IV (w/o slide pins)	K	212.00
94662	Application unit sealing kit; type Mk IV+ModulX	K	63.00
94665	Protection spring kit; type MkIV+ModulX	K	63.00
94728	Air disc brake; disc brake unit; version: ModulX (v6); DB 22 LT; c/w carrier; w/o accessories	K	1790.00
94769	Air disc brake; disc brake unit; version: ModulX (v6); DB 19; c/w carrier; w/o accessories	K	864.00
94930	Disc brake unit DB 22	K	740.00
94955	Worm wheel; BNA 227; D3.5	A	125.00
950310019	Repair kit; for Consep pneumatic	D	70.90
950310028	Single air drier (SDX)	D	672.00
950310030	Valve unit (repair KIT)	D	216.00
950310035	Depot valve; spare part kit	D	73.60
950310040	Air drier cartridge; ModulAir spare; Daimler	D	102.00
950312012	Repair kit; for 312.017 .312029....312 041...312043	E	74.90
950320002	Repair kit; for Service brake valve (320003...)	E	107.00
950320020	Repair kit; for Service brake valve (320060.../ 320062.../ 320063...)	E	161.00
950321021	Repair kit; for clutch servo (321010001)	I	236.00
950321025	Repair kit; for clutch servo (321015...)	I	252.00
950321028	Repair kit; for clutch servo (321020001)	I	116.00
950321030	Repair kit; for clutch servo (321023001)	I	159.00
950329002	Repair kit; for Trailer Control valve (for 329006...)	E	182.00
950329006	Repair kit; for Trailer Control valve (329017011)	E	49.80

Part number	Description	Code	List Price € (excl. VAT)
950329011	Repair kit; for Trailer Control valve (329020331)	E	180.00
950329012	Repair kit; for Trailer Control valve (329020311)	E	180.00
950329013	Repair kit; for Trailer Control valve (329020261/ ..401/ ..451/ ..452)	E	180.00
950329016	Repair kit; for Trailer Control valve (329020271)	E	180.00
950329017	Repair kit; for Trailer Control valve	E	45.10
950329018	Repair kit; for Trailer Control valve	E	45.10
950329030	Repair kit; for Trailer Control valve	E	267.00
950329031	Repair kit; for Trailer Control valve	E	282.00
950334005	Maintenance kit; for couplig head Protect-O; 2x Screw M4x16; 1x Rubber Diaphragm; 1x Service Instructions	E	10.30
950334006	Filter; for coupling head Protect-O	E	17.00
950334007	Rubber diaphragm; for coupling head Protect-O	E	24.60
950338008	Repair kit; for raise/lower valve (338032001)	F	119.00
950338023	Assembly kit; for COLAS® solenoid	F	36.90
950338027	Handle kit; for COLAS® valve (338051.../ 338056...); c/w spindle	F	80.40
950338032	Handle kit; for COLAS® valve (338051.../ 338056...); w/o spindle	F	39.60
950338033	Solenoid kit; for COLAS® (338051111/338057121)	F	300.00
950338036	Solenoid kit; for COLAS®+ (338062101); DIN bayonett, 2 pin; single circuit	F	183.00
950338038	Solenoid kit; for COLAS®+ (338071001/031); DIN bayonett, 2 pin; dual circuit	F	184.00
950338039	Solenoid; electro magnetic	F	385.00
950338100	Handle kit; for raise/lower valve (338021001)	F	83.10
950340002	Repair kit; for piston cylinder (340005.../ 340007...)	C	56.80
950340003	Repair kit; for piston cylinder (340008...)	C	68.80
950340010	Repair kit; for wedge brake piston cylinder (340034.../ 340044...)	C	84.80
950340017	Repair kit; for piston cylinder (340079...)	C	145.00
950344003	Repair kit; for spring brake actuator, pull type (344016.../ 344024.../ 344047...)	C	80.00
950344004	Repair kit; for spring brake actuator, pull type (344017.../ 344025...)	C	104.00
950344005	Repair kit; for spring brake actuator, pull type (344026...)	C	65.60
950344006	Repair kit; for spring brake actuator, pull type (344008.../ 344019...)	C	59.00
950344010	Repair kit; for spring brake actuator, pull type (344044...)	C	76.10
950344011	Repair kit; for spring brake actuator, pull type (344028...)	C	78.20
950346014	Repair kit; for piston spring brake (346101001)	C	111.00
950350008	Repair kit; for relay emergency valve (350026001/ ..002)	E	163.00
950351004	Repair kit; for relay emergency valve (351008...)	E	144.00
950351009	Repair kit; for relay emergency valve (351009...)	E	27.70

Part number	Description	Code	List Price € (excl. VAT)
950352016	Repair kit	F	6.41
950352017	Repair kit; for park valve (TrCM+ 3520676..)	E	60.10
950352022	Repair kit; for shunt valve (TrCM/ TrCM+/ TEM)	E	44.10
950352023	Repair kit; for park valve (TrCM 3520671../2..)	E	44.10
950352024	Repair kit; for park valve (TEM 352075...)	E	56.10
950352110	Solenoid kit; for ILAS®-E/ COLAS® (352061001/ 35206/ 338051101/ 33805/ 33807)	F	173.00
950352111	Solenoid kit; for ILAS®-E (352061011/ 352062011); DIN bayonett, 2 pin	F	180.00
950355004	Repair kit; for relay valve (355018...)	E	53.30
950355026	Repair kit; for Trailer Control valve (355071.../ 355082...)	E	148.00
950356003	Repair kit; for quick release valve (356001...)	E	30.80
950364021	Diagnostic cable; 0.3m; inside the gland box	B	82.00
950364024	Sensor extension cable; 2m	B	31.80
950364026	Sensor extension cable; 6m	B	47.20
950364031	Power cable; for ISO 7638; 12m	B	216.00
950364033	Power cable; for ISO 7638; 12m; drawbar trailers	B	207.00
950364045	ABS modulator relay valve (MRV); for ABS MODAL; cable length (m) 0.8; delivery port: M16x6; 24; system: 1M	B	334.00
950364046	ABS modulator relay valve (MRV); for ABS MODAL; cable length (m) 0.8; delivery port: M22x2; 24; system: 2M/3M	B	334.00
950364047	ABS modulator relay valve (MRV); for ABS MODULAR/MODAL; solenoid: M27x1.0; delivery port: M16x6; 24; system: 1M	B	334.00
950364048	ABS modulator relay valve (MRV); for ABS MODULAR/MODAL; solenoid: M27x1.0; delivery port: M22x2; 24; system: 2M/3M	B	334.00
950364050	MRV cable; 8m; modulator valve	B	77.90
950364054	Sensor extension cable; 8m	B	62.60
950364061	Click-fit connector kit; for ECU gland box; (ABS MODAL); c/w connectors; c/w blanking plugs	B	39.00
950364072	Socket; for ISO 7638x1.5 mm ²	B	47.30
950364075	Manifold kit; ABS MODAL2M; c/w input restrictor	B	246.00
950364076	ABS modulator relay valve (MRV); for ABS MODAL; cable length (m) 0.6; delivery port: M16x3; L/H side; 24; system: 2M	B	409.00
950364077	ABS modulator relay valve (MRV); for ABS MODAL; cable length (m) 0.6; delivery port: M16x3; R/H side; 24; system: 2M	B	409.00
950364081	Electronic control unit (ECU); ABS MODAL; 100; no. of sensors: 2/4/6; modulator x1/2/3 valve	B	1080.00
950364082	Electronic control unit (ECU); ABS MODAL; 100; no. of sensors: 2/4/6; modulator x1/2/3 valve; COLAS® compatible	B	1170.00
950364402	Socket; for ISO 7638	B	58.50
950364408	Sensor extension cable; 3m	B	47.20

Part number	Description	Code	List Price € (excl. VAT)
950364410	Sensor extension cable; 10m	B	51.80
950364411	MRV cable; 4m; modulator valve	B	47.20
950364412	MRV cable; 6m; modulator valve	B	55.40
950364413	MRV cable; 10m; modulator valve	B	83.10
950364417	Loom; for ECU connection	B	286.00
950364418	Loom; for ECU connection	B	334.00
950364419	Loom; for ECU connection	B	446.00
950364436	Socket; for ISO 7638(3/5)x1.5 mm ² +2x4 mm ²	B	37.80
950364501	Wheel sensor unit; for ABS GX/ DGX/MGX2+MGX2E; cable length (m) 2.4; straight type; for exciter teeth: 45/60; universal	B	162.00
950364503	Wheel sensor unit, angled; cable length (m): 0.5; c/w sleeve; socket end connection; standard fit; ABS DGX/MGX100/MODAL/MODULAR/EB+	B	51.80
950364504	Wheel sensor unit; for ABS GX/ DGX/MGX; cable length (m) 0.4; straight type; for exciter teeth: 45/60; universal	B	157.00
950364506	Wheel sensor unit. straight cable length (m): 0.5,	B	51.80
950364507	Sensor extension cable; 6m	B	38.00
950364801A	Upgrade replacement kit; for MODULAR 1	B	1160.00
950364802	Electronic control unit (ECU); ABS MODULAR 1 plus; 100; no. of sensors: 2; modulator x1 valve; COLAS® compatible	B	636.00
950364803	Electronic control unit (ECU); ABS MODULAR 2; 100; no. of sensors: 2/4; modulator x2 valve; COLAS® compatible	B	979.00
950364804	Electronic control unit (ECU); ABS MODULAR 2 ADR; 100; no. of sensors: 2/4; modulator x2 valve; COLAS® compatible	B	1160.00
950364806	ABS modulator relay valve (MRV); for ABS MODULAR; solenoid: M27x1.0; delivery port: M16x3; R/H side; 24; system: 2M	B	441.00
950364807	ABS modulator relay valve (MRV); for ABS MODULAR; solenoid: M27x1.0; delivery port: M16x3; L/H side; 24; system: 2M	B	441.00
950364818	Framatome connector kit; for diagnosticsfor side of vehicle connection; also for EBS	B	41.00
950531012	Repair kit; for rotary distributor; 531040...	I	110.00
950532015	Repair kit; for rotary distributor; 532044.../ 532045.../ 532048-532060.../ 532064.../ 532071-532075.../ 532085.../ 532105.../ 532115...	I	753.00
950532039	Repair kit; for rotary distributor; 532142/ 532148...	I	1060.00
950560001	Repair kit; for service brake valve (560002...)	E	93.30
950601004	Repair kit; for load sensing valve (mechanical 1987+)	E	236.00
950602008	Repair kit; for load sensing valve (pneumatic 1987+)	E	195.00
950610020	Socket; for ISO 7638; EB+	L	29.50
950610030	Socket; for ISO 7638; parking	L	7.88

Part number	Description	Code	List Price € (excl. VAT)
950610040	Electrical coil; for ISO 7638; length (m): 3.5; material: PUR; 5x1.5 mm ² +2x4 mm ²	L	69.50
950610050	Electrical coil; for ISO 12098; length (m): 3.5; light system	L	102.00
950611030	Flex coil; for ISO 1185 (24N); 3.5m; light system; also for EBS	B	31.40
950611030/OM	Flex coil; for ISO 37315 (24S) overmoulded; also for EBS	B	38.80
950611035	Flex coil; for ISO 3731 (24S); 3.5m; light system; also for EBS	B	31.40
950611035/OM	Flex coil; for ISO 3731 (24S); 3.5m; overmoulded; also for EBS	B	38.80
950611040	Flex power coil; for ISO 12098 (24N/24S); length (m): 3.5; material: PUR; light system	M	86.30
950611040/OM	Flex power coil; for ISO 12098 (24N/24S); length (m): 3.5; material: PUR; light system	M	94.30
950612009	Repair kit; for levelling valve (612025001)	F	13.50
950789900	Repair kit; for single air drier SDX	D	425.00
950800202	Enough Elect until end 2018 (ECU) voltage (V) 24	L	646.00
950800203	Gen1 Slave Not stopped ECU voltage (V) 24	L	298.00
950800302	EPRV; solenoid integrated; voltage (V): 24; 2M	L	851.00
950800303	EPRV slave; solenoid integrated; voltage (V): 24; 1M	L	687.00
950800304	EPRV slave; solenoid integrated; voltage (V): 24; 1M	L	692.00
950800305	EPRV; solenoid integrated; voltage (V): 24; 2M	L	887.00
950800306	EPRV slave; solenoid integrated; voltage (V): 24; 1M	L	708.00
950800307	Repair kit quick release valve	L	59.50
950800486	Cable; assembly	L	631.00
950800904	Double check valve; for EBS EB+ Gen 1	L	55.90
950800905	Double check valve; for EBS EB+ Gen 2/Gen 3	L	55.90
950800907	Pressure transducer kit	L	151.00
950800909	PC interface kit; for DIAG+; PC to EBS EB+; USB connection	L	716.00
950800910	PC interface kit; for Fleet+; PC to EBS EB+; USB connection	L	725.00
950800912	Diagnostics cable kit; for diagnostics; EBS EB+	L	631.00
950800913	Adaptor kit	L	127.00
950800915	Gen3 slide lock junction box kit	L	70.30
950800916	Socket	L	45.10
950800917	External pressure sensor kit	L	175.00
950823008	EB+ system Gen3; type: 2M; sensor: 2S or 4S; c/w DCV; c/w QRV; c/w stability; c/w super aux	L	1470.00
950823031	EB+ system Gen3; type: 3M	L	2410.00
950823034	EB+ system Gen3; type: 2M or 3M; sensor: 2S or 4S; c/w DCV; c/w QRV; c/w stability; c/w super aux	L	1700.00
95210	Pulling bracket	K	72.10
95231	Service tool kit	K	558.00
95232	Socket; TX 55	K	6.78
95240	Disc brake unit DB 22	K	740.00
95243	Disc brake unit DB 22	K	550.00
95244	Disc brake unit DB 22	K	740.00
95371	Disc brake unit DB 19	K	740.00

Part number	Description	Code	List Price € (excl. VAT)
95388	Disc brake unit DB 19	K	740.00
95396	ModulT DBT 22 LT; nb of pads: 4	K	188.00
95397	Repair kit sliding function; type ModulT (c/w slide pins) (c/w spring bracket)	K	93.70
95398	Adjustment shaft kit; type ModulT	K	17.20
95399	Mechanism seal Kit; type ModulT (c/w spring bracket)	K	43.70
95446	Air disc brake; disc brake unit; version: ModulT; DBT 22 LT; c/w carrier; w/o accessories	K	842.00
95447	Air disc brake; disc brake unit; version: ModulT; DBT 22 LT; c/w carrier; w/o accessories	K	842.00
9550103000	Straight terminal	I	2.57
955010G14000	Straight terminal	I	1.75
955010G18000	Straight terminal	I	1.59
955020G14000	Straight terminal	I	1.85
955020G18000	Straight terminal	I	1.75
9551100G1800	Straight terminal	I	2.36
9552101300	Elbow	I	2.96
9552103000	Elbow	I	3.96
955210G14000	Elbow	I	3.12
955210G18000	Elbow	I	2.92
955220G14000	Elbow	I	3.64
955220G18000	Elbow	I	3.47
955410G18000	Fitting	I	4.28
95551	Pad wear indicator kit (PWI); cable (mm) 195	K	144.00
9556110000	Straight terminal	I	2.74
95561120000	Straight terminal	I	3.29
955612120000	Straight terminal	I	2.52
9556220000	Straight terminal	I	3.08
9556440000	Straight terminal	I	3.40
95566	ModulX DB 19+MKIV; application universal; nb of pads: 4	K	173.00
9556660000	Straight terminal	I	4.98
9557100000	Fitting	I	3.72
9557200000	Fitting	I	4.31
955800G14000	Straight terminal	I	2.52
955920070	Banjo terminal	I	2.62
955A10G1800	Straight terminal	I	1.02
955B20G1400	Elbow	I	5.18
95620C	Air disc brake; disc brake unit; version: ModulT; DBT 22 LT; w/o carrier; c/w pads; c/w accessories	K	677.00
95621C	Air disc brake; disc brake unit; version: ModulT; DBT 22 LT; w/o carrier; c/w pads; c/w accessories	K	677.00
956C00R18G180	Elbow	I	1.41
956E00R18G180	Fitting	I	1.62
956G00G14G140	Straight thread adapt	I	0.95
956G00G18G180	Fitting	I	0.65
956H00R14R140	Fitting	I	0.84
956H00R18R180	Straight union	I	0.61
956I00G18G140	Fitting	I	1.16
957010400	Straight terminal	I	2.36
957010G14000	Straight terminal	I	1.57
957010G18000	Straight terminal	I	1.43
957020G14000	Straight terminal	I	1.67
957020G18000	Straight terminal	I	1.57
9571200G1400	Straight terminal	I	2.33
957210G14000	Elbow	I	2.81
957210G18000	Elbow	I	2.63

Part number	Description	Code	List Price € (excl. VAT)
9572120G18000	Elbow	I	2.63
957220G14000	Elbow	I	3.28
957220G18000	Elbow	I	3.12
957260G14000	Elbow	I	5.97
957320G14000	Fitting	I	4.91
957320G18000	Fitting	I	4.60
957410G18000	Fitting	I	4.07
957420G14000	Fitting	I	4.91
957420G18000	Fitting	I	4.60
9575100030	Straight terminal	I	1.69
9575200020	Straight terminal	I	2.04
957612120000	Straight terminal	I	2.27
9577100000	Fitting	I	3.35
9577200000	Fitting	I	3.88
958010G1801	Fitting	I	1.29
958A20G1401	Fitting	I	0.73
96150	Pad wear indicator kit (PWI); cable (mm) 400; inc. pad retainer with cover and cable retainer with straps	K	93.70
96304C	Air disc brake; disc brake unit; version: ModulT; DBT 19 LT; w/o carrier; c/w pads; c/w accessories	K	677.00
96305C	Air disc brake; disc brake unit; version: ModulT; DBT 19 LT; w/o carrier; c/w pads; c/w accessories	K	677.00
96306	ModulT DBT 19 LT; nb of pads: 4	K	198.00
96545	Air disc brake; disc brake unit; version: ModulT; DBT 22 LT; c/w carrier; w/o accessories	K	795.00
96546	Air disc brake; disc brake unit; version: ModulT; DBT 22 LT; c/w carrier; w/o accessories	K	795.00
96547	Disc brake unit excl pads LH DBT19LT (Assali Steffen)	K	775.00
96548	Disc brake unit excl pads RH DBT19LT (Assali Steffen)	K	775.00
96551	Air disc brake; disc brake unit; version: ModulT; DBT 22 LT; c/w carrier; w/o accessories	K	795.00
96552	Air disc brake; disc brake unit; version: ModulT; DBT 22 LT; c/w carrier; w/o accessories	K	795.00
96656	Brake pad axle KIT; DBT22LT; Jost	K	188.00
980000000013	Alu manifold; tube ø 8mm; straight: 8mm; check point: yes; Plug: no; note: Elbow	I	90.50
980000000LP1	1st axle lift valve	E	277.00
980351012	Kit (601002001+351022001)	E	656.00
980351014	Kit (351022001+602005001)	E	733.00
99662C	Automatic brake adjuster AA1 boxed	A	144.00
99663C	Automatic brake adjuster AA1 boxed	A	144.00
99664C	Automatic brake adjuster AA1 boxed	A	144.00
9999299	Yoke; for Arfesan yoke assy (9999300); 56 mm	C	5.89
A72420	Alcohol Evaporator	D	139.00
A902700	Grip cable; yellow	B	5.33
AC17463	Return spring outer; for brake chamber (Type 20)	C	5.29
AL920809/25	Clip sensor wire; pack of 25	B	20.50
ARMARIO 2000	Limited stock; Aluminium plate	I	43.10
BA1	Boot for push rod	C	3.17
BE13250	Service Circuit Stoplite Switch 3-5 PSI	M	22.10

Part number	Description	Code	List Price € (excl. VAT)
CF2	Clevis assy; 14 mm; 5/8"-18 UNF; standard throat	C	8.92
CF5	Clevis assy; 14 mm; M16x1.5; standard throat	C	6.30
CS44071	Manual brake adjuster	P	51.20
DA34100	PURest Air Dryer	D	1500.00
DA34160	PURest Air Dryer	D	535.00
DP12	Diaphragm; type 12; service; standard stroke	C	17.70
DP24L	Diaphragm; type 24	C	17.70
DP30	Diaphragm; (type 30); type 30	C	17.70
DP36	Diaphragm; for gold seal and life seal actuators (Type 36); Type 36	C	17.70
DQ6026	Air drier cartridge+repair kit; for air drier USA	D	242.00
DQ6053	Lower Housing Assembly	D	59.10
FSI20.050	Cylinder	C	77.20
GC3036	Brake chamber	C	168.00
GC3636	Brake chamber	C	471.00
HULS10X125	Socket for Tube 10x1.25	I	0.37
KN20001	Lever operated on-off valve; control: manual; twisted chrome lever; c/w exhaust	E	62.60
KN20611	Hand operated valve	E	86.60
KN20615	Hand Operated valve	E	132.00
KN22100	Service brake valve, single circuit; pedal: w/o (plunger); pneumatic; ports: supply 2x 1/2"+2x 1/4"; delivery 4x 1/2"; USA	E	111.00
KN22150	Service brake valve, double circuit; pedal: w/o (plunger); pneumatic; ports: 3/8 18NPTF; USA	E	139.00
KN22501	Service brake valve, double circuit; pedal: @ 45 degrees; pneumatic; ports: 3/8 18NPTF; USA	E	228.00
KN24000	Valve	D	123.00
KN25100	Double check valve (shuttle piston); port 1: 3/8" FPT; port 12: 1/2" MPT; port 2: 3/8" FPT; port 22: 3/8" FPT; USA	E	87.70
KN27000	Relay valve	F	92.30
KN28510	Relay valve	E	47.40
KN30300	Relay emergency valve (REV)	E	126.00
KN34110	Relay valve; port 1: 3/8" NPT; port 2: 1/2" NPT; port 4: 2x 3/8" NPT	E	76.90
KN44051	Manual brake adjuster; straight; no. of spline teeth: 28; no. of holes: 2; lever length (mm): 170; MERITOR	P	56.30
KN44061	Manual brake adjuster; straight; no. of spline teeth: 28; no. of holes: 2; lever length (mm): 195; MERITOR	P	74.00
KN47081	Manual brake adjuster; straight; no. of spline teeth: 10; no. of holes: 2; lever length (mm): 171; USA	P	60.30
KN49000	Limited stock; Manual brake adjuster; offset; no. of spline teeth: 10; no. of holes: 2	P	33.60
KN49010	Limited stock; Manual brake adjuster; offset; no. of spline teeth: 10; no. of holes: 2	P	33.60
KNT86230	Compressor; EL850	J	3690.00
KSM2475JCS45384	Maxi brake cylinder (KSMR) ; piston ø (mm): 159; stroke (mm): 57; output no stroke (N): 10142; output full stroke (N): 6269	C	460.00


Part number	Description	Code	List Price € (excl. VAT)
KSM2475JCS47017	Maxi brake cylinder (KSMR) ; piston ø (mm): 159; stroke (mm): 57; output no stroke (N): 10142; output full stroke (N): 6269	C	460.00
KSM3075JCS46093	Maxi brake cylinder (KSMR)	C	460.00
KSM3075JCS46110	Maxi brake cylinder (KSMR) ; piston ø (mm): 159; stroke (mm): 67; output no stroke (N): 10142; output full stroke (N): 5632	C	460.00
KSM4031334	Repair kit; for maxi brake (KSMR...../ MA156.); c/w boot	C	35.80
KSMR0PH50-800NN	Maxi brake cylinder (KSMR) ; piston ø (mm): 159; stroke (mm): 35; output no stroke (N): 5542; output full stroke (N): 3959	C	470.00
KSMR1PH50-800NN	Maxi brake cylinder (KSMR) ; piston ø (mm): 159; stroke (mm): 57; output no stroke (N): 5542; output full stroke (N): 2960	C	470.00
KSMR1PH50S50058	Maxi brake cylinder (KSMR) (R-series push); stroke (mm): 60.2; output no stroke (N): 5340; output full stroke (N): 2200; boot	C	470.00
KSMR1PH75-800NN	Maxi brake cylinder (KSMR) ; piston ø (mm): 159; stroke (mm): 57; output no stroke (N): 9283; output full stroke (N): 5410	C	470.00
KSMR1PT40-800NN	Maxi brake cylinder (KSMR) ; piston ø (mm): 159; stroke (mm): 57; output no stroke (N): 4893; output full stroke (N): 2691	C	470.00
KSMR2PH540-362WN	Maxi brake cylinder (KSMR) ; piston ø (mm): 159; stroke (mm): 67; output no stroke (N): 4431; output full stroke (N): 2329	C	470.00
KSMR2PH50-800NN	Maxi brake cylinder (KSMR) (R-series pull); stroke (mm): 66; output no stroke (N): 2670; output full stroke (N): 6000	C	398.00
KSMR2PT50S45958	Maxi brake cylinder (KSMR) ; piston ø (mm): 159; stroke (mm): 67; output no stroke (N): 6116; output full stroke (N): 3109	C	470.00
KSMR3PH50-800NN	Maxi brake cylinder (KSMR) (R-series push); piston ø (mm): 165.1; stroke (mm): 76; output no stroke (N): 6005; output full stroke (N): 2669	C	470.00
KSMR3PH50S50098	Maxi brake cylinder (KSMR)	C	470.00
KSMR3PH75-800NN	Maxi brake cylinder (KSMR) (R-series pull); piston ø (mm): 165.1; stroke (mm): 76; output no stroke (N): 6005; output full stroke (N): 2669	C	470.00
KSMR3PH75S45927	Maxi brake cylinder (KSMR)	C	470.00
KSMR3PT75-800NN	Maxi brake cylinder (KSMR) (R-series pull); piston ø (mm): 159; stroke (mm): 76; output no stroke (N): 10142; output full stroke (N): 4978	C	470.00
M4031002	Compression spring; for maxi brake (I+R series); #75; for types 20, 24, 30, 36	C	38.60
M4031076	Plug; for maxi brake (KSMR...../ MA156.); to plug drain hole	C	0.78
M4031173	Ring, felt; for maxi brake (R series)	C	3.97
M4040118	Dust boot accessory kit; for maxi brake (KSM...)	C	38.60
M4041239	Cap plug kit; for maxi brake/c/w 8 cap plugs	C	1.00


Part number	Description	Code	List Price € (excl. VAT)
MA15607	Maxi brake cylinder (KSMR) (R-series); RPHS50	C	194.00
MA15777	Maxibrake, Air spring Brake; type: Maxi-1 T30	C	460.00
MANCHON 18 X 15	Manchon FE 18	I	2.72
N11210A	Limited stock; compressor spare	J	1.70
N20415NB	Coupling head; universal; red; emergency for line; cover: w/o; port: 1/2" NPTF; c/w connection cam	E	11.30
N20415PB	Coupling head; universal; blue; service for line; cover: w/o; port: 1/2" NPTF; c/w connection cam	E	11.30
N30200AE	Flexastik; 40"; c/w hose clamp	I	93.90
N30200AG	Flexastik; 50"; c/w hose clamp	I	97.20
N4301AE	Relay emergency valve (REV); single circuit; type: USA; ports: 4x 3/8-18 NPTF	E	94.70
P1-13MD6	Gear pump; for: motor pumps; cubic capacity (cc): 2.46; rotation: left; shaft: tang; classic	N	374.00
P1-17MD6	Gear pump; for: motor pumps; cubic capacity (cc): 3.2; rotation: left; shaft: flex; classic	N	375.00
P1-22MD6	Gear pump; for: motor pumps; cubic capacity (cc): 4.3; rotation: left; shaft: flex; classic	N	384.00
RN21AD	Repair kit; for maxi-brake I and R series	C	102.00
RN21AE	Repair kit; for maxi brake	C	77.10
RN60A	Service kit; for air drier USA; complete	D	116.00
RN60E	Lower cover repair kit for air drier USA, 24V	D	289.00
RN969	Bulk recharge kit for air drier USA	D	79.50
RN970	Purge valverepair kit; for air drier USA	D	148.00
RN973	Recharge canister kit for air drier USA	D	297.00
RS5	Conical spring	C	2.79
RT006	Fitting; tool RTC; type 6x4	I	5.62
RT008	Fitting; tool RTC; type 8x6	I	5.64
RT010	Fitting; tool RTC; type 10x7; 10x7.5; 10x8	I	2.93
RT012	Fitting; tool RTC; type 12x9	I	6.04
RT015	Fitting RTC tool, type 15x12	I	2.93
RT1	Release tool kit	C	12.10
TE10M22X15	T fitting Tu10-Tu10-M22M	I	9.53
VE124-175	Manifold; 2x 3/2 valve	N	761.00
VE36AH	Manifold; 1x 3/2 valve; c/w line body	N	339.00

Part number	Description	Code	List Price € (excl. VAT)
<p>Our products fulfil the quality requirements applicable to the use of spare parts for repair or maintenance of motor vehicles by authorised repairers, as defined in Art. 1 (1) (t), (u) of the Block Exemption Regulation (EC) 1400/2002. We certify that they are original spare parts or spare parts of matching quality.</p> <p>Haldex reserve the right to amend this information without notice or warning. For our most recent data, please refer to Findex on www.haldex.com.</p> <p>Recommended Prices. Prices are subject to change. All prices shown are exclusive of VAT. The prices and information contained in this price list are subject to errors and/or misprint. Haldex hold no responsibility for any issues that may arise as a result of inaccurate data within this price list.</p>			



A large grid of graph paper for taking notes, consisting of 30 columns and 40 rows of small squares.





THE EASY WAY TO FIND YOUR PRODUCTS



FINDEX online product catalogue

Findex offers quick and easy access to the full range of Haldex products. Each entry not only shows the product's technical specs but also price, photo, and related documentation.

With just one more click, Haldex Select partners can order the part, select mode of delivery and it's on its way.



www.haldex.com/findex

Go to Findex

Innovative Vehicle Solutions

Haldex develops and provides reliable and innovative solutions focused on brake and air suspension products to the global commercial vehicle industry. In 2017, the company had net sales of approximately SEK 4.4 billion and employed 2,176 people.



©2018, Haldex AB. This material may contain Haldex trademarks and third party trademarks, trade names, corporate logos, graphics and emblems which are the property of their respective companies. The contents of this document may not be copied, distributed, adapted or displayed for commercial purposes or otherwise without prior written consent from Haldex.

Innovative Vehicle Solutions

Australia

Haldex Brake Products Pty Ltd
Victoria
Tel.: +61 3 9579 7070
Fax: +61 418 170 879

Austria

Haldex Wien Ges.m.b.H.
Vienna
Tel.: +43 1 8 69 27 97
Fax: +43 1 8 69 27 97 27
E-Mail: info.at@haldex.com

Belgium

Haldex N.V.
Balegem
Tel.: +32 9 363 90 00
Fax: +32 9 363 90 09
E-Mail: info.be@haldex.com

Brazil

Haldex do Brasil Ind. E Com. Ltda
São José dos Campos
Tel.: +55 12 3935 4000
E-Mail: info.brasil@haldex.com

Canada

Haldex Ltd
Cambridge, Ontario
Tel.: +1 519 621 6722
Fax: +1 519 621 3924

China

Haldex Vehicle Products Co. Ltd.
Suzhou
Tel.: +86 512 8885 5301
Fax: +86 512 8765 6066
E-Mail: info.cn@haldex.com

France

Haldex Europe SAS
Weyersheim
Tel.: +33 3 88 68 22 00
Fax: +33 3 88 68 22 09
E-Mail: info.eur@haldex.com

Germany

Haldex Brake Products GmbH
Heidelberg
Tel.: +49 6 221 7030
Fax: +49 6 221 703400
E-Mail: info.de@haldex.com

Hungary

Haldex Hungary Kft
Szentlőrincváta
Tel.: +36 29 631 400
Fax: +36 29 631 401
E-Mail: info.hu.eu@haldex.com

India

Haldex India Private limited
Nashik
Tel.: +91 253 66 99 501
Fax: +91 253 23 80 729

Italy

Haldex Italia Srl.
Lissone
Tel.: +39 039 47 17 02
Fax: +39 039 27 54 309
E-Mail: info.it@haldex.com

Korea

Haldex Korea Ltd.
Seoul
Tel.: +82 2 2636 7545
Fax: +82 2 2636 7548

Mexico

Haldex de Mexico S.A. De C.V.
Monterrey
Tel.: +52 81 8156 9500

Poland

Haldex Sp. z.o.o.
Praszka
Tel.: +48 34 350 11 00
Fax: +48 34 350 11 11
E-Mail: info.pl@haldex.com

Russia

OOO "Haldex RUS"
Moscow
Tel.: +7 495 747 59 56
Fax: +7 495 252 77 56
E-Mail: info.ru@haldex.com

Spain

Haldex España S.A.
Granollers
Tel.: +34 93 84 07 239
Fax: +34 93 84 91 218
E-Mail: info.es@haldex.com

Sweden

Haldex Brake Products AB
Landskrona
Tel.: +46 418 47 60 00
Fax: +46 418 47 60 01
E-Mail: info.se@haldex.com

United Kingdom

Haldex Ltd.
Newton Aycliffe
Tel.: +44 1325 310 110
E-Mail: info.gb@haldex.com

Haldex Brake Products Ltd.
MIRA Technology Park
Tel.: +44 2476 400 300
E-Mail: info.gbre@haldex.com

USA

Haldex Brake Products Corp.
Kansas City
Tel.: +1 816 891 2470
Fax: +1 816 891 9447
E-Mail: info.us@haldex.com



www.haldex.com