




Innovative Vehicle Solutions
www.haldex.com

Camshaft/Bushing Kit Catalog L00122W - 6/14



Important Notice

The products described within this literature, including without limitation, product features, specifications, designs, availability and pricing are subject to change by Haldex and its subsidiaries at any time without notice.

This document and other information from Haldex, its subsidiaries and authorized distributors provide product and/or system options for further investigation by users having technical expertise. It is important that you analyze all aspects of your application and review the information concerning the product or system, in the current literature or catalog. Due to the variety of operating conditions and applications for these products or systems, the user, through their own analysis and testing, is solely responsible for making the final selection of the products and systems and assuring that all performance, safety and warning requirements are met.

07 – Camshafts/Bushing Kits

| | |
|--|-------|
| Table of Contents | 07-1 |
| Part Number Index | 07-3 |
| General Information | |
| Foreword | 07-4 |
| Drive Axle Camshafts | |
| Eaton with 16-1/2" "ES" Extended Service & 15" "Reduced Envelope" Brakes | 07-5 |
| Eaton with 16-1/2" & 18" Single Anchor Pin Brakes | 07-6 |
| Meritor with 16-1/2" "P" Style Brakes | 07-7 |
| Meritor with 16-1/2" "Q" & "Q" Plus Brakes | 07-8 |
| Steer Axle Camshafts | |
| Eaton with 15" Extended Service "ES" Brakes | 07-10 |
| Meritor with 15" "Q" Brakes – 1-1/2" Offset Spider | 07-11 |
| Meritor with 15" x 4" "Q" Plus Brakes | 07-12 |
| Trailer Axle Camshafts | |
| Dana Spicer with 12-1/4" Fast-Rise Brakes – Pre-1996 | 07-13 |
| Dana Spicer with 16-1/2" Brakes – Double Groove | 07-14 |
| Dana Spicer with 16-1/2" Brakes – Single Groove | 07-15 |
| Dana Spicer with 16-1/2" "Xtralife" Brakes – 1-5/8" Spider Bushing | 07-16 |
| Dana Spicer with 16-1/2" "Xtralife" Brakes – 10 Spline | 07-17 |
| Dana Spicer with 16-1/2" "Xtralife" Brakes – 28 Spline | 07-18 |
| Dana Spicer – Standard Forge – Dexter with 12-1/4" Brakes | 07-19 |
| Dexter with 12-1/4" Brakes | 07-20 |
| Eaton with 12-1/4" Brakes | 07-21 |
| Eaton with 16-1/2" "ES" Extended Service Brakes – 10 Spline | 07-22 |
| Eaton with 16-1/2" "ES" Extended Service Brakes – 28 Spline | 07-23 |
| Eaton "501" Series with 16-1/2" Brakes | 07-24 |
| Fruehauf "Propar" with 16-1/2" Brakes | 07-25 |
| Hendrickson Intraax® 16-1/2" Brakes | 07-26 |
| Hendrickson "XLS" 16-1/2" Brakes | 07-27 |
| Meritor with 16-1/2" "Q" Plus Brakes | 07-28 |
| Universal with 16-1/2" Brakes – Double Groove | 07-29 |
| Universal with 16-1/2" Brakes – Single Groove | 07-30 |
| Bushing Kits | |
| CQ62768-66740 | 07-31 |
| CQ66918-66939 | 07-32 |
| CQ66940-67111 | 07-33 |
| CQ67128-67325 | 07-34 |
| CQ67326-67329 | 07-35 |

07-CAMSHAFTS/BUSHING KITS

Table of Contents

| | |
|---------------|-------|
| CQ67331-67335 | 07-36 |
| CQ67353-67383 | 07-37 |
| CQ67384-67387 | 07-38 |
| CQ67410-67413 | 07-39 |
| CQ67414-67443 | 07-40 |

Part Number Index

07-CAMSHAFTS/BUSHING KITS

| Part Number | Type | Page # | Part Number | Type | Page # | Part Number | Type | Page # | Part Number | Type | Page # |
|-------------|------|--------|-------------|------|--------|-------------|------|--------|-------------|------|--------|
| CQ62768 | S | 07-31 | CS41113 | S | 07-28 | CS41524 | S | 07-30 | | | |
| CQ65501 | S | 07-31 | CS41114 | S | 07-28 | CS41525 | S | 07-30 | | | |
| CQ65517 | S | 07-31 | CS41115 | S | 07-28 | CS41528 | S | 07-25 | | | |
| CQ66740 | S | 07-31 | CS41150 | S | 07-8 | CS41529 | S | 07-25 | | | |
| CQ66918 | S | 07-32 | CS41151 | S | 07-8 | CS41542 | S | 07-30 | | | |
| CQ66920 | S | 07-32 | CS41152 | S | 07-8 | CS41543 | S | 07-30 | | | |
| CQ66922 | S | 07-32 | CS41153 | S | 07-8 | CS41544 | S | 07-24 | | | |
| CQ66939 | S | 07-32 | CS41154 | S | 07-8 | CS41545 | S | 07-24 | | | |
| CQ66940 | S | 07-33 | CS41155 | S | 07-8 | CS41714 | S | 07-21 | | | |
| CQ66941 | S | 07-33 | CS41156 | S | 07-8 | CS41715 | S | 07-21 | | | |
| CQ67100 | S | 07-33 | CS41157 | S | 07-8 | CS41718 | S | 07-19 | | | |
| CQ67111 | S | 07-33 | CS41160 | S | 07-8 | CS41719 | S | 07-19 | | | |
| CQ67128 | S | 07-34 | CS41161 | S | 07-8 | CS41722 | S | 07-19 | | | |
| CQ67138 | S | 07-34 | CS41164 | S | 07-14 | CS41723 | S | 07-19 | | | |
| CQ67324 | S | 07-34 | CS41165 | S | 07-14 | CS41754 | S | 07-30 | | | |
| CQ67325 | S | 07-34 | CS41168 | S | 07-15 | CS41755 | S | 07-30 | | | |
| CQ67326 | S | 07-35 | CS41169 | S | 07-15 | CS41760 | S | 07-6 | | | |
| CQ67327 | S | 07-35 | CS41172 | S | 07-8 | CS41761 | S | 07-6 | | | |
| CQ67328 | S | 07-35 | CS41173 | S | 07-8 | CS41762 | S | 07-19 | | | |
| CQ67329 | S | 07-35 | CS41174 | S | 07-26 | CS41763 | S | 07-19 | | | |
| CQ67331 | S | 07-36 | CS41175 | S | 07-26 | CS41764 | S | 07-27 | | | |
| CQ67332 | S | 07-36 | CS41226 | S | 07-20 | CS41765 | S | 07-27 | | | |
| CQ67334 | S | 07-36 | CS41227 | S | 07-20 | | | | | | |
| CQ67335 | S | 07-36 | CS41266 | S | 07-30 | | | | | | |
| CQ67353 | S | 07-37 | CS41267 | S | 07-30 | | | | | | |
| CQ67354 | S | 07-37 | CS41284 | S | 07-30 | | | | | | |
| CQ67382 | S | 07-37 | CS41285 | S | 07-30 | | | | | | |
| CQ67383 | S | 07-37 | CS41292 | S | 07-24 | | | | | | |
| CQ67384 | S | 07-38 | CS41293 | S | 07-24 | | | | | | |
| CQ67385 | S | 07-38 | CS41328 | S | 07-17 | | | | | | |
| CQ67386 | S | 07-38 | CS41329 | S | 07-17 | | | | | | |
| CQ67387 | S | 07-38 | CS41362 | S | 07-13 | | | | | | |
| CQ67410 | S | 07-39 | CS41363 | S | 07-13 | | | | | | |
| CQ67411 | S | 07-39 | CS41390 | S | 07-17 | | | | | | |
| CQ67412 | S | 07-39 | CS41391 | S | 07-17 | | | | | | |
| CQ67413 | S | 07-39 | CS41398 | S | 07-18 | | | | | | |
| CQ67414 | S | 07-40 | CS41399 | S | 07-18 | | | | | | |
| CQ67416 | S | 07-40 | CS41400 | S | 07-18 | | | | | | |
| CQ67416W | S | 07-40 | CS41401 | S | 07-18 | | | | | | |
| CQ67417 | S | 07-40 | CS41402 | S | 07-18 | | | | | | |
| CQ67417W | S | 07-40 | CS41403 | S | 07-18 | | | | | | |
| CQ67443 | S | 07-40 | CS41404 | S | 07-18 | | | | | | |
| CS40116 | S | 07-11 | CS41405 | S | 07-18 | | | | | | |
| CS40117 | S | 07-11 | CS41408 | S | 07-18 | | | | | | |
| CS40134 | S | 07-12 | CS41409 | S | 07-18 | | | | | | |
| CS40135 | S | 07-12 | CS41414 | S | 07-16 | | | | | | |
| CS40172 | S | 07-8 | CS41415 | S | 07-16 | | | | | | |
| CS40173 | S | 07-8 | CS41416 | S | 07-16 | | | | | | |
| CS40174 | S | 07-8 | CS41417 | S | 07-16 | | | | | | |
| CS40175 | S | 07-8 | CS41420 | S | 07-16 | | | | | | |
| CS40178 | S | 07-8 | CS41421 | S | 07-16 | | | | | | |
| CS40179 | S | 07-8 | CS41422 | S | 07-16 | | | | | | |
| CS40182 | S | 07-8 | CS41423 | S | 07-16 | | | | | | |
| CS40183 | S | 07-8 | CS41432 | S | 07-16 | | | | | | |
| CS40184 | S | 07-8 | CS41433 | S | 07-16 | | | | | | |
| CS40185 | S | 07-8 | CS41434 | S | 07-16 | | | | | | |
| CS40186 | S | 07-8 | CS41435 | S | 07-16 | | | | | | |
| CS40187 | S | 07-8 | CS41441 | S | 07-10 | | | | | | |
| CS40188 | S | 07-8 | CS41442 | S | 07-10 | | | | | | |
| CS40189 | S | 07-8 | CS41446 | S | 07-6 | | | | | | |
| CS40192 | S | 07-8 | CS41447 | S | 07-6 | | | | | | |
| CS40193 | S | 07-8 | CS41458 | S | 07-5 | | | | | | |
| CS40196 | S | 07-8 | CS41459 | S | 07-5 | | | | | | |
| CS40197 | S | 07-8 | CS41460 | S | 07-5 | | | | | | |
| CS40198 | S | 07-8 | CS41461 | S | 07-5 | | | | | | |
| CS40199 | S | 07-8 | CS41476 | S | 07-22 | | | | | | |
| CS41014 | S | 07-7 | CS41477 | S | 07-22 | | | | | | |
| CS41015 | S | 07-7 | CS41480 | S | 07-23 | | | | | | |
| CS41016 | S | 07-7 | CS41481 | S | 07-23 | | | | | | |
| CS41017 | S | 07-7 | CS41482 | S | 07-23 | | | | | | |
| CS41028 | S | 07-7 | CS41483 | S | 07-23 | | | | | | |
| CS41029 | S | 07-7 | CS41492 | S | 07-25 | | | | | | |
| CS41036 | S | 07-7 | CS41493 | S | 07-25 | | | | | | |
| CS41037 | S | 07-7 | CS41506 | S | 07-29 | | | | | | |
| CS41042 | S | 07-6 | CS41507 | S | 07-29 | | | | | | |
| CS41043 | S | 07-6 | CS41512 | S | 07-25 | | | | | | |
| CS41052 | S | 07-14 | CS41513 | S | 07-25 | | | | | | |
| CS41053 | S | 07-14 | CS41514 | S | 07-30 | | | | | | |
| CS41110 | S | 07-28 | CS41515 | S | 07-30 | | | | | | |
| CS41111 | S | 07-28 | CS41522 | S | 07-29 | | | | | | |
| CS41112 | S | 07-28 | CS41523 | S | 07-29 | | | | | | |

Type "O" = OEM P/N, Type "S" = Service P/N

If OEM part # is not found on page listed, refer to the MCR for applicable cross reference.

PURPOSE OF THIS SECTION

This section is designed as a reference for Haldex new and remanufactured air brake system components and accessories, sold under the Haldex and Midland product names. Products described include all pertinent information needed to replace an OEM installed component or to help design an original installation. If there is a service number for a given part, it is noted in the product number table.

DESIGN FLEXIBILITY

The products presented in this section are described by function and usage. Technical data and mounting configurations are also provided. Throughout this section, reference is made to numerous specific OEM applications. This section is not, however, intended to be a mutually exclusive listing of all part numbers and designs available. Should the need for a design not presented occur, contact your Haldex sales representative for additional information.

WARRANTY INFORMATION

Proper service and repair are important to the safe, reliable operation of any motor vehicle. To prevent personal injury and/or vehicle damage, careful and cautious service procedures recommended by the vehicle manufacturer should be followed by anyone servicing a motor vehicle. For details on warranty of Haldex air brake system components and accessories, refer to L20221 Aftermarket Warranty Policy. For warranty returns, use L90005 Warranty Adjustment Form. To obtain further information, visit the www.haldex.com website, select **North America/English** in drop down box then search for **Warranty**.

ORDERING PROCEDURE

Most customers can place electronic orders on the www.haldex.com website by obtaining a username and password or by using EDI. For additional information about electronic orders or to place an order by phone or fax, contact Customer Service in U.S. or Canada at numbers listed below:

U.S. Customer Service:

Phone: 800-643-2374
 Fax: 800-533-1941
 Mail: Haldex Brake Products Corporation
 Attn: Customer Service Department
 10930 N. Pomona Ave.
 Kansas City, MO 64153

Canada Customer Service:

Phone: 800-267-9247
 Fax: 519-621-3924
 Mail: Haldex Limited
 Canadian Distribution Centre
 Attn: Customer Service Department
 500 Pinebush Road, Unit 1
 Cambridge, Ontario N1T 0A5

IMPORTANT NOTICE



The data listed herein is correct to the best of Haldex's knowledge and belief, having been compiled from reliable and official sources of information. However, HALDEX CANNOT ASSUME ANY RESPONSIBILITY for possible error or misapplication of the product. Final determination of the suitability of the products for the use contemplated by the Buyer is the sole responsibility of the Buyer. Haldex shall have no responsibility in connection with this suitability. It is not our intention to imply that any of the components in this catalog in connection with an engine make or model are made by any engine manufacturer.

Copyright 2014
 Haldex Brake Products Corporation
 10930 N. Pomona Ave.
 Kansas City, MO 64153

All rights reserved.

Materials may only be reproduced with written permission of Haldex.

Eaton with 16-1/2" "ES" Extended Service & 15" "Reduced Envelope" Brakes



Left Hand Shown

Features:

- 1-1/2" Diameter – 10 Spline

Specifications:


Nominal Head Dimension 1-1/8"
 Bushing Kit CQ65501

Notes:

- 1) MUST REPLACE RIGHT & LEFT HAND S-CAMS WHEN "ES" CAMS ARE USED TO REPLACE EARLY DESIGN S-CAMS.

| SKU# | Product Description | Replaces | A | B | Notes |
|---------|--|--------------|---------|--------|------------|
| CS41458 | Eaton with 16-1/2" "ES" Extended Service & 15" "Reduced Envelope" Brakes | Eaton 806526 | 11-1/2" | 1-3/4" | Left Hand |
| CS41459 | Eaton with 16-1/2" "ES" Extended Service & 15" "Reduced Envelope" Brakes | Eaton 806527 | 11-1/2" | 1-3/4" | Right Hand |
| CS41460 | Eaton with 16-1/2" "ES" Extended Service & 15" "Reduced Envelope" Brakes | Eaton 808290 | 12-1/2" | 1-3/4" | Left Hand |
| CS41461 | Eaton with 16-1/2" "ES" Extended Service & 15" "Reduced Envelope" Brakes | Eaton 808291 | 12-1/2" | 1-3/4" | Right Hand |

Eaton with 16-1/2" & 18" Single Anchor Pin Brakes



Features:

- 1-1/2" Diameter – 10 Spline


Specifications:

Nominal Head Dimension 1-3/8"
 Bushing Kit CQ67326

Typical – Left Hand Shown

| SKU# | Product Description | Replaces | A | B | Notes |
|---------|---|----------------------------------|----------|----------|------------|
| CS41042 | Eaton with 16-1/2" & 18" Single Anchor Pin Brakes | Eaton 71306 | 12-7/16" | 1-21/32" | Left Hand |
| CS41043 | Eaton with 16-1/2" & 18" Single Anchor Pin Brakes | Eaton 71307 | 12-7/16" | 1-21/32" | Right Hand |
| CS41446 | Eaton with 16-1/2" & 18" Single Anchor Pin Brakes | Eaton 76293, 45530 | 11-1/8" | 1-21/32" | Left Hand |
| CS41447 | Eaton with 16-1/2" & 18" Single Anchor Pin Brakes | Eaton 76294, 45531 | 11-1/8" | 1-21/32" | Right Hand |
| CS41760 | Eaton with 16-1/2" & 18" Single Anchor Pin Brakes | Eaton 70306 Navistar 385957C1 | 11-1/2" | 1-21/32" | Left Hand |
| CS41761 | Eaton with 16-1/2" & 18" Single Anchor Pin Brakes | Eaton 70307 Navistar 385958C1 | 11-1/2" | 1-21/32" | Right Hand |

Meritor with 16-1/2" "P" Style Brakes



Features:

- 1-1/2 Diameter - 10 Spline


Specifications:

Nominal Head Dimension 1-3/8"
 Bushing Kit CQ67327

Typical - Left Hand Shown

| SKU# | Product Description | Replaces | A | B | Notes |
|---------|---------------------------------------|-------------------------------------|----------|--------|------------|
| CS41014 | Meritor with 16-1/2" "P" Style Brakes | Meritor 2210-L-3028 and 2210-X-5354 | 11-9/32" | 1-3/4" | Left Hand |
| CS41015 | Meritor with 16-1/2" "P" Style Brakes | Meritor 2210-K-3027 and 2210-W-5353 | 11-9/32" | 1-3/4" | Right Hand |
| CS41016 | Meritor with 16-1/2" "P" Style Brakes | Meritor 2210-D-5360 and 2210-P-2980 | 11-1/2" | 1-3/4" | Left Hand |
| CS41017 | Meritor with 16-1/2" "P" Style Brakes | Meritor 2210-C-5359 and 2210-Q-2981 | 11-1/2" | 1-3/4" | Right Hand |
| CS41028 | Meritor with 16-1/2" "P" Style Brakes | Meritor 2210-X-5640 and 2210-Y-2443 | 8-9/16" | 1-3/4" | Left Hand |
| CS41029 | Meritor with 16-1/2" "P" Style Brakes | Meritor 2210-W-5639 and 2210-X-2442 | 8-9/16" | 1-3/4" | Right Hand |
| CS41036 | Meritor with 16-1/2" "P" Style Brakes | Meritor 2210-Z-5720 and 2210-D-3046 | 11-3/4" | 1-3/4" | Left Hand |
| CS41037 | Meritor with 16-1/2" "P" Style Brakes | Meritor 2210-Y-5719 and 2210-E-3047 | 11-3/4" | 1-3/4" | Right Hand |

Meritor with 16-1/2" "Q" & "Q" Plus Brakes



Typical – Left Hand Shown

Features:

- 1-1/2" Diameter – 28 Spline

Specifications:

| | |
|---------------------------------------|---------|
| Nominal Head Dimension – "Q" Standard | 1-3/8" |
| Nominal Head Dimension – "Q" Plus | 1-1/8" |
| Bushing Kit – Standard | CQ67387 |
| Bushing Kit – Short Kit | CQ66940 |
| Bushing Kit – Mack Application | CQ66939 |
| Bushing Kit – 2-1/2" Offset Spider | CQ67413 |

Notes:

- 1) MUST REPLACE RIGHT & LEFT HAND S-CAMS WHEN "Q" PLUS CAMS ARE USED TO REPLACE EARLY DESIGN S-CAMS.
- 2) "Q" PLUS S-CAMS MAY BE USED IN "Q" APPLICATIONS; "Q" S-CAMS CAN NOT BE USED IN "Q" PLUS APPLICATIONS.


| SKU# | Product Description | Replaces "Q" Standard | Replaces "Q" Plus | A | B | Notes |
|---------|--|-------------------------------------|-------------------------------------|-----------|----------|------------|
| CS40172 | Meritor with 16-1/2" "Q" & "Q" Plus Brakes | - | Meritor 2210-L-7396 | 7-23/32" | 1-13/16" | Left Hand |
| CS40173 | Meritor with 16-1/2" "Q" & "Q" Plus Brakes | - | Meritor 2210-K-7395 | 7-23/32" | 1-13/16" | Right Hand |
| CS40174 | Meritor with 16-1/2" "Q" & "Q" Plus Brakes | Meritor 2210-F-5440 | Meritor 2210-Q-7427 | 8-9/16" | 1-13/16" | Left Hand |
| CS40175 | Meritor with 16-1/2" "Q" & "Q" Plus Brakes | Meritor 2210-E-5439 | Meritor 2210-P-7426 | 8-9/16" | 1-13/16" | Right Hand |
| CS40178 | Meritor with 16-1/2" "Q" & "Q" Plus Brakes | Meritor 2210-F-5362 | Meritor 2210-E-7493 and 2210-Q-6959 | 10-13/32" | 1-13/16" | Left Hand |
| CS40179 | Meritor with 16-1/2" "Q" & "Q" Plus Brakes | Meritor 2210-E-5361 | Meritor 2210-D-7492 and 2210-P-6958 | 10-13/32" | 1-13/16" | Right Hand |
| CS40182 | Meritor with 16-1/2" "Q" & "Q" Plus Brakes | Meritor 2210-D-6036 | Meritor 2210-J-7524 and 2210-A-7099 | 11-1/8" | 1-13/16" | Left Hand |
| CS40183 | Meritor with 16-1/2" "Q" & "Q" Plus Brakes | Meritor 2210-C-6035 | Meritor 2210-H-7522 and 2210-Z-7098 | 11-1/8" | 1-13/16" | Right Hand |
| CS40184 | Meritor with 16-1/2" "Q" & "Q" Plus Brakes | Meritor 2210-B-5332 and 2210-L-5368 | Meritor 2210-W-7537 and 2210-A-6943 | 11-9/16" | 1-13/16" | Left Hand |
| CS40185 | Meritor with 16-1/2" "Q" & "Q" Plus Brakes | Meritor 2210-A-5331 and 2210-K-5367 | Meritor 2210-V-7536 and 2210-Z-6942 | 11-9/16" | 1-13/16" | Right Hand |
| CS40186 | Meritor with 16-1/2" "Q" & "Q" Plus Brakes | Meritor 2210-D-5334 | Meritor 2210-C-7595 and 2210-A-6995 | 13-7/32" | 1-13/16" | Left Hand |
| CS40187 | Meritor with 16-1/2" "Q" & "Q" Plus Brakes | Meritor 2210-C-5333 | Meritor 2210-B-7594 and 2210-Z-6994 | 13-7/32" | 1-13/16" | Right Hand |
| CS40188 | Meritor with 16-1/2" "Q" & "Q" Plus Brakes | Meritor 2210-N-5396 | Meritor 2210-L-7604 and 2210-G-7001 | 13-7/16" | 1-13/16" | Left Hand |
| CS40189 | Meritor with 16-1/2" "Q" & "Q" Plus Brakes | Meritor 2210-M-5395 | Meritor 2210-K-7603 and 2210-F-7000 | 13-7/16" | 1-13/16" | Right Hand |
| CS40192 | Meritor with 16-1/2" "Q" & "Q" Plus Brakes | Meritor 2210-N-5370 | Meritor 2210-J-7628 and 2210-Q-6985 | 14-3/32" | 1-13/16" | Left Hand |
| CS40193 | | Meritor 2210-M-5369 | | 14-3/32" | 1-13/16" | |

Drive Axle Camshafts

07-CAMSHAFTS/BUSHING KITS

| | | | | | | |
|---------|--|---------------------|-------------------------------------|-----------|----------|------------|
| | Meritor with 16-1/2" "Q" & "Q" Plus Brakes | | Meritor 2210-H-7626 and 2210-P-6984 | | | Right Hand |
| CS40196 | Meritor with 16-1/2" "Q" & "Q" Plus Brakes | Meritor 2210-L-5446 | Meritor 2210-A-7645 | 14-19/32" | 1-13/16" | Left Hand |
| CS40197 | Meritor with 16-1/2" "Q" & "Q" Plus Brakes | Meritor 2210-K-5445 | Meritor 2210-Z-7644 | 14-19/32" | 1-13/16" | Right Hand |
| CS40198 | Meritor with 16-1/2" "Q" & "Q" Plus Brakes | Meritor 2210-L-5784 | Meritor 2210-A-7671 and 2210-Y-7071 | 15-3/16" | 1-13/16" | Left Hand |
| CS40199 | Meritor with 16-1/2" "Q" & "Q" Plus Brakes | Meritor 2210-K-5783 | Meritor 2210-Z-7670 and 2210-X-7070 | 15-3/16" | 1-13/16" | Right Hand |
| CS41150 | Meritor with 16-1/2" "Q" & "Q" Plus Brakes | Meritor 2210-T-5428 | Meritor 2210-U-7457 | 9-7/16" | 1-13/16" | Left Hand |
| CS41151 | Meritor with 16-1/2" "Q" & "Q" Plus Brakes | Meritor 2210-S-5427 | Meritor 2210-T-7456 | 9-7/16" | 1-13/16" | Right Hand |
| CS41152 | Meritor with 16-1/2" "Q" & "Q" Plus Brakes | Meritor 2210-H-5416 | Meritor 2210-C-7543 | 11-11/16" | 1-13/16" | Left Hand |
| CS41153 | Meritor with 16-1/2" "Q" & "Q" Plus Brakes | Meritor 2210-G-5415 | Meritor 2210-B-7542 | 11-11/16" | 1-13/16" | Right Hand |
| CS41154 | Meritor with 16-1/2" "Q" & "Q" Plus Brakes | Meritor 2210-X-5328 | Meritor 2210-C-7569 | 12-7/16" | 1-13/16" | Left Hand |
| CS41155 | Meritor with 16-1/2" "Q" & "Q" Plus Brakes | Meritor 2210-W-5327 | Meritor 2210-B-7568 | 12-7/16" | 1-13/16" | Right Hand |
| CS41156 | Meritor with 16-1/2" "Q" & "Q" Plus Brakes | Meritor 2210-L-5342 | Meritor 2210-L-7587 | 12-15/16" | 1-13/16" | Left Hand |
| CS41157 | Meritor with 16-1/2" "Q" & "Q" Plus Brakes | Meritor 2210-K-5341 | Meritor 2210-T-7586 | 12-15/16" | 1-13/16" | Right Hand |
| CS41160 | Meritor with 16-1/2" "Q" & "Q" Plus Brakes | Meritor 2210-Z-5434 | Meritor 2210-A-7515 | 10-15/16" | 1-13/16" | Left Hand |
| CS41161 | Meritor with 16-1/2" "Q" & "Q" Plus Brakes | Meritor 2210-Y-5433 | Meritor 2210-Z-7514 | 10-15/16" | 1-13/16" | Right Hand |
| CS41172 | Meritor with 16-1/2" "Q" & "Q" Plus Brakes | - | Meritor 2210-Y-7409 | 8-3/32" | 1-13/16" | Left Hand |
| CS41173 | Meritor with 16-1/2" "Q" & "Q" Plus Brakes | - | Meritor 2210-X-7408 | 8-3/32" | 1-13/16" | Right Hand |

Eaton with 15" Extended Service "ES" Brakes



Typical – Left Hand Shown

Features:

- 1-1/4" Diameter – Spline 10

Specifications:

Nominal Head Dimension 1"
 Bushing Kit CQ66918

Notes:

- 1) MUST REPLACE RIGHT & LEFT HAND S-CAMS WHEN EXTENDED SERVICE IS USED TO REPLACE EARLY DESIGN S-CAMS.

| SKU# | Product Description | Replaces | A | B | Notes |
|---------|---|--------------|----------|--------|------------|
| CS41441 | Eaton with 15" Extended Service "ES" Brakes | Eaton 813483 | 9-9/16" | 1-7/8" | Right Hand |
| CS41442 | Eaton with 15" Extended Service "ES" Brakes | Eaton 813494 | 9-25/32" | 1-7/8" | Left Hand |


Meritor with 15" "Q" Brakes – 1-1/2" Offset Spider

Features:

- 1-1/4" Diameter – 24 Spline

Specifications:


Nominal Head Dimension 1-3/16"
 Bushing Kit CQ62768



Typical – Left Hand Shown

| SKU# | Product Description | Replaces | A | B | Notes |
|---------|--|-------------------------------------|--------|----------|------------|
| CS40116 | Meritor with 15" "Q" Brakes – 1-1/2" Offset Spider | Meritor 2210-X-6731 and 2210-J-6614 | 8-1/2" | 1-13/16" | Left Hand |
| CS40117 | Meritor with 15" "Q" Brakes – 1-1/2" Offset Spider | Meritor 2210-X-6732 and 2210-K-6615 | 8-1/2" | 1-13/16" | Right Hand |

Meritor with 15" x 4" "Q" Plus Brakes



Typical – Left Hand Shown

Features:

- 1-1/2" Diameter – Spline 28

Specifications:



| | |
|------------------------|---------|
| Nominal Head Dimension | 1" |
| Bushing Kit – Complete | CQ67387 |
| Bushing Kit – Minor | CQ66940 |

Notes:

- 1) MUST REPLACE RIGHT & LEFT HAND S-CAMS WHEN "Q" PLUS CAMS ARE USED TO REPLACE EARLY DESIGN S-CAMS.

| SKU# | Product Description | Replaces | A | B | Notes |
|---------|---------------------------------------|---------------------|---------|----|------------|
| CS40134 | Meritor with 15" x 4" "Q" Plus Brakes | Meritor 2210-S-7455 | 9-7/16" | 2" | Left Hand |
| CS40135 | Meritor with 15" x 4" "Q" Plus Brakes | Meritor 2210-R-7454 | 9-7/16" | 2" | Right Hand |

Dana Spicer with 12-1/4" Fast-Rise Brakes – Pre-1996



Typical – Left Hand Shown

Features:

- 1-1/2" Diameter – 28 Spline

Specifications:

| | |
|--------------------------------|---------|
| Nominal Head Dimension | 11/16" |
| Bushing Kit – w/Nylon Bushing | CQ67382 |
| Bushing Kit – w/Bronze Bushing | CQ67383 |

Notes:

- 1) MUST USE WITH FABRICATED OPEN END BRAKE SHOES AND 1-1/2" DIAMETER ROLLERS.
- 2) WHEN CONVERTING FROM EARLY DESIGN FAST-RISE WITH 7/8" S-CAM HEAD, MUST REPLACE ALL CAMSHAFTS.
- 3) MUST USE WITH BRAKE HARDWARE KITS **CQ67405**, **CQ67506** or **CQ69006**.

| SKU# | Product Description | Replaces | A | B | C | Notes |
|---------|--|---------------------|----------|---------|----------|------------|
| CS41362 | Dana Spicer with 12-1/4" Fast-Rise Brakes – Pre-1996 | Spicer M12WKL20-233 | 23-3/16" | 2-7/32" | 2-21/32" | Left Hand |
| CS41363 | Dana Spicer with 12-1/4" Fast-Rise Brakes – Pre-1996 | Spicer M12WKR20-233 | 23-3/16" | 2-7/32" | 2-21/32" | Right Hand |


Dana Spicer with 16-1/2" Brakes – Double Groove

Features:

- 1-1/2" Diameter – 28 Spline

Specifications:

Nominal Head Dimension 1-3/8"
 Bushing Kit CQ67332



Typical – Left Hand Shown

| SKU# | Product Description | Replaces | A | B | C | Notes |
|---------|---|--------------------|----------|--------|---------|------------|
| CS41052 | Dana Spicer with 16-1/2" Brakes – Double Groove | Spicer M16WK104-17 | 20-3/8" | 1-5/8" | 2-7/32" | Right Hand |
| CS41053 | Dana Spicer with 16-1/2" Brakes – Double Groove | Spicer M16WK105-17 | 20-3/8" | 1-5/8" | 2-7/32" | Left Hand |
| CS41164 | Dana Spicer with 16-1/2" Brakes – Double Groove | Spicer M16WK104-25 | 23-7/16" | 1-5/8" | 2-7/32" | Left Hand |
| CS41165 | Dana Spicer with 16-1/2" Brakes – Double Groove | Spicer M16WK105-25 | 23-7/16" | 1-5/8" | 2-7/32" | Right Hand |



Dana Spicer with 16-1/2" Brakes – Single Groove

Features:

- 1-1/2" Diameter – 10 Spline

Specifications:

Nominal Head Dimension 1-3/8"
 Bushing Kit CQ67332



Typical – Left Hand Shown

| SKU# | Product Description | Replaces | A | B | Notes |
|---------|---|---------------|---------|---------|------------|
| CS41168 | Dana Spicer with 16-1/2" Brakes – Single Groove | Spicer 17-593 | 26-1/2" | 2-7/32" | Left Hand |
| CS41169 | Dana Spicer with 16-1/2" Brakes – Single Groove | Spicer 17-592 | 26-1/2" | 2-7/32" | Right Hand |

Dana Spicer with 16-1/2" "Xtralife" Brakes – 1-5/8" Spider Bushing

Features:



- 1-1/2" Diameter –28 Spline

Specifications:

Nominal Head Dimension 1-1/8"
 Bushing Kit CQ67111

Notes:



- 1) MUST REPLACE RIGHT & LEFT HAND S-CAMS WHEN "XTRALIFE" CAMS ARE USED TO REPLACE EARLY DESIGN S-CAMS.



Typical – Left Hand Shown

| SKU# | Product Description | Replaces | A | B | Notes |
|---------|--|---------------------|----------|---------|------------|
| CS41414 | Dana Spicer with 16-1/2" "Xtralife" Brakes – 1-5/8" Spider Bushing | Spicer M16WKL25-175 | 17-7/16" | 2-7/32" | Left Hand |
| CS41415 | Dana Spicer with 16-1/2" "Xtralife" Brakes – 1-5/8" Spider Bushing | Spicer M16WKR25-175 | 17-7/16" | 2-7/32" | Right Hand |
| CS41416 | Dana Spicer with 16-1/2" "Xtralife" Brakes – 1-5/8" Spider Bushing | Spicer M16WKL25-205 | 20-7/16" | 2-7/32" | Left Hand |
| CS41417 | Dana Spicer with 16-1/2" "Xtralife" Brakes – 1-5/8" Spider Bushing | Spicer M16WKR25-205 | 20-7/16" | 2-7/32" | Right Hand |
| CS41420 | Dana Spicer with 16-1/2" "Xtralife" Brakes – 1-5/8" Spider Bushing | Spicer M16WKL25-236 | 23-9/16" | 2-7/32" | Left Hand |
| CS41421 | Dana Spicer with 16-1/2" "Xtralife" Brakes – 1-5/8" Spider Bushing | Spicer M16WKR25-236 | 23-9/16" | 2-7/32" | Right Hand |
| CS41422 | Dana Spicer with 16-1/2" "Xtralife" Brakes – 1-5/8" Spider Bushing | Spicer M16WKL25-242 | 24-1/16" | 2-7/32" | Left Hand |
| CS41423 | Dana Spicer with 16-1/2" "Xtralife" Brakes – 1-5/8" Spider Bushing | Spicer M16WKR25-242 | 24-1/16" | 2-7/32" | Right Hand |
| CS41432 | Dana Spicer with 16-1/2" "Xtralife" Brakes – 1-5/8" Spider Bushing | Spicer M16WKL25-252 | 25-1/8" | 2-7/32" | Left Hand |
| CS41433 | Dana Spicer with 16-1/2" "Xtralife" Brakes – 1-5/8" Spider Bushing | Spicer M16WKR25-252 | 25-1/8" | 2-7/32" | Right Hand |
| CS41434 | Dana Spicer with 16-1/2" "Xtralife" Brakes – 1-5/8" Spider Bushing | Spicer M16WKL25-264 | 26-3/8" | 2-7/32" | Left Hand |
| CS41435 | Dana Spicer with 16-1/2" "Xtralife" Brakes – 1-5/8" Spider Bushing | Spicer M16WKR25-264 | 26-3/8" | 2-7/32" | Right Hand |

Dana Spicer with 16-1/2" "Xtralife" Brakes – 10 Spline



Typical – Left Hand Shown

Features:

- 1-1/2" Diameter – 10 Spline

Specifications:


Nominal Head Dimension 1-1/8"
 Bushing Kit CQ67332

Notes:

- 1) MUST REPLACE RIGHT & LEFT HAND S-CAMS WHEN "XTRALIFE" CAMS ARE USED TO REPLACE EARLY DESIGN S-CAMS.

| SKU# | Product Description | Replaces | A | B | C | Notes |
|---------|--|---------------------|---------|--------|---------|------------|
| CS41328 | Dana Spicer with 16-1/2" "Xtralife" Brakes – 10 Spline | Spicer M16WKL10-205 | 20-3/8" | 1-5/8" | 2-7/32" | Left Hand |
| CS41329 | Dana Spicer with 16-1/2" "Xtralife" Brakes – 10 Spline | Spicer M16WKR10-205 | 20-3/8" | 1-5/8" | 2-7/32" | Right Hand |
| CS41390 | Dana Spicer with 16-1/2" "Xtralife" Brakes – 10 Spline | Spicer M16WKL10-236 | 23-1/2" | 1-5/8" | 2-7/32" | Left Hand |
| CS41391 | Dana Spicer with 16-1/2" "Xtralife" Brakes – 10 Spline | Spicer M16WKR10-236 | 23-1/2" | 1-5/8" | 2-7/32" | Right Hand |

Dana Spicer with 16-1/2" "Xtralife" Brakes – 28 Spline



Typical – Left Hand Shown

Features:

- 1-1/2" Diameter – 10 Spline

Specifications:

Nominal Head Dimension 1-1/8"
 Bushing Kit CQ67332

Notes:

- 1) MUST REPLACE RIGHT & LEFT HAND S-CAMS WHEN "XTRALIFE" CAMS ARE USED TO REPLACE EARLY DESIGN S-CAMS.

| SKU# | Product Description | Replaces | A | B | C | Notes |
|---------|--|---------------------|-----------|--------|---------|------------|
| CS41398 | Dana Spicer with 16-1/2" "Xtralife" Brakes – 28 Spline | Spicer M16WKL20-175 | 17-7/16" | 1-5/8" | 2-7/32" | Left Hand |
| CS41399 | Dana Spicer with 16-1/2" "Xtralife" Brakes – 28 Spline | Spicer M16WKR20-175 | 17-7/16" | 1-5/8" | 2-7/32" | Right Hand |
| CS41400 | Dana Spicer with 16-1/2" "Xtralife" Brakes – 28 Spline | Spicer M16WKL20-205 | 20-7/16" | 1-5/8" | 2-7/32" | Left Hand |
| CS41401 | Dana Spicer with 16-1/2" "Xtralife" Brakes – 28 Spline | Spicer M16WKR20-205 | 20-7/16" | 1-5/8" | 2-7/32" | Right Hand |
| CS41402 | Dana Spicer with 16-1/2" "Xtralife" Brakes – 28 Spline | Spicer M16WKL20-231 | 22-15/16" | 1-5/8" | 2-7/32" | Left Hand |
| CS41403 | Dana Spicer with 16-1/2" "Xtralife" Brakes – 28 Spline | Spicer M16WKR20-231 | 22-15/16" | 1-5/8" | 2-7/32" | Right Hand |
| CS41404 | Dana Spicer with 16-1/2" "Xtralife" Brakes – 28 Spline | Spicer M16WKL20-236 | 23-9/16" | 1-5/8" | 2-7/32" | Left Hand |
| CS41405 | Dana Spicer with 16-1/2" "Xtralife" Brakes – 28 Spline | Spicer M16WKR20-236 | 23-9/16" | 1-5/8" | 2-7/32" | Right Hand |
| CS41408 | Dana Spicer with 16-1/2" "Xtralife" Brakes – 28 Spline | Spicer M16WKL20-242 | 24-1/16" | 1-5/8" | 2-7/32" | Left Hand |
| CS41409 | Dana Spicer with 16-1/2" "Xtralife" Brakes – 28 Spline | Spicer M16WKR20-242 | 24-1/16" | 1-5/8" | 2-7/32" | Right Hand |


Dana Spicer – Standard Forge – Dexter with 12-1/4" Brakes

Features:

- 1-1/2" Diameter – 10 Spline

Specifications:


| | |
|--------------------------------|---------|
| Nominal Head Dimension | 1-1/16" |
| Bushing Kit – w/Nylon Bushing | CQ67382 |
| Bushing Kit – w/Bronze Bushing | CQ67383 |



Typical – Left Hand Shown

| SKU# | Product Description | Replaces | A | B | C | Notes |
|---------|---|--|---------|---------|----------|------------|
| CS41718 | Dana Spicer – Standard Forge – Dexter with 12-1/4" Brakes | Std. Forge 202103-233LH UB24-15L Spicer M12WK101-17 | 23-1/4" | 2-7/32" | 2-21/32" | Left Hand |
| CS41719 | Dana Spicer – Standard Forge – Dexter with 12-1/4" Brakes | Std. Forge 202103-233RH UB24-15R Spicer M12WK100-17 | 23-1/4" | 2-7/32" | 2-21/32" | Right Hand |
| CS41722 | Dana Spicer – Standard Forge – Dexter with 12-1/4" Brakes | Std. Forge 202103-241LH UB22-23L Spicer M12WK101-19 | 23-7/8" | 2-7/32" | 2-21/32" | Left Hand |
| CS41723 | Dana Spicer – Standard Forge – Dexter with 12-1/4" Brakes | Std. Forge 202103-241RH UB22-23R Spicer M12WK100-19 | 23-7/8" | 2-7/32" | 2-21/32" | Right Hand |
| CS41762 | Dana Spicer – Standard Forge – Dexter with 12-1/4" Brakes | Std. Forge 202103-213LH UB22-64L Spicer M12WK107-6 | 21-1/8" | 2-7/32" | 2-21/32" | Left Hand |
| CS41763 | Dana Spicer – Standard Forge – Dexter with 12-1/4" Brakes | Std. Forge 202103-213RH UB22-64R Spicer M12WK106-6 | 21-1/8" | 2-7/32" | 2-21/32" | Right Hand |

Dexter with 12-1/4" Brakes



Features:

- 1-1/2" Diameter - 28 Spline

Specifications:



Nominal Head Dimension 15/16"
 Bushing Kit CQ67382



Typical - Left Hand Shown

| SKU# | Product Description | Replaces | A | B | Notes |
|---------|----------------------------|-------------------|---------|---------|---------------------------|
| CS41226 | Dexter with 12-1/4" Brakes | Dexter 034-188-05 | 23-3/8" | 2-7/32" | Left Hand Special Length |
| CS41227 | Dexter with 12-1/4" Brakes | Dexter 034-189-05 | 23-3/8" | 2-7/32" | Right Hand Special Length |

Eaton with 12-1/4" Brakes



Typical - Left Hand Shown

Features:

- 1-1/2" Diameter - 10 Spline; Double Groove

Specifications:

Nominal Head Dimension 1-1/16"
 Bushing Kit CQ67410

| SKU# | Product Description | Replaces | A | B | C | Notes |
|---------|---------------------------|--|----------|---------|----------|------------|
| CS41714 | Eaton with 12-1/4" Brakes | Eaton B-2460-55 B-2060-23 820243 | 22-5/16" | 2-7/32" | 1-11/32" | Left Hand |
| CS41715 | Eaton with 12-1/4" Brakes | Eaton B-2460-56 B-2060-24 820244 | 22-5/16" | 2-7/32" | 1-11/32" | Right Hand |

Eaton with 16-1/2" "ES" Extended Service Brakes – 10 Spline

Features:



- 1-1/2" Diameter – 10 Spline

Specifications:

Nominal Head Dimension 1-1/8"
 Bushing Kit CQ67354

Notes:


- 1) MUST REPLACE RIGHT & LEFT HAND S-CAMS WHEN "ES" CAMS ARE USED TO REPLACE EARLY DESIGN S-CAMS.



Typical – Left Hand Shown

| SKU# | Product Description | Replaces | A | B | C | Notes |
|---------|---|--------------|---------|----------|---------|------------|
| CS41476 | Eaton with 16-1/2" "ES" Extended Service Brakes | Eaton 808078 | 19-1/2" | 17-3/16" | 2-5/32" | Left Hand |
| CS41477 | Eaton with 16-1/2" "ES" Extended Service Brakes | Eaton 808079 | 19-1/2" | 17-3/16" | 2-5/32" | Right Hand |

Eaton with 16-1/2" "ES" Extended Service Brakes – 28 Spline



Typical – Left Hand Shown

Features:

- 1-1/2" Diameter – 28 Spline

Specifications:

Nominal Head Dimension 1-1/8"
 Bushing Kit CQ67354

Notes:

- 1) MUST REPLACE RIGHT & LEFT HAND S-CAMS WHEN "ES" CAMS ARE USED TO REPLACE EARLY DESIGN S-CAMS.

| SKU# | Product Description | Replaces | A | B | Notes |
|---------|---|--------------|---------|---------|------------|
| CS41480 | Eaton with 16-1/2" "ES" Extended Service Brakes | Eaton 810538 | 19-1/2" | 2-5/32" | Left Hand |
| CS41481 | Eaton with 16-1/2" "ES" Extended Service Brakes | Eaton 810539 | 19-1/2" | 2-5/32" | Right Hand |
| CS41482 | Eaton with 16-1/2" "ES" Extended Service Brakes | Eaton 810025 | 23-3/4" | 2-5/32" | Left Hand |
| CS41483 | Eaton with 16-1/2" "ES" Extended Service Brakes | Eaton 810026 | 23-3/4" | 2-5/32" | Right Hand |



Eaton "501" Series with 16-1/2" Brakes

Features:

- 1-1/2" Diameter - 10 Spline

Specifications:



Nominal Head Dimension 1-3/8"
 Bushing Kit CQ67354



Typical - Left Hand Shown

| SKU# | Product Description | Replaces | A | B | Notes |
|---------|--|--------------|---------|---------|------------|
| CS41292 | Eaton "501" Series with 16-1/2" Brakes | Eaton 125034 | 19-1/2" | 2-7/32" | Left Hand |
| CS41293 | Eaton "501" Series with 16-1/2" Brakes | Eaton 125035 | 19-1/2" | 2-7/32" | Right Hand |
| CS41544 | Eaton "501" Series with 16-1/2" Brakes | Eaton 125030 | 23-3/4" | 2-7/32" | Left Hand |
| CS41545 | Eaton "501" Series with 16-1/2" Brakes | Eaton 125031 | 23-3/4" | 2-7/32" | Right Hand |

Fruehauf "Propar" with 16-1/2" Brakes



Typical – Left Hand Shown

Features:


- 1-5/8" Diameter – 37 Spline

Specifications:

Nominal Head Dimension 1-3/8"
 Bushing Kit – Early Design CQ66740

| SKU# | Product Description | Replaces | A | B | Notes |
|---------|---------------------------------------|---------------------|---------|---------|------------|
| CS41492 | Fruehauf "Propar" with 16-1/2" Brakes | Fruehauf AXA-0420-6 | 23-7/8" | 2-5/32" | Left Hand |
| CS41493 | Fruehauf "Propar" with 16-1/2" Brakes | Fruehauf AXA-0420-5 | 23-7/8" | 2-5/32" | Right Hand |
| CS41512 | Fruehauf "Propar" with 16-1/2" Brakes | Fruehauf AXA-0420-3 | 21-1/8" | 2-5/32" | Left Hand |
| CS41513 | Fruehauf "Propar" with 16-1/2" Brakes | Fruehauf AXA-0420-4 | 21-1/8" | 2-5/32" | Right Hand |
| CS41528 | Fruehauf "Propar" with 16-1/2" Brakes | Fruehauf AXA-0420-1 | 16-1/8" | 2-5/32" | Left Hand |
| CS41529 | Fruehauf "Propar" with 16-1/2" Brakes | Fruehauf AXA-0420-2 | 16-1/8" | 2-5/32" | Right Hand |

Hendrickson Intraax® 16-1/2" Brakes




Features:

- 1-1/2" Diameter – 28 Spline

Specifications:


Nominal Head Dimension 1-1/8"
 Bushing Kit CQ67414



Typical – Left Hand Shown

| SKU# | Product Description | Replaces | A | B | Notes |
|---------|-------------------------------------|---------------------------------------|----------|---------|--|
| CS41174 | Hendrickson Intraax® 16-1/2" Brakes | Hendrickson S-20806-1L and S-23347-1L | 11-1/32" | 2-5/16" | Left Hand – replaces standard and extra life camshafts. |
| CS41175 | Hendrickson Intraax® 16-1/2" Brakes | Hendrickson S-20806-1R and S-23347-1R | 11-1/32" | 2-5/16" | Right Hand – replaces standard and extra life camshafts. |

Hendrickson "XLS" 16-1/2" Brakes



Typical - Left Hand Shown

Features:

- 1-1/2" Diameter - 28 Spline

Specifications:


Nominal Head Dimension 1-1/8"
 Bushing Kit CQ67417, CQ67443

Notes:

- 1) "A" Dimension: under head to beginning of lock ring groove.

| SKU# | Product Description | Replaces | A | B | C | Notes |
|---------|----------------------------------|--|----------|---------|----------|------------|
| CS41764 | Hendrickson "XLS" 16-1/2" Brakes | Hendrickson S-24636-1L and Euclid E11866 | 11-1/32" | 2-5/16" | 8-11/16" | Left Hand |
| CS41765 | Hendrickson "XLS" 16-1/2" Brakes | Hendrickson S-24636-1R and Euclid E11867 | 11-1/32" | 2-5/16" | 8-11/16" | Right Hand |

Meritor with 16-1/2" "Q" Plus Brakes



Typical – Left Hand Shown

Features:

- 1-1/2" Diameter – 28 Spline

Specifications:


| | |
|----------------------------------|---------|
| Nominal Head Dimension | 1-1/8" |
| Bushing Kit | CQ67386 |
| Bushing Kit | CQ65517 |
| Bushing Kit – w/Press-In Bushing | CQ67128 |
| Bushing Kit – w/BoltOn Bushing | CQ67416 |

Notes:

- 1) MUST REPLACE RIGHT & LEFT HAND S-CAMS WHEN "Q" PLUS CAMS ARE USED TO REPLACE EARLY DESIGN S-CAMS.
- 2) CAN BE USED WITH CAST OR FABRICATED SPIDERS AND ALL SPIDER BUSHINGS.

| SKU# | Product Description | Replaces | A | B | C | Notes |
|---------|--------------------------------------|---------------------|-----------|---------|----------|------------|
| CS41110 | Meritor with 16-1/2" "Q" Plus Brakes | Meritor 2210-R-8156 | 17-5/16" | 2-5/64" | 1-25/32" | Left Hand |
| CS41111 | Meritor with 16-1/2" "Q" Plus Brakes | Meritor 2210-Q-8155 | 17-5/16" | 2-5/64" | 1-25/32" | Right Hand |
| CS41112 | Meritor with 16-1/2" "Q" Plus Brakes | Meritor 2210-T-8158 | 20-13/32" | 2-5/64" | 1-25/32" | Left Hand |
| CS41113 | Meritor with 16-1/2" "Q" Plus Brakes | Meritor 2210-S-8157 | 20-13/32" | 2-5/64" | 1-25/32" | Right Hand |
| CS41114 | Meritor with 16-1/2" "Q" Plus Brakes | Meritor 2210-V-8160 | 24-1/16" | 2-5/64" | 1-25/32" | Left Hand |
| CS41115 | Meritor with 16-1/2" "Q" Plus Brakes | Meritor 2210-U-8159 | 24-1/16" | 2-5/64" | 1-25/32" | Right Hand |

Universal with 16-1/2" Brakes – Double Groove



Features:

- 1-1/2" Diameter – 10 Spline; Double Groove

Specifications:

| | |
|---|---------|
| Nominal Head Dimension | 1-3/8" |
| Bushing Kit – Eaton w/Bolt-On Spider | CQ67384 |
| Bushing Kit – Eaton w/Weld-On Spider | CQ67325 |
| Bushing Kit – Meritor Early Design | CQ67328 |
| Bushing Kit – Std. Forge – Spicer Early | CQ67332 |

Typical – Left Hand Shown

| SKU# | Product Description | Replaces | A | B | C | Notes |
|---------|---|--|----------|---------|--------|---------------------------------------|
| CS41506 | Universal with 16-1/2" Brakes – Double Groove | Meritor 2210-N-2484, 2210-G-3595, 2210-F-5414 Fruehauf 219316 and 580443, Spicer M16WK103-17, Std. Forge 202100-205L, Trailmobile 7-5-64L | 20-3/8" | 2-7/32" | 1-5/8" | Left Hand "Standard" Universal |
| CS41507 | Universal with 16-1/2" Brakes – Double Groove | Meritor 2210-M-2483, 2210-F-3594, 2210-E-5413 Fruehauf 219317 and 580444, Spicer M16WK102-17, Std. Forge 202100-205R, Trailmobile 7-5-64R | 20-3/8" | 2-7/32" | 1-5/8" | Right Hand "Standard" Universal |
| CS41522 | Universal with 16-1/2" Brakes – Double Groove | Eaton F-1691-25 Std. Forge 202100-236L Spicer M16WK103-25 | 23-7/16" | 2-7/32" | 1-5/8" | Left Hand |
| CS41523 | Universal with 16-1/2" Brakes – Double Groove | Eaton B1691-26 Std. Forge 202100-236R Spicer M16WKK102-25 | 23-7/16" | 2-7/32" | 1-5/8" | Right Hand |


Universal with 16-1/2" Brakes – Single Groove

Features:

- 1-1/2" Diameter – 10 Spline; Single Groove

Specifications:

| | |
|---|---------|
| Nominal Head Dimension | 1-3/8" |
| Bushing Kit – Eaton w/Bolt-On Spider | CQ67384 |
| Bushing Kit – Eaton w/Weld-On Spider | CQ67325 |
| Bushing Kit – Meritor Early Design | CQ67328 |
| Bushing Kit – Std. Forge – Spicer Early | CQ67332 |



Typical – Left Hand Shown

| SKU# | Product Description | Replaces | A | B | Notes |
|---------|---|--|----------|---------|------------|
| CS41266 | Universal with 16-1/2" Brakes – Single Groove | Std. Forge 202100-175L Spicer M16WK117 | 17-3/8" | 2-7/32" | Left Hand |
| CS41267 | Universal with 16-1/2" Brakes – Single Groove | Std. Forge 202100-175R Spicer M16WK116 | 17-3/8" | 2-7/32" | Right Hand |
| CS41284 | Universal with 16-1/2" Brakes – Single Groove | Meritor 2210-N-1574 and 2210-E-1435 Std. Forge 202100-185L Eaton B-1691-5 Spicer M16WK103-12 | 18-3/8" | 2-7/32" | Left Hand |
| CS41285 | Universal with 16-1/2" Brakes – Single Groove | Meritor 2210-M-1573 Std. Forge 202100-185R Eaton B-1691-6 Spicer M16WK102-12 | 18-3/8" | 2-7/32" | Right Hand |
| CS41514 | Universal with 16-1/2" Brakes – Single Groove | Meritor 2210-U-2491 Eaton B-1691-17 Fruehauf 305680 Spicer M16WK103-19 | 21-3/32" | 2-7/32" | Left Hand |
| CS41515 | Universal with 16-1/2" Brakes – Single Groove | Meritor 2210-T-2490 Eaton B-1691-18 Fruehauf 305681 Spicer M16WK102-19 | 21-3/32" | 2-7/32" | Right Hand |
| CS41524 | Universal with 16-1/2" Brakes – Single Groove | Dana 16396 Meritor 2210-D-6400S Eaton 820084 | 24" | 2-7/32" | Left Hand |
| CS41525 | Universal with 16-1/2" Brakes – Single Groove | Dana 16395 Meritor 2210-C-6399S Eaton 820083 | 24" | 2-7/32" | Right Hand |
| CS41542 | Universal with 16-1/2" Brakes – Single Groove | Dana 16408 Meritor 2210-A-6345 | 22-7/8" | 2-7/32" | Left Hand |
| CS41543 | Universal with 16-1/2" Brakes – Single Groove | Dana 16407 Meritor 2210-Z-6344 | 22-7/8" | 2-7/32" | Right Hand |
| CS41754 | Universal with 16-1/2" Brakes – Single Groove | Std. Forge 202100-245L Spicer M16WK111-12 | 24-3/8" | 2-7/32" | Left Hand |
| CS41755 | Universal with 16-1/2" Brakes – Single Groove | Std. Forge 202100-245R Spicer M16WK110-12 | 24-3/8" | 2-7/32" | Right Hand |

CQ62768-66740



CQ62768



CQ65501



CQ65517



CQ66740

| SKU# | Product Description | Replaces | Axle | Kit Includes | Notes |
|---------|--|-----------------------|---------------|---|--|
| CQ62768 | 15" Meritor "Q" Series Brakes | (2) Meritor Kits 8022 | Steer | (4) Bushings, (2) Lock Rings, (4) Seals, (4) Washers | Use with 1-1/4" diameter camshafts - single web. |
| CQ65501 | 15" Eaton Reduced Envelope / 16-1/2" Eaton "ES" & "ESII" | Eaton 127808 | Steer / Drive | (8) Washers, (4) Bushings, (4) Seals, (2) Lock Rings | Reduced Envelope Air Brake / Extended Service |
| CQ65517 | 16-1/2" Meritor | Euclid E3989AHD | Trailer | (8) Washers, (6) Lock Rings, (4) Seals, (2) Inboard Bushing Assemblies, (2) Outboard Bushings | 1-5/8" diameter camshaft with one piece spider bushings. |
| CQ66740 | 16-1/2" Fruehauf (Propar) Axles | - | Trailer | (4) Lock Rings, (8) Washers, (6) Bushings | With scalloped inboard bushings, early design. |

CQ66918-66939



| SKU# | Product Description | Replaces | Axle | Kit Includes | Notes |
|---------|--|----------|-------|---|---|
| CQ66918 | 15" x 4" Eaton Single Anchor Pin Front Brakes | E-5140 | Steer | (4) Bushings, (4) Seals, (4) Washers, (2) Lock Rings | Early design and "ES". |
| CQ66920 | 15" & 16-1/4" Meritor "T" Series Front Axle Brakes | E-3468 | Steer | (4) Bushings, (10) Washers, (4) Seals, (2) Lock Rings | Use with 1-1/2" diameter camshafts, single web. |
| CQ66922 | 15" Meritor "T" Series Front Axle Brakes | E-3446 | Steer | (4) Bushings, (4) Seals, (12) Washers, (2) Lock Rings | Midliner air brake, use with 1-1/4" diameter camshafts, single web. |
| CQ66939 | 16-1/2" Meritor "Q" & "Q" Plus (Mack) | - | Drive | (4) Bushings, (4) Seals, (4) Washers, (2) Gaskets, (2) Lock Rings | With 50,000 lb. rear axle, heavy duty application. |

CQ66940-67111




| SKU# | Product Description | Replaces | Axle | Kit Includes | Notes |
|---------|--|-----------------------|---------------|---|---|
| CQ66940 | 15" & 16-1/2" Meritor "Q" & "Q" Plus | (2) Meritor Kits 8821 | Steer / Drive | (4) Bushings, (4) Seals | Minor Kit - bushings and seals only, for 1-1/2" diameter camshafts, double web. |
| CQ66941 | 16-1/2" Meritor Trailers with Fabricated Spiders | Meritor Kit 8289 | Trailer | (1) Bushing, (1) Lock Ring, (1) Washer, (2) Seals, (4) Attaching Screws | 1-5/8" diameter camshaft, bolt-on spider bushings only. |
| CQ67100 | 16-1/2" x 7" Ford | Leland K302 | Drive | (2) Lock Rings, (8) Washers, (4) Seals, (4) Bushings | Brazilian Cargo air brake. |
| CQ67111 | 16-1/2" Dana Spicer | Euclid E9790 | Trailer | (4) Lock Rings, (10) Washers, (4) Seals, (4) Bushings | With 1-5/8" diameter camshafts, 1995 and newer. |

CQ67128-67325



| SKU# | Product Description | Replaces | Axle | Kit Includes | Notes |
|---------|---------------------------------------|--|---------|---|---|
| CQ67128 | 16-1/2" Meritor "Q" & "Q" Plus Brakes | Meritor Kit 8058 | Trailer | (4) Bushings, (6) Lock Rings, (16) Washers, (4) Seals | 1-5/8" diameter camshaft, with press-in metal bushings. |
| CQ67138 | 15" Ford Cargo | Leland K301 | Steer | (4) Seals, (6) Washers, (2) Lock Rings, (4) Bushings | 15" x 4" Brazilian Cargo. |
| CQ67324 | 12-1/4" & 16-1/2" Fruehauf | All late models | Trailer | (4) Lock Rings, (8) Washers, (6) Bushings | With spherical inboard bushings, current design. |
| CQ67325 | 16-1/2" Eaton/Schuler | 22L & 23L 5" square axle, also late model "C" series round axle. | Trailer | (4) Lock Rings, (4) Bushings, (8) Washers, (4) Seals | With weld-on brake spiders. |

CQ67326-67329



CQ67326



CQ67327



CQ67328



CQ67329

| SKU# | Product Description | Replaces | Axle | Kit Includes | Notes |
|---------|---|----------|---------------|---|--|
| CQ67326 | 16-1/2" & 18" Eaton Self-Contained Tractor Brakes | E2125 | Drive | (4) Bushings, (6) Washers, (4) Seals, (2) Lock Rings, (2) Cotter Pins | Early design single anchor pin. |
| CQ67327 | 16-1/2" Meritor Self-Contained "P" Series | E-2086 | Steer / Drive | (4) Bushings, (4) Lock Rings, (6) Washers, (6) Seals | - |
| CQ67328 | 16-1/2" Meritor RN, RL & Late TK Axle | - | Trailer | (8) Washers, (6) Lock Rings, (4) Bushings | 1-1/2" diameter camshaft, with two piece spider bushings. |
| CQ67329 | 16-1/2" Meritor TK, TKD, TKL, Fruehauf #5 Axle | - | Trailer | (6) Lock Rings, (6) Bushings, (8) Washers | 1-1/2" diameter camshaft, with scalloped inboard bushings. |

CQ67331-67335



CQ67331



CQ67332



CQ67334



CQ67335

| SKU# | Product Description | Replaces | Axle | Kit Includes | Notes |
|---------|---|---|---------|---|--|
| CQ67331 | 16-1/2" Standard Forge & Early Dana Spicer | - | Trailer | (4) Lock Rings, (4) Bushings, (6) Washers, (4) Seals | With straight round inboard bushings. |
| CQ67332 | 16-1/2" & 18" Dana Spicer - Dexter - Standard Forge | Axles with weld-on spiders, also late model axles with 16-1/2" brakes | Trailer | (8) Lock Rings, (10) Washers, (4) Seals, (4) Bushings | With scalloped spherical inboard bushings. |
| CQ67334 | 16-1/2" Meritor RN Axle | - | Trailer | (8) Washers, (6) Lock Rings, (4) Bushings, (4) O-Ring Gaskets | 1-5/8" diameter camshaft, loose outboard bushings. |
| CQ67335 | 15" Wagner | E-3353-A | Steer | (4) Bushings, (4) Washers, (4) Lock Rings, (4) Seals | - |

CQ67353-67383



CQ67353



CQ67354



CQ67382



CQ67383

| SKU# | Product Description | Replaces | Axle | Kit Includes | Notes |
|---------|--------------------------------|-----------------------|---------|---|---|
| CQ67353 | 16-1/2" Dana Spicer | Dana Later Model Axle | Trailer | (4) Lock Rings, (6) Washers, (4) Bushings, (4) Seals, (4) O-Rings | With smooth spherical inboard bushings. |
| CQ67354 | 15" & 16-1/2" Eaton Late Model | 501 Series Brakes | Trailer | (6) Lock Rings, (8) Washers, (4) Seals, (4) Bushings | 15" Eaton Reduced Envelope. |
| CQ67382 | 12-1/4" Dana Spicer - Dexter | - | Trailer | (8) Washers, (4) Seals, (4) Lock Rings, (4) Bushings | - |
| CQ67383 | 12-1/4" Dana "U" | Late Model | Trailer | (4) Lock Rings, (6) Washers, (4) Bushings, (4) Seals | With weld-on brake spiders. |

CQ67384-67387



CQ67384



CQ67385



CQ67386



CQ67387

| SKU# | Product Description | Replaces | Axle | Kit Includes | Notes |
|---------|---|-------------------------|---------------|--|--|
| CQ67384 | 16-1/2" Eaton/Schuler Early Model 5" Round Axle | E-2089 | Trailer | (4) Lock Rings, (4) Bushings, (10) Washers, (4) Seals | With bolt-on brake spiders. |
| CQ67385 | 16-1/2" Meritor | Using One Piece Bushing | Trailer | (8) Washers, (6) Lock Rings, (2) Seals, (4) Bushings, (2) Gaskets | 1-1/2" diameter camshaft, with green spider bushings. |
| CQ67386 | 12-1/4" Meritor "Q" & 16-1/2" Meritor RN, RL & Late TK Axle | E-3520-A | Trailer | (8) Washers, (6) Lock Rings, (2) Bushings, (2) Spider Bushings | 1-5/8" diameter camshaft with two piece spider bushings. |
| CQ67387 | 15", 16-1/2" & 18" Meritor "Q" & "Q" Plus, Paccar | E-3993 | Steer / Drive | (4) Bushings, (4) Seals, (4) Lock Rings, (10) Washers, (2) Gaskets | Use with 1-1/2" diameter camshafts - double web, Kenworth & Peterbilt Midranger. |

CQ67410-67413



| SKU# | Product Description | Replaces | Axle | Kit Includes | Notes |
|---------|---|----------------------------------|-----------------|---|---------------------------------------|
| CQ67410 | 12-1/4" Eaton | E-2494 | Trailer | (4) Lock Rings, (4) Bushings, (8) Washers, (4) Seals | - |
| CQ67411 | 12-1/4" Dana Spicer | Early "S" Model Standard Forge | Trailer | (6) Washers, (6) Lock Rings, (4) Bushings, (8) Seals | With bolt-on brake spiders. |
| CQ67412 | 16-1/2" Eaton "ES" Severe Service / Late Model Trailer Axle | Late Model with 501 Series Brake | Drive / Trailer | (4) Bushings, (8) Washers, (4) Seals, (2) Lock Rings | - |
| CQ67413 | 16-1/2" Meritor "P", "Q" & "Q" Plus | - | Drive | (4) Bushings, (6) Washers, (6) Lock Rings, (4) Seals, (2) Gaskets | Use with 2-1/2" offset brake spiders. |

CQ67414-67443



| SKU# | Product Description | Replaces | Axle | Kit Includes | Notes |
|----------|---|--|---------|--|--|
| CQ67414 | 16-1/2" Hendrickson | Hendrickson S-21181 | Trailer | (16) Washers, (2) Bushings, (4) Seals, (4) Lock Rings, (2) Support Assm | Intraax®, before 1998, 1-7/8" outside diameter outboard bushing. |
| CQ67416 | 16-1/2" Meritor "Q" & "Q" Plus | - | Trailer | (4) Bushings, (6) Lock Rings, (8) Washers, (4) Seals, (8) Screws | 1-5/8" diameter camshaft with bolt-on spider bushings. |
| CQ67416W | 16-1/2" Meritor "Q" & "Q" Plus Wheel Kit | - | Trailer | (2) Bushings, (3) Lock Rings, (4) Washers, (2) Seals, (4) Screws | 1-5/8" diameter camshaft with bolt-on spider bushings. |
| CQ67417 | 16-1/2" Hendrickson "Q" | Hendrickson S-23974 | Trailer | (2) Inboard Bushings, (4) Lock Rings, (4) Seals, (2) Outboard Bushings, (2) D Washers, (14) Washers | Intraax®, 1998 and newer, 2" outside diameter outboard bushing. |
| CQ67417W | 16-1/2" Hendrickson "Q" Wheel Kit | Hendrickson S-23974 | Trailer | (1) Inboard Bushings, (2) Lock Rings, (2) Seals, (1) Outboard Bushings, (1) D Washers, (7) Washers | Intraax®, 1998 and newer, 2" outside diameter outboard bushing. |
| CQ67443 | 16-1/2" Hendrickson "Intraax" Series | Hendrickson S-26348, Hendrickson S-28890, Euclid E11897, Leland K-503 | Trailer | (2) Bushings, (2) Lock Rings, (1) Cam Tube, (1) Bracket, (5) Washers, (4) Screws, (4) Nuts | Intraax® Series Brake with Cam Tube |

This page left blank intentionally.

Haldex develops and provides reliable and innovative solutions with focus on brake and air suspension products to the global commercial vehicle industry.

Listed on the Stockholm Stock Exchange, Haldex has annual sales of approximately 3.9 billion SEK and employs about 2,200 people.

Disclaimer: The products described within this literature, including without limitation, product features, specifications, designs, availability and pricing are subject to change by Haldex and its subsidiaries at any time without notice.

This document and other information from Haldex, its subsidiaries and authorized distributors provide product and/or system options for further investigation by users having technical expertise. It is important that you analyze all aspects of your application and review the information concerning the product or system, in the current literature or catalog. Due to the variety of operating conditions and applications for these products or systems, the user, through their own analysis and testing, is solely responsible for making the final selection of the products and systems and assuring that all performance, safety and warning requirements are met.

©2014, Haldex AB - This material may contain Haldex trademarks and third party trademarks, trade names, corporate logos, graphics and emblems which are the property of their respective companies. The contents of this document may not be copied, distributed, adapted or displayed for commercial purposes or otherwise without prior written consent from Haldex.

Innovative Vehicle Solutions

Austria

Haldex Wien Ges.m.b.H.
Vienna
Tel.: +43 1 8 69 27 97
Fax: +43 1 8 69 27 97 27
E-Mail: info.at@haldex.com

Belgium

Haldex N.V.
Balegem
Tel.: +32 9 363 90 00
Fax: +32 9 363 90 09
E-Mail: info.be@haldex.com

Brazil

Haldex do Brasil Ind. E Com. Ltda.
São José dos Campos
Tel.: +55 12 3935 4000
Fax: +55 12 3935 4018
E-Mail: info.brasil@haldex.com

Canada

Haldex Ltd.
Cambridge, Ontario
Tel.: +1 519 621 6722
Fax: +1 519 621 3924
E-Mail: info.ca@haldex.com

China

Haldex Vehicle Products Co. Ltd.
Suzhou
Tel.: +86 512 8885 5301
Fax: +86 512 8765 6066
E-Mail: info.cn@haldex.com

France

Haldex Europe SAS
Weyersheim
Tel.: +33 3 88 68 22 00
Fax: +33 3 88 68 22 09
E-Mail: info.eur@haldex.com

Germany

Haldex Brake Products GmbH
Heidelberg
Tel.: +49 6 221 7030
Fax: +49 6 221 703400
E-Mail: info.de@haldex.com

Hungary

Haldex Hungary Kft.
Szentlőrincskáta
Tel.: +36 29 631 400
Fax: +36 29 631 401
E-Mail: info.hu.eu@haldex.com

India

Haldex India Limited
Nasik
Tel.: +91 253 6699501
Fax: +91 253 2380729

Italy

Haldex Italia Srl.
Biassono
Tel.: +39 039 47 17 02
Fax: +39 039 27 54 309
E-Mail: info.it@haldex.com

Korea

Haldex Korea Ltd.
Seoul
Tel.: +82 2 2636 7545
Fax: +82 2 2636 7548
E-Mail: info.hkr@haldex.com

Mexico

Haldex de Mexico S.A. De C.V.
Monterrey
Tel.: +52 81 8156 9500
Fax: +52 81 8313 7090

Poland

Haldex Sp. z.o.o.
Praszka
Tel.: +48 34 350 11 00
Fax: +48 34 350 11 11
E-Mail: info.pl@haldex.com

Russia

OOO "Haldex RUS"
Moscow
Tel.: +7 495 747 59 56
Fax: +7 495 786 39 70
E-Mail: info.ru@haldex.com

Spain

Haldex España S.A.
Granollers
Tel.: +34 93 84 07 239
Fax: +34 93 84 91 218
E-Mail: info.es@haldex.com

Sweden

Haldex Brake Products AB
Landskrona
Tel.: +46 418 47 60 00
Fax: +46 418 47 60 01
E-Mail: info.se@haldex.com

United Kingdom

Haldex Ltd.
Newton Aycliffe
Tel.: +44 1325 310 110
Fax: +44 1325 311 834
E-Mail: info.gb@haldex.com

Haldex Brake Products Ltd.
MIRA Technology Park
Tel.: +44 2476 400 300
Fax: +44 2476 400 301
E-Mail: info.gbre@haldex.com

USA

Haldex Brake Products Corp.
Kansas City
Tel.: +1 816 891 2470
Fax: +1 816 891 9447
E-Mail: info.us@haldex.com



www.haldex.com

L00122W US 6/14 WEB ONLY